Aerosol and Surface Transmission Potential of SARS-CoV-2

Authors: Joshua L. Santarpia^{1,2*}, Danielle N. Rivera², Vicki L. Herrera¹, M. Jane Morwitzer¹, Hannah M. Creager ¹, George W. Santarpia¹, Kevin K. Crown², David M. Brett-Major¹, Elizabeth R. Schnaubelt^{1,3}, M. Jana Broadhurst¹, James V. Lawler^{1,2}, St. Patrick Reid¹, and John J. Lowe^{1,2}

Affiliations:

¹University of Nebraska Medical Center ²National Strategic Research Institute

³United Stated Air Force School of Aerospace Medicine

Supplementary Information

| | | | | | | | | | | | | | | | | | | | _ | | | | | |
|---------------------|-----|---------|-----------------------------|-----------------------------------|-----------|--------------------------------|------------|----------------------------------|------------|-----------------------------------|--------|--------------------|---------|--------------------|--------|--------------------|-----------|------------------------------|------------------|----------------------|------------|--------------------|---------------|-------|
| Room | Day | | ble or Bed Rail pies/µL) | Air Handling Grate (copies/µL) | | Floor Under Bed (copies/µL) | | Room Window Ledge (copies/µL) | | Misc . Personal Items (copies/μL) | | Phones (copies/µL) | | Remote (copies/μL) | | Toilet (copies/μL) | | Air Samples (gc/L of air) | | Samples Collected | % Positive | Oral Temp. (°F) | Other Sym? | |
| | | Average | Stand Dev | Average | Stand Dov | Average | Stand, Dev | Average | Stand. Dov | Discription | Anrage | Stand, Dev | Average | Stand Dov | Anrage | Stand, Dov | Aver ager | Stand, Div | Average | Stand. Dov | | | | |
| NQUA | 5 | 1.31 | 0.11 | | | | | 0.65 | 0.29 | | | | 0.14 | 0.24 | 0.12 | 0.21 | 0.95 | 0.39 | 4.00 | 6.93 | 6 | 100.0% | 102.3 | Y |
| NQUB | 5 | UND | NC | | | | | 0.23 | 0.40 | | | | 0.35 | 0.33 | UND | NC | UND | NC | 2.79 | 4.84 | 6 | 50.0% | 98.2 | Y |
| NQUC | 5 | UND | NC | | | | | 0.25 | 0.43 | | | | 0.15 | 0.25 | 0.22 | 0.20 | 0.28 | 0.48 | 8.34 | 7.25 | 6 | 83.3% | 99.1 | N |
| NQU E | 6 | 0.12 | 0.20 | | | | | 0.21 | 0.36 | | | | UND | NC | 0.41 | 0.12 | 0.11 | 0.20 | 2.70 | 4.68 | 6 | 83.3% | 100.5 | Υ |
| NQU F | 6 | 0.31 | 0.27 | | | | | UND | NC | | | | 0.41 | 0.21 | UND | NC | 0.53 | 0.24 | | | 5 | 60.0% | 98.6 | Υ |
| NQUG | 6 | UND | NC | | | | | UND | NC | | | | 0.32 | 0.30 | UND | NC | 0.41 | 0.10 | | | 5 | 40.0% | 99.1 | N |
| NQUH | 7 | 0.16 | 0.27 | | | | | 0.20 | 0.35 | | | | UND | NC | 0.28 | 0.25 | 0.39 | 0.38 | 3.30 | 5.72 | 6 | 83.3% | 98.5 | Υ |
| NQUI | 7 | 0.20 | 0.35 | | | | | 0.13 | 0.22 | | | | UND | NC | | | 0.25 | 0.21 | 8.22 | 8.27 | 5 | 80.0% | 99.1 | N |
| N QU A | 8 | 0.20 | 0.34 | | | | | 0.39 | 0.41 | Exercise Bike | UND | NC | 0.46 | 0.40 | 0.44 | 0.41 | UND | NC | 4.74 | 4.13 | 7 | 71.4% | 100.4 | Υ |
| NQUB | 8 | 0.31 | 0.33 | | | | | 0.25 | 0.23 | Ho t Pot | 0.18 | 0.30 | 0.13 | 0.23 | UND | NC | 0.29 | 0.25 | UND | NC | 7 | 71.4% | 97.9 | N |
| NQUC | 8 | 0.08 | 0.14 | | | | | UND | NC | Ho t Pot | 0.42 | 0.36 | 0.10 | 0.17 | UND | NC | 0.11 | 0.18 | 5.68 | 9.85 | 7 | 71.4% | 99.5 | N |
| NQUD | 9 | 0.19 | 0.33 | | | | | 0.17 | 0.30 | iPad | 0.10 | 0.17 | 0.15 | 0.25 | UND | NC | 0.55 | 0.18 | UND | NC | 7 | 71.4% | ND | ND |
| NQU E | 9 | UND | NC | | | | | UND | NC | | | | 0.28 | 0.32 | 0.25 | 0.22 | 0.22 | 0.20 | UND | NC | 6 | 50.0% | 99 | Υ |
| NQU F | 9 | UND | NC | | | | | 0.15 | 0.26 |] | | | 0.12 | 0.20 | UND | NC | 0.09 | 0.16 | UND | NC | 6 | 50.0% | 98.8 | Y |
| NQUG | 9 | 0.46 | 0.40 | | | | | UND | NC | | | | 0.19 | 0.33 | 0.18 | 0.31 | 0.14 | 0.25 | UND | NC | 6 | 66.7% | 99.1 | N |
| | 9 | 0.58 | 0.24 | | | | | | | Dumb bells | UND | NC | | | | | | | | | | | | |
| NQUH | | | | | | | | 0.67 | 0.32 | Treadmill | 0.20 | 0.34 | UND | NC UN | UND | NC | 0.43 | 0.12 | 4.22 7.31 | 9 | 66.7% | 98.7 | N | |
| | | | | | | | | | | Yoga Mat | 0.16 | 0.27 | | | | | | | | | | | | |
| NQUI | 9 | 0.09 | 0.16 | | | | | 0.14 | 0.24 | iPad | 0.43 | 0.42 | 0.14 | 0.24 | 0.17 | 0.29 | 0.20 | 0.35 | UND | NC | 7 | 85.7% | 98.5 | N |
| N BU A Patient 1 | 10 | UND | NC | UND | NC | 0.39 | 0.38 | 0.14 | 0.24 | Spirometer | 0.34 | 0.38 | | | | | UND | NC | >6ft from | n patient | | | | |
| | | 0.23 | 0.21 | 0.20 | 0.34 | 0.21 | 0.37 | UND | NC | Spriometer | UND | NC | | | 1.70 | 0.24 | 0.13 | 0.22 | 2.42 4.20 | 4.20 | 16 | 68.8% | 98.3 | Y |
| | | 0.11 | 0.19 | - | | | | | | O2 Cannula | 0.15 | 0.26 | c | | | | | _ | | | | | \vdash | |
| N BU B Patient 2 | 10 | 0.33 | 0.31 | 0.44 0.44 | 0.44 | 0.41 | 0.46 | 0.36 | 0.33 | Laptop | 0.19 | 0.18 | | 0.23 | | | | | >6f from patient | patient | 4 | | | |
| | | 0.14 | 0.25 | | | | | | | Glasses | 0.22 | 0.38 | 0.13 | | | 0.24 | | 0.27 | | | 15 | 86.7% | 00.2 | Y |
| | | UND | NC | 1.75 | 0.33 | 1.02 | 0.32 | 0.24 | 0.31 | Pulse Ox | 0.56 | 0.40 | 0.13 | 0.23 | | | 0.21 | 0.37 | UND | NC | 15 | 80./% | 99.2 | , |
| | | | | | | | | 0.34 | | Finger Monitor | 0.56 | 0.48 | 18 | | | | | | | | | - | | |
| | | | | | | | | | | wo nto? | | 1 | | | | | | | Now P | atient | | | | |
| N BU B Patient 3 | 18 | 1.32 | 0.24 | 1.71 0.08 | | | 0.34 | 0.48 | 0.44 | Lotion tube | 0.32 | | | | | | | | 140.00 F | | | | | |
| | | | | | | | | | | | | | | 0.23 | | | UND | NC | 4.07 | 7.06 | 1 2000 | | MINISTRAL | 2,000 |
| | | | | | 0.08 | 0.20 | | | | | | 0.55 | | | 0.23 | 0.20 | | | >6ft from | 0.005000 | 9 | 88.9% | 99.1 | Y |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 1,000 | | | | | | | | | | | | | | | | | 2.48 | 4.30 | | | 57.9% | |
| Percent Positive | | 70.8% | | 80.0% | | 100.0% | | 72.7% | | 75.0% | | 77.8% | | 55.6% | | 81 | 81.0% | | 63.2% | | | | 57.9% | |
| p to Fever | | 0.15 | | | | | | | 0.25 | | -0.07 | | -0. | -0.02 0.23 | | 0.02 | | 0.36 | | 0.39 | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |

Table S1. Results of all in-room samples collected in this study. UND denotes undetected, NC denotes Not Calculated. ND denotes No Data. The dotted background indicates the sample from which cell culture data is shown in Figure 2. In the case where no data was obtained, the patient had been transferred from another facility less than 24 hours prior to sampling.

| | | · | Air Samples | Personal Air Samples | | | | |
|----------|----------|--------|-------------|----------------------|-------|--|--|--|
| Location | Day | (copie | s/L of air) | (copies/L of air) | | | | |
| | 5 | UND | NC | | | | | |
| | 5 | UND | NC | | | | | |
| | 6 | 5.76 | 5.10 | | | | | |
| | 6 | 6.00 | 5.90 | | | | | |
| | 7 | 2.08 | 3.60 | | | | | |
| NQU | 7 | UND | NC | | | | | |
| | 8 | 8.69 | 3.69 | | | | | |
| | 8 | 2.36 | 4.09 | | | | | |
| | 8 | 2.29 | 3.97 | | | | | |
| | 9 | | | 7.39 | 19.20 | | | |
| | 9 | | | 5.37 | 7.15 | | | |
| | 10 | UND | NC | | | | | |
| | 10 | 2.99 | 5.19 | | | | | |
| NBU | 10 | UND | NC | | | | | |
| | 10 | | | 19.17 | 49.82 | | | |
| | 18 | | | 48.22 | 67.16 | | | |
| Percent | Positive | 5 | 8.3% | 100.0% | | | | |

Table S2. Results of hallway air samples and personal air samples. UND denotes undetected, NC denotes Not Calculated. The dotted background indicates the sample from which cell culture data is shown in Figure 2.