

SUPPLEMENTARY INFORMATION

sMETHODS

Latent Growth Mixture (LGM) Modelling

LGM models are characterised by the combination of latent growth curve modelling and latent class analysis. Such method allows to group individuals into trajectories according to their pattern of change over time. We estimated one LGM model with a specific intercept and slope growth factor for each trajectory. The within-group variation for each trajectory is represented by the intercept and slope growth factors which are modelled as continuous latent variables. The time metric was defined as *weeks into the study* (week 1- week 7). The optimal number of trajectories was identified using a stepwise approach. First, we fitted one LGM model with a single trajectory. Second, we included an additional trajectory at each following step until the optimal number of trajectories was reached. The optimal number of trajectories was determined using the following criteria: lower Akaike information criterion (AIC), lower sample-size adjusted Bayesian Information Criterion (ssaBIC), every class containing more than 5% of participants, entropy value (i.e. quality of the classification model) closest to 1.¹ The three-class solution was selected as the best fitting model since it had the best combination of lower AIC/ssaBIC and higher entropy and contained more than 5% of participants in each class (see sTable 2).

sTable 1: Comparison of items in the original and revised Perceived Social Support Questionnaire (F-SozU K-6).

Original	Adapted for COVID-19
	In the past week, I feel...
I experience a lot of understanding and security from others	I have experienced a lot of understanding and support from others
I know a very close person whose help I can always count on	I have a very close person whose help I can always count on
If necessary, I can easily borrow something I might need from neighbours or friends	If necessary, I can easily borrow something I need from neighbours or friends
I know several people with whom I like to do things	I have people with whom I can spend time and do things together
When I am sick, I can without hesitation ask friends and family to take care of important matters for me	If I get sick, I have friends and family who will take care of me
If I am down, I know to whom I can go without hesitation	If I am feeling down, I have people I can talk to without hesitation

sTable 2. LGM model fit indices

	2 classes	3 classes	4 classes	5 classes
<i>AIC</i>	1015405.783	1009196.561	1005160.275	1002587.930
<i>ssaBIC</i>	1015542.660	1009379.064	1005388.404	1002861.685
<i>N classes >5%</i>	Yes	Yes	Yes	No
<i>Entropy</i>	0.813	0.811	0.768	0.771

sTable 3. Weighted characteristics of the study participants at each wave.							
	Wave 1	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7
	Overall (N=51,417)	Overall (N=41,425)	Overall (N=34,314)	Overall (N=27,774)	Overall (N=18,009)	Overall (N=12,944)	Overall (N=406)
Sex							
Female	26276 (51.1%)	21123 (51.0%)	17463 (50.9%)	14078 (50.7%)	9278 (51.5%)	6445 (49.8%)	233 (57.4%)
Male	25140 (48.9%)	20302 (49.0%)	16851 (49.1%)	13696 (49.3%)	8731 (48.5%)	6499 (50.2%)	173 (42.6%)
Age							
18-29	9228 (17.9%)	5918 (14.3%)	3970 (11.6%)	3024 (10.9%)	1983 (11.0%)	1186 (9.2%)	92 (22.6%)
30-44	11972 (23.3%)	9287 (22.4%)	7405 (21.6%)	5664 (20.4%)	3654 (20.3%)	2439 (18.8%)	130 (32.0%)
45-59	13723 (26.7%)	11565 (27.9%)	9861 (28.7%)	7921 (28.5%)	5085 (28.2%)	3636 (28.1%)	111 (27.2%)
60+	16494 (32.1%)	14656 (35.4%)	13078 (38.1%)	11164 (40.2%)	7287 (40.5%)	5683 (43.9%)	74 (18.1%)
Ethnicity							
Non-white	6145 (12.0%)	4176 (10.1%)	3169 (9.2%)	2490 (9.0%)	1665 (9.2%)	1080 (8.3%)	60 (14.9%)
White	45272 (88.0%)	37249 (89.9%)	31145 (90.8%)	25283 (91.0%)	16344 (90.8%)	11864 (91.7%)	346 (85.1%)
Employment status							
Employed	30888 (60.1%)	24386 (58.9%)	19811 (57.7%)	15614 (56.2%)	10085 (56.0%)	6925 (53.5%)	284 (69.9%)
Inactive	19414 (37.8%)	16329 (39.4%)	13940 (40.6%)	11700 (42.1%)	7640 (42.4%)	5826 (45.0%)	114 (28.0%)
Unemployed	1115 (2.2%)	710 (1.7%)	564 (1.6%)	460 (1.7%)	284 (1.6%)	193 (1.5%)	8 (2.1%)
Education							
Postgraduate	17362 (33.8%)	13733 (33.2%)	11153 (32.5%)	8958 (32.3%)	5768 (32.0%)	4174 (32.2%)	75 (18.5%)
Undergraduate	16638 (32.4%)	12958 (31.3%)	10679 (31.1%)	8620 (31.0%)	5504 (30.6%)	4151 (32.1%)	59 (14.4%)
A-Level or Vocational	6964 (13.5%)	5984 (14.4%)	5090 (14.8%)	4169 (15.0%)	2846 (15.8%)	1896 (14.6%)	159 (39.2%)
GCSE or Lower	10453 (20.3%)	8750 (21.1%)	7392 (21.5%)	6027 (21.7%)	3890 (21.6%)	2723 (21.0%)	113 (27.9%)
Income							
N-Miss	5308	4204	3513	2878	1891	1371	36
<£16k	9704 (21.0%)	7510 (20.2%)	6035 (19.6%)	4857 (19.5%)	3152 (19.6%)	2380 (20.6%)	28 (7.6%)
£16k - £30k	12846 (27.9%)	10270 (27.6%)	8604 (27.9%)	7005 (28.1%)	4517 (28.0%)	3372 (29.1%)	76 (20.5%)
£30k - £60k	14434 (31.3%)	11915 (32.0%)	9956 (32.3%)	8022 (32.2%)	5131 (31.8%)	3622 (31.3%)	125 (33.8%)
£60k - £90k	5488 (11.9%)	4547 (12.2%)	3777 (12.3%)	3030 (12.2%)	1996 (12.4%)	1328 (11.5%)	74 (19.9%)
>£90k	3638 (7.9%)	2979 (8.0%)	2428 (7.9%)	1981 (8.0%)	1322 (8.2%)	871 (7.5%)	68 (18.3%)
Overcrowding							
Not Overcrowded	47221 (91.8%)	38979 (94.1%)	32574 (94.9%)	26489 (95.4%)	17201 (95.5%)	12471 (96.3%)	382 (93.9%)
Overcrowded	4196 (8.2%)	2446 (5.9%)	1740 (5.1%)	1285 (4.6%)	808 (4.5%)	473 (3.7%)	25 (6.1%)
Tenure							
N-Miss	179	139	118	103	67	50	1
Own Mortgage	15991 (31.2%)	13000 (31.5%)	10617 (31.0%)	8452 (30.5%)	5375 (30.0%)	3671 (28.5%)	159 (39.1%)

Own Outright	16016 (31.3%)	14011 (33.9%)	12500 (36.6%)	10546 (38.1%)	6886 (38.4%)	5311 (41.2%)	101 (25.0%)
Rent	19231 (37.5%)	14275 (34.6%)	11078 (32.4%)	8672 (31.3%)	5681 (31.7%)	3912 (30.3%)	145 (35.8%)
Socioeconomic disadvantage index - quartiles							
1 (=lowest)	8353 (16.2%)	6994 (16.9%)	5867 (17.1%)	4691 (16.9%)	3079 (17.1%)	2020 (15.6%)	128 (31.6%)
2	9525 (18.5%)	7689 (18.6%)	6237 (18.2%)	4934 (17.8%)	3204 (17.8%)	2193 (16.9%)	119 (29.4%)
3	16395 (31.9%)	13028 (31.4%)	10685 (31.1%)	8646 (31.1%)	5546 (30.8%)	3986 (30.8%)	87 (21.4%)
4 (=highest)	17143 (33.3%)	13714 (33.1%)	11525 (33.6%)	9502 (34.2%)	6181 (34.3%)	4746 (36.7%)	71 (17.6%)
Key worker							
Yes	11342 (22.1%)	8737 (21.1%)	6985 (20.4%)	5407 (19.5%)	3431 (19.1%)	2375 (18.3%)	75 (18.3%)
Chronic physical illness							
Yes	19655 (38.2%)	16565 (40.0%)	14094 (41.1%)	11518 (41.5%)	7444 (41.3%)	5586 (43.2%)	122 (29.9%)
Mental health disorder							
Yes	10219 (19.9%)	7873 (19.0%)	6160 (18.0%)	4858 (17.5%)	3084 (17.1%)	2158 (16.7%)	83 (20.5%)
Low social support							
Yes	13235 (25.7%)	10496 (25.3%)	8618 (25.1%)	6920 (24.9%)	4356 (24.2%)	3230 (25.0%)	103 (25.5%)
Psychological/physical abuse							
Yes	5798 (11.3%)	4579 (11.1%)	3802 (11.1%)	3058 (11.0%)	2008 (11.1%)	1386 (10.7%)	57 (14.0%)
COVID-19 symptoms							
Yes	7618 (14.8%)	6237 (15.1%)	5048 (14.7%)	3984 (14.3%)	2543 (14.1%)	1794 (13.9%)	78 (19.1%)
Depressive symptoms (categories)							
N-Miss	0	30	19	36	26	40	3
minimal/mild	35715 (69.5%)	30078 (72.7%)	26084 (76.1%)	21330 (76.9%)	14173 (78.8%)	10019 (77.6%)	284 (70.6%)
moderate	12451 (24.2%)	9452 (22.8%)	6845 (20.0%)	5301 (19.1%)	3152 (17.5%)	2350 (18.2%)	86 (21.4%)
severe	3251 (6.3%)	1864 (4.5%)	1366 (4.0%)	1107 (4.0%)	657 (3.7%)	535 (4.1%)	32 (8.0%)

sTable 4. Unweighted characteristics of the study participants at each wave.							
	Wave 1	Wave 2	Wave 3	Wave 4	Wave 5	Wave 6	Wave 7
	Overall (N=53,170)	Overall (N=45,028)	Overall (N=37,820)	Overall (N=30,273)	Overall (N=19,548)	Overall (N=13,668)	Overall (N=627)
Sex							
Female	39652 (74.6%)	33478 (74.3%)	28122 (74.4%)	22568 (74.5%)	14774 (75.6%)	10202 (74.6%)	505 (80.5%)
Male	13518 (25.4%)	11550 (25.7%)	9698 (25.6%)	7705 (25.5%)	4774 (24.4%)	3466 (25.4%)	122 (19.5%)
Age							
18-29	5126 (9.6%)	3757 (8.3%)	2718 (7.2%)	2095 (6.9%)	1392 (7.1%)	836 (6.1%)	64 (10.2%)
30-44	14927 (28.1%)	12287 (27.3%)	10045 (26.6%)	7763 (25.6%)	5075 (26.0%)	3319 (24.3%)	222 (35.4%)
45-59	17497 (32.9%)	14999 (33.3%)	12848 (34.0%)	10330 (34.1%)	6674 (34.1%)	4653 (34.0%)	222 (35.4%)
60+	15620 (29.4%)	13985 (31.1%)	12209 (32.3%)	10085 (33.3%)	6407 (32.8%)	4860 (35.6%)	119 (19.0%)
Ethnicity							
Non-white	2690 (5.1%)	2036 (4.5%)	1604 (4.2%)	1263 (4.2%)	845 (4.3%)	538 (3.9%)	35 (5.6%)
White	50480 (94.9%)	42992 (95.5%)	36216 (95.8%)	29010 (95.8%)	18703 (95.7%)	13130 (96.1%)	592 (94.4%)
Employment status							
Employed	35207 (66.2%)	29458 (65.4%)	24561 (64.9%)	19471 (64.3%)	12682 (64.9%)	8541 (62.5%)	479 (76.4%)
Inactive	17226 (32.4%)	15007 (33.3%)	12795 (33.8%)	10439 (34.5%)	6634 (33.9%)	4970 (36.4%)	144 (23.0%)
Unemployed	737 (1.4%)	563 (1.3%)	464 (1.2%)	363 (1.2%)	232 (1.2%)	157 (1.1%)	4 (0.6%)
Education							
Postgraduate	9641 (18.1%)	7992 (17.7%)	6568 (17.4%)	5215 (17.2%)	3303 (16.9%)	2377 (17.4%)	37 (5.9%)
Undergraduate	7706 (14.5%)	6186 (13.7%)	5086 (13.4%)	4014 (13.3%)	2506 (12.8%)	1859 (13.6%)	23 (3.7%)
A-Level or Vocational	14336 (27.0%)	12447 (27.6%)	10647 (28.2%)	8654 (28.6%)	5856 (30.0%)	3931 (28.8%)	327 (52.2%)
GCSE or Lower	21487 (40.4%)	18403 (40.9%)	15519 (41.0%)	12390 (40.9%)	7883 (40.3%)	5501 (40.2%)	240 (38.3%)
Income							
N-Miss	4812	4071	3457	2792	1816	1305	36
<£16k	7279 (15.1%)	5943 (14.5%)	4895 (14.2%)	3897 (14.2%)	2433 (13.7%)	1808 (14.6%)	38 (6.4%)
£16k - £30k	11570 (23.9%)	9752 (23.8%)	8139 (23.7%)	6493 (23.6%)	4176 (23.6%)	3007 (24.3%)	100 (16.9%)
£30k - £60k	16718 (34.6%)	14290 (34.9%)	12024 (35.0%)	9615 (35.0%)	6185 (34.9%)	4273 (34.6%)	216 (36.5%)
£60k - £90k	7530 (15.6%)	6463 (15.8%)	5466 (15.9%)	4352 (15.8%)	2855 (16.1%)	1917 (15.5%)	128 (21.7%)
>£90k	5261 (10.9%)	4509 (11.0%)	3839 (11.2%)	3124 (11.4%)	2083 (11.7%)	1358 (11.0%)	109 (18.4%)
Overcrowding							
Not Overcrowded	50457 (94.9%)	43121 (95.8%)	36375 (96.2%)	29175 (96.4%)	18842 (96.4%)	13260 (97.0%)	612 (97.6%)
Overcrowded	2713 (5.1%)	1907 (4.2%)	1445 (3.8%)	1098 (3.6%)	706 (3.6%)	408 (3.0%)	15 (2.4%)
Tenure							
N-Miss	184	143	123	106	68	48	2
Own Mortgage	19826 (37.4%)	16782 (37.4%)	14056 (37.3%)	11131 (36.9%)	7213 (37.0%)	4867 (35.7%)	277 (44.3%)

Own Outright	18017 (34.0%)	15963 (35.6%)	13918 (36.9%)	11403 (37.8%)	7291 (37.4%)	5412 (39.7%)	188 (30.1%)
Rent	15143 (28.6%)	12140 (27.0%)	9723 (25.8%)	7633 (25.3%)	4976 (25.5%)	3341 (24.5%)	160 (25.6%)
Socioeconomic disadvantage index - quartiles							
1 (=lowest)	15151 (28.5%)	12962 (28.8%)	10978 (29.0%)	8705 (28.8%)	5756 (29.4%)	3789 (27.7%)	272 (43.4%)
2	11283 (21.2%)	9529 (21.2%)	7989 (21.1%)	6432 (21.2%)	4189 (21.4%)	2838 (20.8%)	160 (25.5%)
3	13701 (25.8%)	11566 (25.7%)	9607 (25.4%)	7713 (25.5%)	4929 (25.2%)	3509 (25.7%)	119 (19.0%)
4 (=highest)	13035 (24.5%)	10971 (24.4%)	9246 (24.4%)	7423 (24.5%)	4674 (23.9%)	3532 (25.8%)	76 (12.1%)
Key worker							
Yes	12817 (24.1%)	10502 (23.3%)	8602 (22.7%)	6660 (22.0%)	4305 (22.0%)	2875 (21.0%)	160 (25.5%)
Chronic physical illness							
Yes	19358 (36.4%)	16715 (37.1%)	14175 (37.5%)	11420 (37.7%)	7310 (37.4%)	5304 (38.8%)	183 (29.2%)
Mental health disorder							
Yes	10174 (19.1%)	8320 (18.5%)	6759 (17.9%)	5256 (17.4%)	3317 (17.0%)	2289 (16.7%)	122 (19.5%)
Low social support							
Yes	11593 (21.8%)	9740 (21.6%)	8174 (21.6%)	6520 (21.5%)	4112 (21.0%)	2984 (21.8%)	143 (22.8%)
Psychological/physical abuse							
Yes	5422 (10.2%)	4689 (10.4%)	4052 (10.7%)	3281 (10.8%)	2134 (10.9%)	1424 (10.4%)	69 (11.0%)
COVID-19 symptoms							
Yes	8295 (15.6%)	7084 (15.7%)	5917 (15.6%)	4710 (15.6%)	3023 (15.5%)	2062 (15.1%)	122 (19.5%)
Depressive symptoms (categories)							
N-Miss	0	31	32	43	26	43	3
minimal/mild	38588 (72.6%)	33642 (74.8%)	29179 (77.2%)	23505 (77.8%)	15503 (79.4%)	10681 (78.4%)	455 (72.9%)
moderate	12109 (22.8%)	9770 (21.7%)	7407 (19.6%)	5761 (19.1%)	3441 (17.6%)	2486 (18.2%)	139 (22.3%)
severe	2473 (4.7%)	1585 (3.5%)	1202 (3.2%)	964 (3.2%)	578 (3.0%)	458 (3.4%)	30 (4.8%)

sTable 5. Associations of sociodemographic, psychosocial, and health-related vulnerabilities with group-based trajectories of depressive symptoms.

	Moderate Depressive Symptom Trajectory					Severe Depressive Symptom Trajectory				
	OR	SE	p-value	95% CI - Lower bound	95% CI - Upper bound	OR	SE	p-value	95% CI - Lower bound	95% CI - Upper bound
<i>Model 1 (individual effects)</i>										
Covariates										
Sex:Female	1.74	0.044	<0.001	1.66	1.83	1.64	0.061	<0.001	1.52	1.76
Age:30-44	0.57	0.071	<0.001	0.43	0.71	0.40	0.079	<0.001	0.25	0.56
Age:45-59	0.38	0.072	<0.001	0.24	0.52	0.29	0.078	<0.001	0.14	0.44
Age:60+ (ref: 18-29)	0.17	0.080	<0.001	0.02	0.33	0.09	0.098	<0.001	-0.10	0.28
COVID-19 symptoms	1.90	0.055	<0.001	1.79	2.01	2.30	0.072	<0.001	2.16	2.45
Sociodemographic vulnerabilities										
Low SEP	1.97	0.054	<0.001	1.87	2.08	5.22	0.072	<0.001	5.08	5.36
Ethnicity: Non-white	1.21	0.093	0.038	1.03	1.40	1.07	0.109	0.562	0.85	1.28
Key worker	0.97	0.050	0.545	0.87	1.07	0.66	0.070	<0.001	0.53	0.80
Health-related vulnerabilities										
Physical illness	1.89	0.046	<0.001	1.79	1.98	3.41	0.064	<0.001	3.29	3.54
Mental illness	4.24	0.001	<0.001	4.24	4.24	12.99	0.058	<0.001	12.87	13.10
Psychosocial vulnerabilities										
Abuse	5.34	0.100	<0.001	5.15	5.54	13.16	0.108	<0.001	12.95	13.37
Low social support	4.71	0.056	<0.001	4.60	4.82	12.72	0.073	<0.001	12.57	12.86
<i>Model 2 (mutually adjusted effects)</i>										
Covariates										
Sex:Female	2.11	0.051	<0.001	2.01	2.21	2.05	0.080	<0.001	1.90	2.21
Age:30-44	0.43	0.081	<0.001	0.28	0.59	0.23	0.108	<0.001	0.02	0.44
Age:45-59	0.22	0.082	<0.001	0.06	0.38	0.10	0.112	<0.001	-0.12	0.32
Age:60+ (ref: 18-29)	0.09	0.097	<0.001	-0.10	0.28	0.02	0.143	<0.001	-0.26	0.30
COVID-19 symptoms	1.92	0.064	<0.001	1.80	2.05	2.25	0.090	<0.001	2.08	2.43
Sociodemographic vulnerabilities										
Low SEP	1.37	0.061	<0.001	1.25	1.49	2.58	0.084	<0.001	2.41	2.74
Ethnicity: Non-white	1.17	0.111	0.161	0.95	1.39	1.02	0.147	0.870	0.74	1.31
Key worker	1.06	0.056	0.315	0.95	1.17	0.92	0.089	0.351	0.75	1.09

Health-related vulnerabilities										
Physical illness	1.74	0.050	<0.001	1.65	1.84	2.41	0.076	<0.001	2.26	2.56
Mental illness	7.64	0.073	<0.001	7.49	7.78	30.39	0.090	<0.001	30.21	30.56
Psychosocial vulnerabilities										
Abuse	6.00	0.095	<0.001	5.82	6.19	13.71	0.110	<0.001	13.49	13.92
Low social support	4.16	0.060	<0.001	4.04	4.28	9.74	0.087	<0.001	9.57	9.91
<p>Note. The odds ratios represent the risk of belonging to the Moderate or Severe depressive symptom trajectory compared with the Low trajectory. All models were adjusted for sex, age, and COVID-19 symptoms and weighted using survey weights.</p>										




Figure 1. Average levels of depressive symptoms throughout the study (wave 1-7).