

Supplementary Appendix

Table of Contents

Supplementary Figures

Table S1 COVID-19 Disease Severity Definition.....	1
Table S2 Details Regarding Positive Blood Cultures.....	2

Table S1. COVID-19 Disease Severity Definition

Disease Severity	
Mild	<p>Not admitted <u>or</u></p> <p>Admitted with:</p> <ul style="list-style-type: none"> • No evidence of pneumonia on imaging • No risk factors for ARDS/mortality
Moderate	<ul style="list-style-type: none"> • Evidence of pneumonia • SpO₂ ≤ 93% on room air • Respiratory distress (e.g. RR > 30/min)
Severe	<p>Any of the following:</p> <ul style="list-style-type: none"> • Evidence of pneumonia • SpO₂ ≤ 93% on room air • Respiratory distress (e.g. RR > 30/min) <p style="text-align: center;">AND</p> <p>Any of the following:</p> <ul style="list-style-type: none"> • PaO₂/FiO₂ < 300 mmHg • Substantial imaging progression (>50%) within 48 hrs • Eminent respiratory failure • Active mechanical ventilation • ICU status

Table S2. Details Regarding Positive Blood Cultures

Patient	Organism	Treatment
Patient 1 - 4	<i>Coagulase-negative Staphylococcus</i> , unspiciated 1 of 2 sets	Considered to be contaminant
Patient 5	<i>Staphylococcus simulans</i> 1 of 2 sets	Considered to be contaminant
Patient 6	<i>Dermabacter hominis</i> 1 of 2 sets	Considered to be contaminant
Patient 7	<i>Staphylococcus hominis</i> 1 of 2 sets, <i>Rothia mucilaginosa</i> 1 of 2 sets	Considered to be contaminant
Patient 8	<i>Streptococcus pyogenes</i> 1 of 2 sets, <i>Proteus mirabilis</i> 1 of 2 sets	Considered to be contaminant
Patient 9	<i>Klebsiella pneumoniae</i> 1 of 2 sets	Piperacillin/tazobactam, then Ceftriaxone x total 7 days