

Appendix 3. List of excluded studies

Excluded studies from database search

No.	Reference	Reason for exclusion
1.	Ahmad, E. F., et al. (2001). "The effect of wearing the veil by Saudi ladies on the occurrence of respiratory diseases." <i>J Asthma</i> 38(5): 423-426.	Study type
2.	Ahmad, I., et al. (2017). "Assessment of knowledge, practice and barrier in use of facemask among university students." <i>Pakistan Journal of Medical and Health Sciences</i> 11(4): 1657-1658.	Reported outcomes
3.	Aiello, A. E., et al. (2010). "A randomized intervention trial of mask use and hand hygiene to reduce seasonal influenza-like illness and influenza infections among young adults in a university setting." <i>International Journal of Infectious Diseases</i> 14: e320.	Duplicate
4.	Aiello, A. E., et al. (2010). "Mask use, hand hygiene, and seasonal influenza-like illness among young adults: a randomized intervention trial." <i>J Infect Dis</i> 201(4): 491-498.	No extractable data
5.	Akyuz, N., et al. (2014). "How and how much do endoscopy professionals protect themselves against infection?" <i>Int J Surg</i> 12(7): 720-724.	Reported outcomes
6.	Albarrak, A. I., et al. (2019). "Middle East Respiratory Syndrome (MERS): Comparing the knowledge, attitude and practices of different health care workers." <i>J Infect Public Health</i> .	Reported outcomes
7.	AlGhamri, A. A., et al. (2013). "The effects of wearing respirators on human fine motor, visual, and cognitive performance." <i>Ergonomics</i> 56(5): 791-802.	Intervention
8.	Allsopp, J., et al. (1997). "Survey of the use of personal protective equipment and prevalence of work related symptoms among dental staff." <i>Occup Environ Med</i> 54(2): 125-134.	Reported outcomes
9.	Alqahtani, A. S., et al. (2016). "Exploring barriers to and facilitators of preventive measures against infectious diseases among Australian Hajj pilgrims: cross-sectional studies before and after Hajj." <i>Int J Infect Dis</i> 47: 53-59.	No extractable data
10.	Alsarheed, M. (2011). "Children's Perception of Their Dentists." <i>Eur J Dent</i> 5(2): 186-190.	Study type
11.	Aydin, O., et al. (24 April 2020). "Performance of fabrics for home-	Reported

	made masks against spread of respiratory infection through droplets: a quantitative mechanistic study." PREPRINT (Version 1 - 2020.04.19.20071779), Available at: medRxiv: https://doi.org/10.1101/2020.04.19.20071779 .	outcomes
12.	Badin, A. (1969). "[The surgeon's fatigue and discomfort behind the mask]." <i>Gynaecologia</i> 167(5): 430-433.	Study type
13.	Bansal, S., et al. (2009). "Respirator physiological effects under simulated work conditions." <i>J Occup Environ Hyg</i> 6(4): 221-227.	Intervention
14.	Beuvelet, M., et al. (2017). "Healthcare workers' perception towards the systematic use of mask during a seasonal influenza outbreak in a French University Hospital: A descriptive study." <i>Antimicrobial Resistance and Infection Control</i> 6.	Unable to access full text
15.	Bhojrul, B., et al. (2019). "A review of non-glove personal protective equipment-related occupational dermatoses reported to EPIDERM between 1993 and 2013." <i>Contact Dermatitis</i> 80(4): 217-221.	Study type
16.	Bischoff, W., et al. (2017). "Evaluation of a novel powered air-purifying respirator (PAPR) vs. a N95 respirator mask for the protection against influenza in a human exposure model." <i>Open Forum Infectious Diseases</i> 4: S168.	Reported outcomes
17.	Brandt, C., et al. (2011). "Attitudes of influenza-vaccinated health care workers toward masks to prevent nosocomial transmission of influenza." <i>Influenza Other Respir Viruses</i> 5(1): 61-66.	Study type
18.	Buitrago, F. (2010). "Hygienic measures and barriers are effective strategies to prevent the transmission of viral infections." <i>FMC Formacion Medica Continuada en Atencion Primaria</i> 17(5): 361.	Study type
19.	Caretti, D. M. and P. D. Gardner (1999). "Respirator fit factor performance while sweating." <i>American Industrial Hygiene Association Journal</i> 60(1): 84-88.	Intervention
20.	Chan, E. Y., et al. (2015). "Knowledge, attitudes, and practices of Hong Kong population towards human A/H7N9 influenza pandemic preparedness, China, 2014." <i>BMC Public Health</i> 15: 943.	Reported outcomes
21.	Chan, M. F., et al. (2008). "Investigating the knowledge, attitudes and practice patterns of operating room staff towards standard and transmission-based precautions: results of a cluster analysis." <i>J Clin Nurs</i> 17(8): 1051-1062.	Reported outcomes
22.	Chan, M. T., et al. (2013). "Mask ventilation and dispersion of exhaled air." <i>Am J Respir Crit Care Med</i> 187(7): e12-14.	Study type

23.	Cherrie, J. W., et al. (2019). "In-mask temperature and humidity can validate respirator wear-time and indicate lung health status." <i>J Expo Sci Environ Epidemiol</i> 29(4): 578-583.	Intervention
24.	Chung, P. K., et al. (2017). "The process by which perceived autonomy support predicts motivation, intention, and behavior for seasonal influenza prevention in Hong Kong older adults." <i>BMC Public Health</i> 18(1): 65.	Study type
25.	Coca, A., et al. (2017). "Physiological Evaluation of Personal Protective Ensembles Recommended for Use in West Africa." <i>Disaster Med Public Health Prep</i> 11(5): 580-586.	Intervention
26.	Collyer, S. and P. J. Davis (2006). "Effect of facemask use on respiratory patterns of women in speech and singing." <i>J Speech Lang Hear Res</i> 49(2): 412-423.	Reported outcomes
27.	Condon, B. J. and T. Sinha (2010). "Who is that masked person: the use of face masks on Mexico City public transportation during the Influenza A (H1N1) outbreak." <i>Health Policy</i> 95(1): 50-56.	Reported outcomes
28.	Davies, A., et al. (2013). "Testing the efficacy of homemade masks: would they protect in an influenza pandemic?" <i>Disaster Med Public Health Prep</i> 7(4): 413-418.	Reported outcomes
29.	Davis, P. J., et al. (2007). "A survey of Alberta physicians' use of and attitudes toward face masks and face shields in the operating room setting." <i>Am J Infect Control</i> 35(7): 455-459.	Reported outcomes
30.	Del Ferraro, S., et al. (2018). "Hot environment: Effects of a power assisted filtering device incorporating a full face mask on newton manikin thermophysiological response." <i>Occupational and Environmental Medicine</i> 75: A503-A504.	Study type
31.	Del Ferraro, S., et al. (2017). "Thermophysiological response of Newton manikin equipped with power-assisted filtering device incorporating a full-face mask in hot environment." <i>Int J Hyperthermia</i> 33(7): 717-723.	Population
32.	Deris, Z. Z., et al. (2010). "The prevalence of acute respiratory symptoms and role of protective measures among Malaysian Hajj pilgrims." <i>Journal of Travel Medicine</i> 17(2): 82-88.	Study type
33.	Derrick, J. L. and C. D. Gomersall (2005). "Protecting healthcare staff from severe acute respiratory syndrome: filtration capacity of multiple surgical masks." <i>J Hosp Infect</i> 59(4): 365-368.	Reported outcomes
34.	Ding, S., et al. (1998). "[Heat strain for personnel wearing three levels	Intervention

	of protective ensembles at moderate and heavy workloads]." Wei Sheng Yan Jiu 27(6): 361-364.	
35.	DiLeo T, Roberge RJ, Kim JH. Effect of wearing an N95 filtering facepiece respirator on superomedial orbital infrared indirect brain temperature measurements. J Clin Monit Comput. 2017;31(1):67-73.	Reported outcomes
36.	Dong, J. and Y. Chen (2010). "Impact of the bag exchange procedure on risk of peritonitis." Perit Dial Int 30(4): 440-447.	Reported outcomes
37.	Ellison, I. R. T. (2009). "Surgical masks or N95 respirators for the flu?" Medicine Today 10(12): 69-70.	Reported outcomes
38.	Emanuel, R., et al. (2017). "A study of special care dental patient preference toward choice of mask and visor use by dental clinicians." Spec Care Dentist 37(4): 164-167.	Reported outcomes
39.	Fabian, P., et al. (2011). "Influenza virus aerosols in human exhaled breath: Particle size, culturability, and effect of surgical masks." Epidemiology 22(1): S51.	Reported outcomes
40.	Field, M. H., et al. (2020). "Hydrocolloid dressing strip over bridge of nose to relieve pain and pressure from Filtered Face Piece (FFP) masks during the coronavirus (COVID-19) pandemic." Ann R Coll Surg Engl 102(5): 394-396.	Study type
41.	Fierro, J. L., et al. (2015). "Barriers to the Use of PPE to Prevent Pertussis Exposures in a Pediatric Primary Care Network." J Pediatric Infect Dis Soc 4(1): 49-56.	Reported outcomes
42.	Flury, D., et al. (2019). "Health-care associated Influenza Prevention Project (HAIP): First multicenter surveillance results (nosocomial influenza and prevention measures)." Antimicrobial Resistance and Infection Control 8.	Reported outcomes
43.	Fox, S. H. and A. B. DuBois (1993). "The effect of evaporative cooling of respiratory protective devices on skin temperature, thermal sensation, and comfort." Am Ind Hyg Assoc J 54(12): 705-710.	Intervention
44.	Ganczak, M. and Z. Szych (2007). "Surgical nurses and compliance with personal protective equipment." J Hosp Infect 66(4): 346-351.	Reported outcomes
45.	Gu, J., et al. (2015). "Preventive behaviors and mental distress in response to H1N1 among university students in Guangzhou, China." Asia Pac J Public Health 27(2): Np1867-1879.	Reported outcomes
46.	Guo, Y. P., et al. (2008). "Evaluation on masks with exhaust valves and with exhaust holes from physiological and subjective responses." J	Intervention

	Physiol Anthropol 27(2): 93-102.	
47.	Gwosdow, A. R., et al. (1989). "Effect of thermal conditions on the acceptability of respiratory protective devices on humans at rest." <i>Am Ind Hyg Assoc J</i> 50(4): 188-195.	Intervention
48.	Hassaniazad, M., et al. (2016). "Preventive measures for Crimean-Congo hemorrhagic fever in healthcare workers; how high is the chance of transmission?" <i>Acta Medica Mediterranea</i> 32: 2017-1024.	Reported outcomes
49.	Harber, P., et al. (1989). "Relationship of subjective tolerance of respirator loads to physiologic effects and psychophysical load sensitivity." <i>J Occup Med</i> 31(8): 681-686.	Intervention
50.	Hardis, K. E., et al. (1983). "Correlation of qualitative and quantitative results from testing respirator fit." <i>Am Ind Hyg Assoc J</i> 44(2): 78-87.	Intervention
51.	Hickey, J., et al. (2014). "Pandemic preparedness: perceptions of vulnerable migrants in Thailand towards WHO-recommended non-pharmaceutical interventions: a cross-sectional study." <i>BMC Public Health</i> 14: 665.	Reported outcomes
52.	Hines, S. E., et al. (2019). "User acceptance of reusable respirators in health care." <i>American Journal of Infection Control</i> 47(6): 648-655.	Intervention
53.	Ho, R. C., et al. (2014). "Impact of 2013 south Asian haze crisis: study of physical and psychological symptoms and perceived dangerousness of pollution level." <i>BMC Psychiatry</i> 14: 81.	Reported outcomes
54.	Huang, W. and L. Morawska (2019). "Face masks could raise pollution risks." <i>Nature</i> 574(7776): 29-30.	Study type
55.	Huynh, TD (30 March 2020). "The more I fear about COVID-19, the more I wear medical masks: A survey on risk perception and medical masks uses." PREPRINT (Version 1 - 2020.03.26.20044388), Available at: medRxiv: https://doi.org/10.1101/2020.03.26.20044388 .	Reported outcomes
56.	Ioannidou, C., et al. (2010). "Promotion of hygiene measures to prevent pandemic influenza transmission in greek nursery schools: The teachers' perspectives." <i>Acta Paediatrica, International Journal of Paediatrics</i> 99: 88.	Reported outcomes
57.	Jaeger, J. L., et al. (2011). "Transmission of 2009 pandemic influenza A (H1N1) virus among healthcare personnel-Southern California, 2009." <i>Infect Control Hosp Epidemiol</i> 32(12): 1149-1157.	Reported outcomes
58.	James, R., et al. (1984). "Effects of respirators under heat/work conditions." <i>Am Ind Hyg Assoc J</i> 45(6): 399-404.	Intervention

59.	Jencsik, T., et al. (2017). "Influenza-related attitudes of healthcare workers at institutions for acute and chronic diseases." <i>Value in Health</i> 20(9): A791-A792.	Study type
60.	Johnson, A. T., et al. (2000). "Effect of external dead volume on performance while wearing a respirator." <i>Aihaj</i> 61(5): 678-684.	Intervention
61.	Johnson, A. T., et al. (2000). "Communication using a telephone while wearing a respirator." <i>Aihaj</i> 61(2): 264-267.	Intervention
62.	Kawanami, S., et al. (2018). "Physiological effects of wearing powered airpurifying respirators with different blower system." <i>Occupational and Environmental Medicine</i> 75: A201.	Intervention
63.	Kim, J. H., et al. (2015). "Effect of wearing an N95 respirator on infrared tympanic membrane temperature measurements." <i>J Clin Monit Comput</i> 29(6): 691-695.	Reported outcomes
64.	Kishimoto, K., et al. (2016). "[Whether Visual Information Loss of Expression by Community Pharmacist Masks to Effect a Change in Feeling of Trust among Help-seeker?]." <i>Yakugaku Zasshi</i> 136(10): 1401-1413.	Study type
65.	Krishna, S., et al. (2019). "The gloves are off: The state of personal protective equipment (PPE) use in contact, droplet, and standard precautions at a major teaching hospital." <i>Open Forum Infectious Diseases</i> 6: S429-S430.	Study type
66.	Kroo, L., et al. (29 April 2020). "Pneumask: Modified Full-Face Snorkel Masks as Reusable Personal Protective Equipment for Hospital Personnel." PREPRINT (Version 1 - 2020.04.24.20078907), Available at: medRxiv: https://doi.org/10.1101/2020.04.24.20078907 .	Intervention
67.	Latheef, F., et al. (2015). "Personal protective equipment-associated dermatoses reported to EPIDERM: A 20-year review." <i>British Journal of Dermatology</i> 173: 172-173.	Duplicate
68.	Lau, J. T., et al. (2003). "Monitoring community responses to the SARS epidemic in Hong Kong: from day 10 to day 62." <i>J Epidemiol Community Health</i> 57(11): 864-870.	Reported outcomes
69.	Leung, N. H., et al. (06 March 2020). "Respiratory Virus Shedding in Exhaled Breath and Efficacy of Face Masks." PREPRINT (Version 1), Available at: Research Square [+https://doi.org/10.21203/rs.3.rs-16836/v1],.	Reported outcomes
70.	Lee, H. P. and Y. Wang de (2011). "Objective assessment of increase in breathing resistance of N95 respirators on human subjects." <i>Ann</i>	Reported outcomes

	Occup Hyg 55(8): 917-921.	
71.	Lee, J. A., et al. (2017). "Compliance of personal protective equipment in a hospital." <i>Antimicrobial Resistance and Infection Control</i> 6.	Reported outcomes
72.	Li, Y., et al. (2006). "Antimicrobial effect of surgical masks coated with nanoparticles." <i>J Hosp Infect</i> 62(1): 58-63.	Intervention
73.	Li, C., et al. (2020). "[Management and prevention of common skin problems during epidemic prevention and control of COVID-19]." <i>Nan Fang Yi Ke Da Xue Xue Bao</i> 40(2): 168-170.	Reported outcomes
74.	Loeb, M., et al. (2009). "Surgical mask vs N95 respirator for preventing influenza among health care workers: a randomized trial." <i>Jama</i> 302(17): 1865-1871.	Reported outcomes
75.	Loibner, M., et al. (2019). "Limiting factors for wearing personal protective equipment (PPE) in a health care environment evaluated in a randomised study." <i>PLoS One</i> 14(1): e0210775.	Intervention
76.	Lonroth, E. C. and H. Shahnava (1998). "Adverse health reactions in skin, eyes, and respiratory tract among dental personnel in Sweden." <i>Swed Dent J</i> 22(1): 33-45.	Reported outcomes
77.	Lopes, A. C., et al. (2008). "[Adherence to standard precautions by the public pre-hospital health team in Belo Horizonte, Minas Gerais State, Brazil]." <i>Cad Saude Publica</i> 24(6): 1387-1396.	Reported outcomes
78.	Lunding, S., et al. (1998). "[Poor compliance with universal precautions among Danish physicians]." <i>Ugeskr Laeger</i> 160(12): 1789-1793.	Reported outcomes
79.	Lutz, M., et al. (2019). "Physiological effects of a spit sock." <i>Am J Emerg Med</i> 37(2): 291-293.	Intervention
80.	Ma, X., et al. (2014). "Knowledge, attitudes and practices relating to influenza A(H7N9) risk among live poultry traders in Guangzhou City, China." <i>BMC Infect Dis</i> 14: 554.	Reported outcomes
81.	MacIntyre, C. R., et al. (2016). "Cluster randomised controlled trial to examine medical mask use as source control for people with respiratory illness." <i>BMJ Open</i> 6(12): e012330.	Reported outcomes
82.	Martins, R. S., et al. (2013). "Adequacy to the use of personal protective equipment in the isolations of emergency." <i>Antimicrobial Resistance and Infection Control</i> 2.	Reported outcomes
83.	Maschmeyer, G., et al. (2009). "A prospective, randomised study on the use of well-fitting masks for prevention of invasive aspergillosis in	Intervention

	high-risk patients." <i>Ann Oncol</i> 20(9): 1560-1564.	
84.	Mathews, R., et al. (2008). "Provision and use of personal protective equipment and safety devices in the National Study to Prevent Blood Exposure in Paramedics." <i>Am J Infect Control</i> 36(10): 743-749.	Study type
85.	Mauritzson-Sandberg, E. (1995). "An evaluation of respiratory protective devices used in children's evacuation." <i>Ergonomics</i> 38(4): 707-713.	Purpose of study
86.	Meyer, J. P., et al. (1997). "Field study of subjective assessment of negative pressure half-masks. Influence of the work conditions on comfort and efficiency." <i>Appl Ergon</i> 28(5-6): 331-338.	Purpose of study
87.	Millqvist, E., et al. (1995). "Prevention of asthma induced by cold air by cellulose-fabric face mask." <i>Allergy</i> 50(3): 221-224.	Reported outcomes
88.	Morishima, M. and K. Kishida (2018). "Understanding attitudes toward hygiene mask use in Japanese daily life by using a repeated cross-sectional survey." <i>Work</i> 61(2): 303-311.	Study type
89.	Morishima, M., et al. (2011). "An investigation of the use of hay fever masks for the youth." <i>J Hum Ergol (Tokyo)</i> 40(1): 151-156.	Intervention
90.	Moser, A., et al. (2015). "Rates and determinants of vaccination against seasonal and pandemic influenza in Swiss prehospital emergency medical services workers." <i>Praxis</i> 104: 142.	Study type
91.	Moser, A., et al. (2016). "Vaccination Against Seasonal or Pandemic Influenza in Emergency Medical Services." <i>Prehosp Disaster Med</i> 31(2): 155-162.	Study type
92.	Motoyama, Y. L., et al. (2016). "Airflow-Restricting Mask Reduces Acute Performance in Resistance Exercise." <i>Sports (Basel)</i> 4(4).	Intervention
93.	Nichol, K., et al. (2008). "The individual, environmental, and organizational factors that influence nurses' use of facial protection to prevent occupational transmission of communicable respiratory illness in acute care hospitals." <i>Am J Infect Control</i> 36(7): 481-487.	Study type
94.	Nichol, K., et al. (2013). "Behind the mask: Determinants of nurse's adherence to facial protective equipment." <i>Am J Infect Control</i> 41(1): 8-13.	Study type
95.	Nielsen, R., et al. (1987). "The effect of temperature and humidity levels in a protective mask on user acceptability during exercise." <i>Am Ind Hyg Assoc J</i> 48(7): 639-645.	Intervention

96.	Palmiero, A. J., et al. (2016). "Speech intelligibility assessment of protective facemasks and air-purifying respirators." <i>J Occup Environ Hyg</i> 13(12): 960-968.	Study type
97.	Parveen, S. N. A., et al. (2018). "Identifying acceptable and feasible infection control interventions for nipah encephalitis outbreaks in bangladesh." <i>American Journal of Infection Control</i> 46(6): S24.	Study type
98.	Peponis, T., et al. (2017). "Trauma team utilization of universal precautions: if you see something, say something." <i>Eur J Trauma Emerg Surg</i> 43(1): 145-150.	Reported outcomes
99.	Perez, V., et al. (2012). "Stress, adherence to preventive measures for reducing influenza transmission and influenza-like illness." <i>J Epidemiol Community Health</i> 66(7): 605-610.	No extractable data
100.	Radonovich Jr, L. J., et al. (2009). "Diminished speech intelligibility associated with certain types of respirators worn by healthcare workers." <i>Journal of Occupational and Environmental Hygiene</i> 7(1): 63-70.	Intervention
101.	Radonovich, L., et al. (2018). "Results of the respiratory protection effectiveness clinical trial (respect)." <i>Open Forum Infectious Diseases</i> 5: S51.	Duplicate
102.	Ramirez, J. A. and P. T. O'Shaughnessy (2016). "The effect of simulated air conditions on N95 filtering facepiece respirators performance." <i>J Occup Environ Hyg</i> 13(7): 491-500.	Study type
103.	Raven, P. B., et al. (1977). "Maximal stress test performance while wearing a self-contained breathing apparatus." <i>J Occup Med</i> 19(12): 802-806.	Intervention
104.	Rengasamy, S. and B. C. Eimer (2013). "N95-companion measurement of cout/cin ratios for two n95 filtering facepiece respirators and one surgical mask." <i>J Occup Environ Hyg</i> 10(10): 527-532.	Population
105.	Roberge, R. (2011). "Facemask use by children during infectious disease outbreaks." <i>Biosecur Bioterror</i> 9(3): 225-231.	Study type
106.	Roberge, R. J., et al. (2010). "Surgical mask placement over N95 filtering facepiece respirators: physiological effects on healthcare workers." <i>Respirology</i> 15(3): 516-521.	Intervention
107.	Roberge, R. J., et al. (2010). "Reusable elastomeric air-purifying respirators: physiologic impact on health care workers." <i>Am J Infect Control</i> 38(5): 381-386.	Intervention

108.	Rozzi, T., et al. (2012). "Pilot study of aromatic hydrocarbon adsorption characteristics of disposable filtering facepiece respirators that contain activated carbon." <i>J Occup Environ Hyg</i> 9(11): 624-629.	Purpose of study
109.	van der Sande, M., et al. (2008). "Professional and home-made face masks reduce exposure to respiratory infections among the general population." <i>PLoS ONE</i> 3(7): e2618.	Reported outcomes
110.	Santos, P. B., et al. (2013). "Adherence to biosafety practices by nursing staff in the face of situations of occupational risk." <i>Antimicrobial Resistance and Infection Control</i> 2.	Unable to access full text
111.	Schmitt, C. H. (2004). "Secrets behind the mask." <i>US News World Rep</i> 137(4): 37-41.	Study type
112.	Seliga, R., et al. (1991). "Effect of work load and respirator wear on postural stability, heart rate, and perceived exertion." <i>Am Ind Hyg Assoc J</i> 52(10): 417-422.	Intervention
113.	Seng, M., et al. (2018). "Comfort and exertion while using filtering facepiece respirators with exhalation valve and an active venting system among male military personnel." <i>Singapore Med J</i> 59(6): 327-334.	Purpose of study
114.	Smith, C. L., et al. (2013). "Carbon dioxide rebreathing in respiratory protective devices: influence of speech and work rate in full-face masks." <i>Ergonomics</i> 56(5): 781-790.	Intervention
115.	Sokol, K. A., et al. (2016). "Masks for prevention of respiratory viruses on the BMT unit: results of a quality initiative." <i>Transpl Infect Dis</i> 18(6): 965-967.	Reported outcomes
116.	Stebbins, S., et al. (2009). "Using nonpharmaceutical interventions to prevent influenza transmission in elementary school children: parent and teacher perspectives." <i>J Public Health Manag Pract</i> 15(2): 112-117.	Reported outcomes
117.	Stockwell, R. E., et al. (2018). "Prolonged wear of face masks prevents the release of pseudomonas aeruginosa aerosols during coughing in people with cystic fibrosis." <i>Pediatric Pulmonology</i> 53: 269.	Unable to access full text
118.	Strauch, A. L., et al. (2016). "Assessing the efficacy of tabs on filtering facepiece respirator straps to increase proper doffing techniques while reducing contact transmission of pathogens." <i>J Occup Environ Hyg</i> 13(10): 794-801.	Intervention
119.	Sullivan, K. (1993). "Surgical face masks: protection of self or patient?" <i>N Z Dent J</i> 89(398): 137.	Study type

120.	Suruda, A., et al. (2003). "Fatal injuries in the United States involving respirators, 1984-1995." <i>Appl Occup Environ Hyg</i> 18(4): 289-292.	Study type
121.	Tak, C. N., et al. (2009). "Preventing healthcare workers from acquiring influenza." <i>Infection Control and Hospital Epidemiology</i> 30(3): 292-295.	Reported outcomes
122.	Tan, K. T. and M. W. Greaves (2004). "N95 acne." <i>Int J Dermatol</i> 43(7): 522-523.	Study type
123.	Tang, C. S. and C. Y. Wong (2004). "Factors influencing the wearing of facemasks to prevent the severe acute respiratory syndrome among adult Chinese in Hong Kong." <i>Prev Med</i> 39(6): 1187-1193.	Reported outcomes
124.	Tataris, K., et al. (2010). "Patient attitudes and compliance while wearing surgical masks to prevent disease transmission." <i>Academic Emergency Medicine</i> 17: S58.	Unable to access full text
125.	Vanjak, D., et al. (2006). "[Cases of pertussis among healthcare workers in a maternity ward: management of a health alert]." <i>Med Mal Infect</i> 36(3): 151-156.	Duplicate reference
126.	Vijaya, K., et al. (2005). "Behaviour of Singaporeans during the SARS outbreak: The impact of anxiety and public satisfaction with media information." <i>International Journal of Health Promotion and Education</i> 43(1): 17-22.	Reported outcomes
127.	Wong, S. Y., et al. (2012). "Primary care physicians' response to pandemic influenza in Hong Kong: a mixed quantitative and qualitative study." <i>Int J Infect Dis</i> 16(9): e687-691.	Reported outcomes
128.	Yang, P., et al. (2011). "Mask-wearing and respiratory infection in healthcare workers in Beijing, China." <i>Braz J Infect Dis</i> 15(2): 102-108.	Study type

Excluded studies identified from Forward & Backward citation analysis

129.	Barratt, R., et al. (2019). "Enablers of, and barriers to, optimal glove and mask use for routine care in the emergency department: an ethnographic study of Australian clinicians." <i>Australasian Emergency Care</i> .	Study type
130.	Caretti, D. M. and L. C. Strickler (2003). "Speech intelligibility during respirator wear: Influences of respirator speech diaphragm size and background noise." <i>American Industrial Hygiene Association Journal</i> 64(6): 846-850.	Intervention
131.	Chughtai, A. A., et al. (2015). "Practices around the use of masks and	Reported

	respirators among hospital health care workers in 3 diverse populations." American Journal of Infection Control 43(10): 1116-1118.	outcomes
132.	Enerson, D. M., et al. (1967). "Heat and moisture trapping beneath surgical face masks: a consideration of factors affecting the surgeon's discomfort and performance." Surgery 62(6): 1007-1016.	Reported outcomes
133.	Goh, D. Y. T., et al. (2019). "A randomised clinical trial to evaluate the safety, fit, comfort of a novel N95 mask in children." Scientific Reports 9(1).	Purpose of study
134.	Harber P, Bansal S, Santiago S, et al. Multidomain subjective response to respirator use during simulated work. Journal of Occupational and Environmental Medicine. 2009;51(1):38-45.	Reported outcomes
135.	Harber, P., et al. (2010). "Respirator physiologic impact in persons with mild respiratory disease." Journal of Occupational and Environmental Medicine 52(2): 155-162.	Intervention
136.	Harber, P., et al. (2011). "Respirator impact on work task performance." Journal of Occupational and Environmental Medicine 53(1): 22-26.	Reported outcomes
137.	Honarbaksh, M., et al. (2018). "Knowledge, perceptions and practices of healthcare workers regarding the use of respiratory protection equipment at Iran hospitals." Journal of Infection Prevention 19(1): 29-36.	Reported outcomes
138.	Jacobs, J. L., et al. (2009). "Use of surgical face masks to reduce the incidence of the common cold among health care workers in Japan: A randomized controlled trial." American Journal of Infection Control 37(5): 417-419.	Duplicate
139.	Jones, J. G. (1991). "The physiological cost of wearing a disposable respirator." American Industrial Hygiene Association Journal 52(6): 219-225.	Intervention
140.	Kim, J. H., et al. (2013). "Pulmonary and heart rate responses to wearing N95 filtering facepiece respirators." American Journal of Infection Control 41(1): 24-27.	Reported outcomes
141.	Kim, J. H., et al. (2015). "Pressure drop of filtering facepiece respirators: How low should we go?" International Journal of Occupational Medicine and Environmental Health 28(1): 71-80.	Intervention
142.	Kim, J. H., et al. (2016). "Physiologic and fit factor profiles of N95 and P100 filtering facepiece respirators for use in hot, humid	Reported

	environments." American Journal of Infection Control 44(2): 194-198.	outcomes
143.	Lim, E. C. H., et al. (2007). "Headaches and the N95 face-mask amongst healthcare providers [2]." Acta Neurologica Scandinavica 116(1): 73.	Duplicate
144.	Li Y, Tokura H, Guo YP, et al. Effects of wearing N95 and surgical facemasks on heart rate, thermal stress and subjective sensations. International Archives of Occupational and Environmental Health. 2005;78(6):501-509.	No extractable data
145.	Lin, Y. C. and C. P. Chen (2019). "Thermoregulation and thermal sensation in response to wearing tight-fitting respirators and exercising in hot-and-humid indoor environment." Building and Environment 160.	Intervention
146.	Locatelli, S. M., et al. (2014). "Health care workers' reported discomfort while wearing filtering face-piece respirators." Workplace Health and Safety 62(9): 362-368.	Reported outcomes
147.	Luximon, Y., et al. (2016). "Time dependent infrared thermographic evaluation of facemasks." Work 54(4): 825-835.	Reported outcomes
148.	MacIntyre, C. R., et al. (2014). "Efficacy of face masks and respirators in preventing upper respiratory tract bacterial colonization and co-infection in hospital healthcare workers." Preventive Medicine 62: 1-7.	Reported outcomes
149.	MacIntyre, C. R., et al. (2013). "A randomized clinical trial of three options for N95 respirators and medical masks in health workers." American Journal of Respiratory and Critical Care Medicine 187(9): 960-966.	Duplicate
150.	Mauritzson-Sandberg, E. V. A. (1991). "Psychological effects on prolonged use of respiratory protective devices in children." Ergonomics 34(3): 313-319.	Reported outcomes
151.	McDiarmid, M., et al. (2020). "N95 Respirators vs Medical Masks in Outpatient Settings." JAMA - Journal of the American Medical Association 323(8): 789.	Study type
152.	Morishima, M., et al. (2014). "Experiences and problems with hygiene masks reported by japanese hay fever sufferers." International Journal of Clothing Science and Technology 26(4): 262-273.	Intervention
153.	Morishima, M., et al. (2017). "Problems related to mask use in hay fever sufferers by repeated surveys." International Journal of Clothing Science and Technology 29(1): 123-134.	Purpose of study

154.	Ong, J. J. Y., et al. (2020). "Headaches Associated With Personal Protective Equipment – A Cross-Sectional Study Among Frontline Healthcare Workers During COVID-19." <i>Headache</i> 60(5): 864-877.	Duplicate
155.	Phin NF, Rylands AJ, Allan J, Edwards C, Enstone JE, Nguyen-Van-Tam JS. Personal protective equipment in an influenza pandemic: a UK simulation exercise. <i>Journal of Hospital Infection</i> . 2009;71(1):15-21.	Study design
156.	Radonovich Jr, L. J., et al. (2010). "Diminished speech intelligibility associated with certain types of respirators worn by healthcare workers." <i>Journal of Occupational and Environmental Hygiene</i> 7(1): 63-70.	Intervention
157.	Radonovich, L. J., et al. (2019). "A tolerability assessment of new respiratory protective devices developed for health care personnel: A randomized simulated clinical study." <i>PLoS ONE</i> 14(1).	No extractable data
158.	Roberge, R., et al. (2012). "Thermal burden of N95 filtering facepiece respirators." <i>Annals of Occupational Hygiene</i> 56(7): 808-814.	Reported outcomes
159.	Roberge, R. J. (2008). "Effect of surgical masks worn concurrently over N95 filtering facepiece respirators: Extended service life versus increased user burden." <i>Journal of Public Health Management and Practice</i> 14(2): E19-E26.	Study type
160.	Roberge RJ, Coca A, Williams WJ, Powell JB, Palmiero AJ. Physiological impact of the n95 filtering facepiece respirator on healthcare workers. <i>Respiratory Care</i> . 2010;55(5):569-577.	Intervention
161.	Roberge, R. J., et al. (2010). "Effect of exhaled moisture on breathing resistance of N95 filtering facepiece respirators." <i>Annals of Occupational Hygiene</i> 54(6): 671-677.	Study type
162.	Roberge, R. J., et al. (2012). "N95 filtering facepiece respirator deadspace temperature and humidity." <i>Journal of Occupational and Environmental Hygiene</i> 9(3): 166-171.	Reported outcomes
163.	Roberge, R. J., et al. (2013). "Impact of low filter resistances on subjective and physiological responses to filtering facepiece respirators." <i>PLoS ONE</i> 8(12).	Intervention
164.	Roberge RJ, Kim JH, Powell JB. N95 respirator use during advanced pregnancy. <i>American Journal of Infection Control</i> . 2014;42(10):1097-1100.	No extractable data
165.	Sakaguchi, H., et al. (2010). "Maintenance of influenza virus infectivity on the surfaces of personal protective equipment and clothing used in healthcare settings." <i>Environmental Health and Preventive Medicine</i>	Purpose of study

	15(6): 344-349.	
166.	Shi, J., et al. (2017). "Cardiovascular benefits of wearing particulate-filtering respirators: A randomized crossover trial." <i>Environmental Health Perspectives</i> 125(2): 175-180.	Purpose of study
167.	Shigayeva, A., et al. (2007). "Factors associated with critical-care healthcare workers' adherence to recommended barrier precautions during the Toronto severe acute respiratory syndrome outbreak." <i>Infection Control and Hospital Epidemiology</i> 28(11): 1275-1283.	No extractable data
168.	Skaria, S. D. and G. C. Smaldone (2014). "Respiratory source Control using surgical masks with nanofiber media." <i>Annals of Occupational Hygiene</i> 58(6): 771-781.	Purpose of study
169.	Tamura, E., et al. (2013). "Effect of pharmacists wearing a mask on patient consultation intention." <i>Yakugaku Zasshi</i> 133(6): 737-745.	Study type
170.	Tong, P. S. Y., et al. (2015). "Respiratory consequences of N95-type Mask usage in pregnant healthcare workers-A controlled clinical study." <i>Antimicrobial Resistance and Infection Control</i> 4(1).	Intervention
171.	Turnberg, W., et al. (2009). "Personal healthcare worker (HCW) and work-site characteristics that affect HCWs' use of respiratory-infection control measures in ambulatory healthcare settings." <i>Infection Control and Hospital Epidemiology</i> 30(1): 47-52.	Reported outcomes
172.	Wada, K., et al. (2012). "Wearing face masks in public during the influenza season may reflect other positive hygiene practices in Japan." <i>BMC Public Health</i> 12(1).	Reported outcomes
173.	Wu, S., et al. (2011). "Anxiety during respirator use: Comparison of two respirator types." <i>Journal of Occupational and Environmental Hygiene</i> 8(3): 123-128.	Study type
174.	Yip, W. L., et al. (2005). "The effect of wearing a face mask on body temperature." <i>Hong Kong Journal of Emergency Medicine</i> 12(1): 23-27.	Reported outcomes