




eFigure I. Study participant flow chart



eFigure II. Calibration plot for 30-day postoperative VTE (Model with hospital length of stay) Observed vs expected VTE risk



**eFigure III. Calibration plot for 30-day postoperative VTE (Model without length of stay).
Observed vs expected VTE risk**



eFigure IV. Mobile web-application of VTE prediction model

Prediction Model	Prediction Model
<h3 data-bbox="207 678 669 758">Venous Thromboembolism Risk Model</h3> <p data-bbox="232 821 683 846">* 30-day postoperative risk of DVT and/or PE</p> <p data-bbox="232 877 342 913">Age: <input data-bbox="280 877 342 913" type="text" value="67"/></p> <p data-bbox="232 940 643 976">History of disseminated cancer: <input data-bbox="557 940 643 976" type="button" value="Yes"/></p> <p data-bbox="232 1003 526 1039">Chronic steroid use: <input data-bbox="440 1003 526 1039" type="button" value="Yes"/></p> <p data-bbox="232 1066 654 1102">Sepsis prior to surgery: <input data-bbox="472 1066 654 1102" type="button" value="No"/></p> <p data-bbox="232 1129 647 1165">Hypoalbuminemia (<=2.5 g/dL) : <input data-bbox="557 1129 647 1165" type="button" value="Yes"/></p> <p data-bbox="232 1192 613 1228">Platelet >=450(x1000/mcL) : <input data-bbox="526 1192 613 1228" type="button" value="No"/></p> <p data-bbox="232 1255 380 1270">Surgery Type :</p> <p data-bbox="232 1276 760 1312"><input data-bbox="232 1276 760 1312" type="button" value="Spine"/></p> <p data-bbox="232 1367 347 1402"><input data-bbox="232 1367 347 1402" type="button" value="submit"/></p>	<h3 data-bbox="784 737 888 772">Result</h3> <p data-bbox="808 842 1271 913">30-day Venous Thromboembolism Risk: 6.47%</p> <p data-bbox="813 1045 948 1081"><input data-bbox="813 1045 948 1081" type="button" value="Go back"/></p> <p data-bbox="784 1192 1352 1291">* Venous Thromboembolism Risk: defined by 30-day postoperative occurrence of deep vein thrombosis and/or pulmonary embolism.</p>

eFigure V. Average day from operation until DVT complication according to surgery type




Table I. Predictors of VTE predictors (without length of stay)

	Adjusted odds ratio	Coefficient	SE	P-value
Intercept		-6.881	0.146	<0.001
Age	1.02 (1.02-1.02)	0.017	0.001	<0.001
Steroid use	1.54 (1.45-1.64)	0.432	0.031	<0.001
Disseminated cancer	2.03 (1.91-2.16)	0.709	0.031	<0.001
Albumin \leq 2.5 g/dL	1.88 (1.75-2.01)	0.629	0.034	<0.001
Sepsis (reference =none)				
SIRS	1.95 (1.82-2.1)	0.669	0.036	<0.001
Sepsis	2.29 (2.12-2.46)	0.827	0.038	<0.001
Septic Shock	3.34 (2.99-3.73)	1.206	0.056	<0.001
Platelet ($\times 10^9/L$) (reference=0-449)				
\geq 450	1.54 (1.42-1.67)	0.433	0.041	<0.001
Surgery type (reference =ENT)				
anorectal, appendix	1.2 (0.89-1.62)	0.184	0.152	0.227
bariatric, stomach, esophagus	3.73 (2.8-4.97)	1.317	0.146	<0.001
brain	8.93 (6.68-11.95)	2.190	0.148	<0.001
cardiac	4.58 (3.28-6.38)	1.521	0.170	<0.001
endocrine, thyroid, parathyroid, adrenal, breast	0.85 (0.63-1.14)	-0.163	0.152	0.283
gallbladder, biliary tract	1.06 (0.78-1.43)	0.056	0.152	0.714
hernia, peritoneum, omentum,	1.71 (1.29-2.28)	0.536	0.146	<0.001

diverticulum				
intestine (not rectum)	4.82 (3.64-6.38)	1.572	0.144	<0.001
liver, pancreas, spleen	8.47 (6.36-11.28)	2.136	0.146	<0.001
obstetrics, gynecology	2.01 (1.5-2.68)	0.697	0.147	<0.001
orthopedic, lower extremity, pelvis	3.44 (2.6-4.56)	1.236	0.143	<0.001
orthopedic upper extremity, shoulder	1.43 (1.04-1.98)	0.360	0.164	0.028
skin, subcutaneous, other musculoskeletal	2.18 (1.64-2.91)	0.780	0.147	<0.001
spine	3.71 (2.79-4.94)	1.312	0.145	<0.001
thoracic, non-esophageal	3.38 (2.49-4.59)	1.218	0.156	<0.001
urology	3.05 (2.29-4.06)	1.115	0.146	<0.001
aorta	6.73 (4.77-9.49)	1.907	0.175	<0.001
Vascular	2.53 (1.9-3.38)	0.930	0.147	<0.001