



**eFigure I. Participant flow chart**



**eFigure II. Calibration plot for postoperative C. difficile infection. Observed vs expected stroke risk**



**eFigure III. Mobile web-application of CDI prediction model**

### Prediction Model

## Clostridium Difficile Risk Model

\* 30-day postoperative risk of C. difficile colitis

Age:

History of Insulin Dependent Diabetes:

Weight Loss (>10% loss body weight in last 6 months):

ESRD on dialysis:

Chronic steroid use:

Sepsis prior to surgery:

Leukocytosis, WBC >12(x1000/mcL) :

Hematocrit (<=30%) :

Surgery Type :

### Prediction Model

## Result

**30-day C. Difficile Colitis Risk: 5.79%**

\* C. Difficile Risk: defined by 30-day postoperative occurrence of C. difficile colitis

**eTable I. Adjusted odds ratio of predictors for postoperative C. difficile infection including hospital length of stay**

	Adjusted Odds ratio (95% CI)	Coefficient	SE	P value
Intercept		-7.681	0.207	<0.001
Age	1.022 (1.02-1.024)	0.022	0.001	<0.001
Steroid use	1.325 (1.203-1.459)	0.282	0.049	<0.001
Weight Loss	1.375 (1.221-1.549)	0.318	0.061	<0.001
IDDM	1.317 (1.212-1.431)	0.276	0.042	<0.001
Dialysis	1.735 (1.525-1.974)	0.551	0.066	<0.001
Leukocytosis (>12 x10 <sup>9</sup> /l)	1.279 (1.185-1.38)	0.246	0.039	<0.001
Hematocrit <=30%	1.433 (1.329-1.544)	0.360	0.038	<0.001
Preoperative Sepsis (reference = No)				
SIRS	1.647 (1.486-1.825)	0.499	0.052	<0.001
Sepsis	1.681 (1.515-1.865)	0.519	0.053	<0.001
Septic Shock	1.378 (1.166-1.629)	0.321	0.085	<0.001
Surgery type (reference =ENT)				
anorectal, appendix	1.979 (1.313-2.982)	0.683	0.209	0.001
Bariatric, stomach, esophagus	2.266 (1.504-3.413)	0.818	0.209	<0.001

brain	1.616 (1.028-2.54)	0.480	0.231	0.037
cardiac	1.689 (1.025-2.785)	0.524	0.255	0.040
Endocrine, thyroid, parathyroid, adrenal, breast	0.317 (0.199-0.505)	-1.148	0.237	<0.001
Gallbladder, biliary tract	1.391 (0.92-2.105)	0.330	0.211	0.118
Hernia,peritoneum,omentum, diverticulum	1.345 (0.897-2.016)	0.296	0.207	0.152
Intestine, not rectum	4.196 (2.82-6.244)	1.434	0.203	<0.001
Liver, pancreas, spleen	4.415 (2.933-6.644)	1.485	0.209	<0.001
obgyn	1.021 (0.671-1.553)	0.021	0.214	0.924
Orthopedic, lower extremity, pelvis	1.229 (0.823-1.835)	0.206	0.205	0.314
orthopedic upper extremity, shoulder	0.397 (0.225-0.7)	-0.924	0.290	0.001
Skin, subcutaneous, other musculoskeletal	1.446 (0.959-2.18)	0.369	0.210	0.079
spine	0.816 (0.533-1.248)	-0.204	0.217	0.347
thoracic_non_esophageal	0.984 (0.605-1.6)	-0.017	0.248	0.947
urology	1.761 (1.17-2.651)	0.566	0.209	0.007
aorta	3.38 (2.073-5.511)	1.218	0.249	<0.001
Vascular	1.495 (0.994-2.25)	0.403	0.208	0.053
Hospital length of stay	1.045 (1.043-1.046)	0.044	0.001	<0.001