

Supplementary Information for

COVID-19 severity is predicted by earlier evidence of accelerated aging

Chia-Ling Kuo^{1,2}, Luke C. Pilling^{2,3}, Janice L Atkins³, Jane AH Masoli³, João Delgado³, Christopher Tignanelli⁴, George A Kuchel², David Melzer^{2,3}, Kenneth B Beckman⁵, Morgan E. Levine^{6,7}

Morgan E. Levine

Email: morgan.levine@yale.edu

This PDF file includes:

Tables S1 to S4

Table S1. Odds ratios (ORs) for test positivity or all-cause mortality with test confirmed COVID-19 comparing participants with a particular disease to those without the disease, adjusted for sex, current age (attained age on April 26, 2020, when the last death occurred in the data), ethnicity, and baseline assessment center

	Test Positivity		All-Cause Mortality with Test Confirmed COVID-19	
	OR (95% CI)	P-value	OR (95% CI)	P-value
Dementia	14.45 (10.64, 19.62)	1.59E-65	17.23 (9.62, 30.83)	9.33E-22
Pneumonia	2.77 (2.30, 3.34)	9.44E-27	3.00 (1.92, 4.68)	1.46E-06
Type II Diabetes	2.32 (1.98, 2.71)	2.98E-26	3.63 (2.60, 5.05)	2.93E-14
Chronic Kidney Disease	3.50 (2.66, 4.61)	3.37E-19	2.69 (1.37, 5.29)	0.004
Atrial Fibrillation	2.33 (1.93, 2.82)	1.31E-18	2.31 (1.53, 3.48)	6.09E-05
Hypertension	1.61 (1.44, 1.79)	9.47E-18	2.41 (1.77, 3.26)	1.82E-08
COPD	2.31 (1.90, 2.82)	1.15E-16	3.14 (2.07, 4.77)	8.23E-08
Coronary Artery Disease	1.69 (1.45, 1.96)	1.05E-11	1.67 (1.18, 2.37)	0.004
Depression	1.67 (1.42, 1.96)	4.62E-10	2.91 (1.97, 4.31)	9.52E-08
Delirium	5.44 (3.13, 9.46)	2.04E-09	9.39 (3.83, 23.07)	1.03E-06
Liver Disease	2.18 (1.60, 2.97)	7.63E-07	2.14 (0.95, 4.84)	0.067
Stroke	1.95 (1.45, 2.63)	9.64E-06	2.04 (1.07, 3.87)	0.029
Previous Falls/fractures	1.25 (1.11, 1.41)	2.15E-04	1.73 (1.28, 2.34)	3.76E-04
Asthma	1.19 (1.03, 1.37)	0.016	1.08 (0.71, 1.63)	7.27E-01
Rheumatoid Arthritis	1.48 (1.07, 2.04)	0.018	3.33 (1.85, 5.99)	6.29E-05
Osteoarthritis	1.20 (1.02, 1.41)	0.030	1.52 (1.05, 2.21)	0.027

Table S2. Models for COVID-19 test positivity and inpatient test positivity: M1 and M2.

	M1: current chronological age	Inpatient positive vs. untested or negative (n=418,189)	M2: current chronological age + PhenoAgeAccel	Inpatient positive vs. untested or negative (n=345,684)
	Positive vs. untested or negative (n=418,681)	Inpatient positive vs. untested or negative (n=418,189)	Positive vs. untested or negative (n=346,074)	Inpatient positive vs. untested or negative (n=345,684)
Sex ¹ (=Male)	1.33 (1.20, 1.48) p=5.32e-8	1.51 (1.33, 1.72) p=1.77e-10	1.27 (1.13, 1.43) p=6.63e-5	1.38 (1.19, 1.59) p=1.44e-5
Ethnicity ²				
Black	3.47 (2.73, 4.42) p=4.76e-24	3.22 (2.35, 4.43) p=5.84e-13	3.27 (2.48, 4.31) p=4.80e-17	2.96 (2.05, 4.28) p=6.90e-9
Other (incl. Asian, Chinese, and Mixed)	2.09 (1.71, 2.57) p=1.09e-12	2.39 (1.88, 3.04) p=1.68e-12	2.03 (1.61, 2.56) p=2.33e-9	2.21 (1.67, 2.93) p=2.96e-8
Current Age (per 5 years)	1.03 (1.00, 1.06) p=0.075	1.12 (1.08, 1.17) p=2.08e-8	1.04 (1.01, 1.08) p=0.020	1.13 (1.08, 1.18) p=1.90e-7
PhenoAgeAccel (per 5 years)			1.30 (1.24, 1.38) p=1.78e-22	1.34 (1.25, 1.43) p=1.03e-18

¹reference: female; ²reference: White; in bold if p<0.05; assessment center results skipped

Table S3. Models for COVID-19 test positivity and inpatient test positivity: M3 and M4.

	M3: current chronological age + diseases	M4: current chronological age + PhenoAgeAccel + diseases		
	Positive alive vs. untested or negative (n=418,644)	Inpatient positive vs. untested or negative (n=418,152)	Positive alive vs. untested or negative (n=346,055)	Inpatient positive vs. untested or negative (n=345,665)
Sex ¹ (=Male)	1.24 (1.12, 1.38) p=6.91e-5	1.40 (1.22, 1.59) p=7.03e-7	1.23 (1.09, 1.39) p=6.54e-4	1.33 (1.14, 1.54) p=1.99e-4
Ethnicity ²				
Black	3.05 (2.39, 3.89) p=3.62e-19	2.82 (2.04, 3.89) p=2.85e-10	3.02 (2.28, 4.00) p=9.38e-15	2.72 (1.88, 3.94) p=1.28e-7
Other (incl. Asian, Chinese, and Mixed)	1.90 (1.54, 2.33) p=1.09e-9	2.10 (1.65, 2.69) p=2.70e-9	1.89 (1.49, 2.39) p=1.07e-7	2.00 (1.51, 2.66) p=1.68e-6
Current Age (per 5 years)	0.94 (0.91, 0.98) p=0.001	1.03 (0.98, 1.07) p=0.215	0.97 (0.93, 1.01) p=0.093	1.04 (0.99, 1.10) p=0.090
PhenoAgeAccel (per 5 years)			1.15 (1.08, 1.21) p=3.20e-6	1.15 (1.07, 1.23) p=6.88e-5
Dementia (46 pos., 24 inpatient pos.)	8.56 (6.15, 11.91) p=3.89e-37	5.79 (3.73, 8.99) p=5.28e-15	8.83 (6.14, 12.69) p=6.59e-32	6.00 (3.69, 9.76) p=5.01e-13
Type II diabetes (201 pos., 157 inpatient pos.)	1.61 (1.36, 1.90) p=2.94e-8	1.76 (1.45, 2.13) p=1.05e-8	1.50 (1.24, 1.82) p=3.51e-5	1.69 (1.35, 2.11) p=3.56e-6
History of pneumonia (124 pos., 95 inpatient pos.)	1.95 (1.60, 2.38) p=3.66e-11	2.15 (1.71, 2.69) p=5.01e-11	1.82 (1.45, 2.28) p=1.73e-7	1.83 (1.40, 2.39) p=8.43e-6
Depression (174 pos., 124 inpatient pos.)	1.28 (1.09, 1.52) p=0.003	1.43 (1.17, 1.74) p=3.90e-4	1.40 (1.16, 1.67) p=3.36e-4	1.47 (1.18, 1.84) p=5.53e-4
Atrial fibrillation (126 pos., 94 inpatient pos.)	1.61 (1.32, 1.97) p=2.95e-6	1.58 (1.26, 2.00) p=1.02e-4	1.56 (1.25, 1.95) p=8.63e-5	1.58 (1.22, 2.04) p=4.97e-4
Hypertension (670 pos., 472 inpatient pos.)	1.30 (1.16, 1.46) p=1.17e-5	1.28 (1.11, 1.48) p=8.03e-4	1.25 (1.00, 1.43) p=9.07e-4	1.24 (1.05, 1.46) p=0.010
COPD (110 pos., 85 inpatient pos.)	1.55 (1.25, 1.93) p=5.54e-5	1.61 (1.26, 2.07) p=1.41e-4	1.45 (1.14, 1.85) p=0.003	1.56 (1.18, 2.07) p=0.002
Chronic kidney disease (55 pos., 38 inpatient pos.)	1.93 (1.45, 2.58) p=7.06e-6	1.75 (1.24, 2.47) p=0.001	1.77 (1.28, 2.44) p=5.64e-4	1.67 (1.14, 2.45) p=0.008
Liver disease (42 pos., 33 inpatient pos.)	1.32 (0.96, 1.82) p=0.083	1.48 (1.03, 2.12) p=0.033	1.40 (0.99, 1.98) p=0.054	1.51 (1.01, 2.25) p=0.043
Rheumatoid Arthritis (38 pos., 31 inpatient pos.)	1.11 (0.80, 1.55) p=0.527	1.32 (0.91, 1.90) p=0.142	0.99 (0.68, 1.45) p=0.956	1.14 (0.75, 1.75) p=0.544
Coronary artery disease (220 pos., 172 inpatient pos.)	1.08 (0.92, 1.27) p=0.349	1.16 (0.96, 1.40) p=0.129	1.09 (0.91, 1.30) p=0.374	1.15 (0.93, 1.42) p=0.194
History of delirium (13 pos., 5 inpatient pos.)	1.34 (0.73, 2.44) p=0.341	0.70 (0.28, 1.78) p=0.458	1.30 (0.67, 2.52) p=0.443	0.66 (0.23, 1.89) p=0.444
Stroke (46 pos., 34 inpatient pos.)	1.19 (0.88, 1.62) p=0.266	1.23 (0.86, 1.76) p=0.249	1.34 (0.97, 1.85) p=0.077	1.35 (0.93, 1.98) p=0.118
Asthma (226 pos., 153 inpatient pos.)	0.96 (0.83, 1.12) p=0.607	0.96 (0.80, 1.15) p=0.667	0.96 (0.81, 1.13) p=0.611	0.92 (0.75, 1.13) p=0.441
Previous falls/fragile fractures (387 pos., 256 inpatient pos.)	1.08 (0.96, 1.22) p=0.194	1.05 (0.91, 1.22) p=0.482	1.04 (0.90, 1.19) p=0.613	0.99 (0.84, 1.17) p=0.926
Osteoarthritis (175 pos., 124 inpatient pos.)	1.02 (0.86, 1.20) p=0.859	1.00 (0.83, 1.22) p=0.962	0.97 (0.81, 1.17) p=0.759	0.97 (0.77, 1.21) p=0.774

¹reference: female; ²reference: White; in bold if p<0.05; assessment center results skipped

Table S4. Details of included diseases; International Classification of Diseases 10th revision (ICD-10) codes included from inpatient hospital records

	ICD-10 Codes
Coronary artery disease	I20-I25
Atrial fibrillation	I48
Stroke	G45-G46; I61; I63
Hypertension	I10-I15
Diabetes (Type 2)	E11
Chronic kidney disease	N18; N183; N184; N185; Y841
Depression	F32; F33; F34.1
Dementia	F00; F01; F02; F03; G30
Asthma	J45-J46
Chronic obstructive pulmonary disease	J42-J44
Osteoporosis	M80; M81; M811; M812; M813; M814; M815; M816; M818; M819
Osteoarthritis	M15.0; M15.1; M15.2; M15.9; M16.0; M16.1; M17.0; M17.1; M18.0; M18.1; M19.0
Liver disease	K70-K77
Delirium	F05
Pneumonia	J13; J14; J15; J16; J17; J18
Falls/Fragility fractures	W00; W01; W04; W05; W06; W07; W08; W10; W17; W18; W19; R296 S220; S32; S325; S328; S422-S424; S524; S525; S720-S722; S582; S5823; T08