




1 **Supplemental Material.**



2

3 **Figure S1. Determination of RBD IgG reactivity by assay date.** Optical density (O.D.) at 405

4 nm with known positive and pre-2019 serum samples is presented.

A**B**

5


6 **Figure S2 | RBD-S and spike IgG responses in COVID-19 patients. (A)** RBD-IgG reactivity

7 for each patient by timepoint after onset of symptoms was determined by ELISA. Values over


8 threshold (indicated by dashed line) are indicated as RBD-S-positive and those under threshold

9 as RBD-S-negative. **(B)** Patient-specific endpoint titers for spike IgG are plotted by day after

10 symptoms onset and according to RBD-S IgG positivity by timepoint.



11
 12 **Figure S3 | SARS-CoV-2 neutralization in COVID-19 patients.** Focus reduction (by 50%)
 13 neutralization titers (FRNT₅₀) was determined by serial dilution of serum samples from COVID-
 14 19 patients taken at different times post onset of symptoms. RBD-IgG reactivity is indicated for
 15 each sample. FRNT₅₀ cutoff is indicated by dotted line and was set at 1:50 which was the
 16 lowest dilution tested. FRNT₅₀-negative samples were assigned a titer of 1:20.



17

18 **Figure S4. | Spike IgG responses by antibody isotype in individual COVID-19 patients.**

19 Serum was diluted 1:100 and tested for spike reactivity by ELISA and OD 405nm is shown.

20

21 **Table S1 Reagents and Resources**

Reagent or Resource	Source	Identifier
Virus Strains		
SARS-CoV-2 strain 2019-nCoV/USA_USA-WA1/2020 (WA1)	World Reference Center for Emerging Viruses and Arboviruses (WRCEVA) at the University of Texas Medical Branch	N/A
Cell lines		
African green monkey kidney cells (Vero E6)	J. Lindsay Whitton, The Scripps Research Institute, La Jolla, CA	N/A
Antibodies		
AffiniPure Goat Anti-Human IgG, Fcγ fragment specific	Jackson ImmunoResearch	109-005-008, RRID: AB_2337534
Peroxidase AffiniPure Goat Anti-Human IgG, Fcγ fragment specific	Jackson ImmunoResearch	109-035-008, RRID: AB_2337579
Goat Anti-Human IgG (Fc specific), highly cross adsorbed-Alkaline Phosphatase	Sigma Millipore	SAB3701277
Goat Anti-Human IgM (μ-chain specific)-Alkaline Phosphatase	Sigma Millipore	A3437
Goat Anti-Human IgA (α-chain specific)-Alkaline Phosphatase	Sigma Millipore	A3400
Biological Samples		
Human Serum/Plasma samples	University of Vermont Medical Center Laboratories and Vaccine Testing Center	N/A
Recombinant DNA		
pCAGGS-Recombinant SARS-CoV-2 Spike-His6-tagged	Dr. Florian Krammer, MSSM	also BEI resources #NR-52394
pCAGGS-Recombinant (SARS-CoV-2 Spike receptor binding domain- His6 tagged	Dr. Florian Krammer, MSSM	also BEI resources #NR-52309
CR32022-HC	Dr. Florian Krammer, MSSM	N/A
CR32022-LC	Dr. Florian Krammer, MSSM	N/A
Chemicals and proteins		
Recombinant (SARS-CoV-2 Spike receptor binding domain- His6 tagged	BEI Resources	
p-Nitrophenyl phosphate	Sigma	N2770
Zeocin	Invivogen	ant-zn-05

Blasticidin	Invivogen	ant-bl-05
Analysis Software		
Graphpad 8.4.3 and R 3.6.1		

22

23