
1 Supplementary Figures

Pearson's correlation coefficient



Holm-Bonferroni: *<0.05, **<0.005, ***<0.0005

2

3


4


5

6

7

Figure SI: Correlation plot of the (p)PRS and covariates: the figure shows the correlation between the pathway-PRS (respectively with and without *APOE* variants), ages (ages at study inclusion for controls, ages at diagnosis for AD cases) and the 5 principal components derived from the population stratification analysis. We used Pearson correlation and *p-values* were adjusted with Holm-Bonferroni correction.










Figure S2: Sex-stratified analysis of the (p)PRS: the figure shows the sex-stratified analyses in the context of the overall analysis, respectively for the pathway-PRS (including and excluding *APOE* variants) and the Full-PRS (including and excluding *APOE* variants). For each PRS (pathway-PRS or Full-PRS) we report both the odds ratio for AD and those for AD-resilience.



13

AUC ~ Resilience status



14 Figure S3: Area under ROC curve for classification of AD or AD-Resilience status, for each variant: the figure

shows the quality of the classification of AD and AD-Resilience status using single-variants.




Figure S4: Area under ROC curve for classification of AD and AD-Resilience status, for each PRS and pPRS: the figure shows the quality of the classification of AD and AD-Resilience status using PRS and pPRS.