


Supplementary Materials

Supplementary Figure S1 Representative results from Sanger sequencing.

Supplementary Table S1 List of primer pairs synthesized for PCR amplification

Supplementary Table S2 List of reference genes and variants associated with pregnancy loss and fetal anomalies from PubMed Search.

Supplementary Table S3 Clinical indications of the 102 POC cases.



Supplementary Figure S1 Representative results from Sanger sequencing.

A) A heterozygous frameshifting variant L969fs in the NPHS1 gene of case PL001, B) Homozygous missense variants H1069Q in the ATP7B gene of case PL066, C) A heterozygous nonsense variant W1798X in the SCN5A gene of case PL072, and D) A heterozygous missense variant L65V in the NIPBL gene of case PL090.

Supplementary Table S1 List of primer pairs synthesized for PCR amplification

Case ID	Variant in Exome-seq	Primer Name	Primer sequence (5'→3')
PL001	NPHS1:NM_004646:exon21:c.2905delC:p.L969fs	NPHS1x21F	AGCTGGGTCCCTTTGTCTAG
		NPHS1x21R	CCTCTGACTGCTTTCCCATC
PL003	NEFL:NM_006158:exon1:c.G493T:p.E165X	NEFLx1F	CTTGGTCACGTCCATCTCC
		NEFLx1R	CAGAACAAGGTCCTGGAAGC
PL006	CHD7:NM_017780:exon26:c.C5428T:p.R1810X	CHD7x26F	AATCCTCCAGGCATCTTG
		CHD7x26R	TCCTTCTTACCCGTCACCAC
PL019	FBN1:NM_000138:exon64:c.G7999A:p.E2667K	FBN1x64F	CAACCATGACCAGGAAGAGC
		FBN1x64R	CCACCTCTGCCTGTCTTACC
PL048	GATA4:NM_002052:exon7:c.C1325T:p.A442V	GATA4x7F	CGGGATCAGGAGAAACAGAG
		GATA4x7R	TGGAGTCATTACCAGGCAGAG
PL052	FGFR3:NM_000142:exon12:c.G1537T:p.D513Y	FGFR3x12F	ACCGTAGCCGTGAAGATGC
		FGFR3x12R	GCTTGCAGGTGTCTGAAGG
PL031	DCHS1:NM_003737:exon16:c.C6421T:p.R2141X	DCHS1x16F	GAAGGAAGGCCACATAATGG
		DCHS1x16R	ATGGACCCATCACCTACAGC
PL038	TSC2:NM_000548.3:c.1946+5G>T	TSC2F	GGCTTTCACCATCCTCTTCC
		TSC2R	CCTGCAGAAGCAAGAGAAGC
PL024	GFM1:NM_024996:exon7:c.913delG:p.G305fs	GFM1x7F	CCAGCCCTGAAGAAGAAA
		GFM1x7R	CAGATGGATTGGGAGGT
PL029	MIB1:NM_020774:exon2:c.349dupA:p.D116fs	MIB1x2F	GCATGATGGAACCATGTGTG
		MIB1x2R	GACAGCTCCATCTTCAAAGAGC
PL033	PKD1:NM_001009944:exon44:c.C12124T:p.Q4042X	PKD1x44F	AGTCCACACAGGAAGACACG
		PKD1x44R	GCAAGCAGACAGATTTCTCG
PL088	NEB:NM_001271208:exon169:c.C24094T:p.R8032X	NEBx169F	TGGTGAGTAGGAGATCTGGA
		NEBx169R	GATGGGTCCAGGTTGATT
PL090	CSRP3:NM_003476:exon3:c.G3A:p.M1I	CSRP3x3F	TGTCCACCCAACCTCACTGC
		CSRP3x3R	GGTCTTCAGACCACTGCACTC
PL090	NIPBL:NM_133433:exon3:c.C193G:p.L65V	NIPBLx3F	AGCTGCCTCTTCCATCTCC
		NIPBLx3R	TCCATAGAGCTACATGGGTCAG
PL055	PIK3R2:NM_005027:exon10:c.G1117A:p.G373R	PIK3R2x10F	ACAGGGATTGAGGGTCAGG
		PIK3R2x10R	GGCTCTTGTCTGCTACTGC
PL057	SMPD1:NM_000543:exon3:c.G1133A:p.R378H	SMPD1x3F	GTCCTTGTCTCCATTCTAGC
		SMPD1x3R	TTGTCTCCTCGATCCTCAGC
PL059	F11:NM_000128.3(F11):c.1716+1G>A	F11pF	CTCCAGAAAGCCAAGATACCC
		F11pR	TGTGTTCCCTGCTCATTGG
PL061	SETD5:NM_001080517:exon23:c.4106dupT:p.L1369fs	SETD5x23F	AGCCACATTCTGGAAACAGC
		SETD5x23R	CTGGAAGGAAGCAGCTATGG
PL071	COQ2:NM_015697:exon3:c.T662C:p.L221P	COQ2x3F	ACATCCATGCACGCACTTAG
		COQ2x3R	ACAGCCAATCGTCCAATAGC
PL072	SCN5A:NM_198056:exon28:c.G5393A:p.W1798X	SCN5Ax28F	CCTCCATCTGGATCTTCAGG
		SCN5Ax28R	GGGCATCCTCTTCTTACC
PL073	GREB1L:NM_001142966:exon11:c.1303dupA:p.N434fs	GREB1Lx11F	CAGGCTATGGCACTTTACCC
		GREB1Lx11R	CCCTTTAAGGTTCTGCCTACC
PL075	SCN5A:NM_198056:exon13:c.T1933G:p.S645A	SCN5Ax13F	ACACAGGCATGGTGATACCC
		SCN5Ax13R	TCCCATCAAGACCTTCATCC
PL080	JAG1:NM_000214:exon2:c.C218G:p.T73R	JAG1x2F	CGCCTAGTTTCAAGCCAAG
		JAG1x2R	TCGAGTTGGAGATCCTGTCC
PL083	IDS:NM_000202:exon6:c.C778T:p.P260S	IDSx6F	CTGATCCAGGCAACACTGC
		IDSx6R	CCACCACTCAAATGCATCC
PL066	ATP7B:NM_000053:exon14:c.C3207A:p.H1069Q	ATP7Bx14F	AGGGCAGCTAGGAGAGAAGG
		ATP7Bx14R	TTGAACGACAGAGGATCACG
PL039	SYNGAP1:NM_006772:exon8:c.G773A:p.R258H	SYNGAP1x8F	CCGTCTCACCTTATGATTGC
		SYNGAP1x8R	CTGTTGGCAGGGTTACAGG

Supplementary Table S2 List of reference genes and variants associated with pregnancy loss and fetal anomalies from PubMed search

Genes	Variants	Germline conditions, OMIM	Inheritance	Evidence	References	Note
ABCC9	c.1320+1G>A homo	Atrial fibrillation, familial, 12, (OMIM#614050)	AD	I	7	
ACTA1	c.116G>A:p.R39H; // c.44G>A:p.Gly15Asp	Myopathy, congenital, with fiber-type disproportion 1 (OMIM#255310)	AD/AR	II, III	1, 11	PMID: 30266093; 20621480; Fetal akinesia; Fetal abnormalities
ACTB	c.G617A:p.R206Q	Baraitser-Winter syndrome 1 (OMIM#243310)	AD	I/II	13	
ADGRG6	c.C2677T:p.R893X	Lethal congenital contracture syndrome 9 (OMIM#616503)	AR	II	1	Affected individuals die soon after birth due to respiratory failure
ALG12	c.G437A:p.R146Q, c.930-931delAC:p.R311fs	Congenital disorder of glycosylation, type Ig (OMIM#607143)	AR	II	1	Death in neonatal period or infancy
ALOX15	p.Tyr139Cys; p.Thr560Met	OMIM*152392	N/A	I	8	
AMER1	c.705delT	Osteopathia striata with cranial sclerosis (OMIM#300373)	XLD	II	6	
ANK2	c.C11716T:p.Arg3906Trp	Long QT syndrome (OMIM#600919)	AD	I	7	
ANKRD11		KBG syndrome (OMIM#148050)	AD	II	5	variants not specified in ref. 5
AR	c.A1814G:p.D605G	Complete androgen insensitivity syndrome (OMIM#30068)	XLR	II	1	
ARCN1		Short stature, rhizomelic, with microcephaly, micrognathia, and developmental delay (OMIM#617164)	AD	II	5	variants not specified in ref. 5
B3GLCT		Peters-plus syndrome (OMIM#261540)	AR	II	5	variants not specified in ref. 5
BAG3	c.C652T:p.Arg218Trp	Myopathy, myofibrillar, 6 (OMIM#612954)	AD	I	7	
BBS4	c.1106+2T>A homo	Bardet-Biedl syndrome 4 (OMIM#615982)	AR	II	6	
BBS10	c.T1241C:p.L414S, c.909_912del:p.S303fs	Bardet-Biedl syndrome 10 (OMIM#615987)	AR	I/II	13	
BRAF		Noonan syndrome 7 (OMIM#613706)	AD	II	5	variants not specified in ref. 5
C5ORF42	c.C3667T:p.Q1223X	Orofaciodigital syndrome VI (OMIM#277170)	AR	II	1	
CACNB2	c.C1439T:p.Thr480Ile	Brugada syndrome 4 (OMIM#611876)	AD	I	7	
CCDC103		Ciliary dyskinesia primary 17 (OMIM#14679)	AR	II	5	variants not specified in ref. 5
CDK5	p.N256S	Lissencephaly 7 with cerebellar hypoplasia (OMIM#616342)	AR	II	6	
CDKN1C		IMAGE syndrome (OMIM#614732)	AD	II	5	variants not specified in ref. 5
CEP290	c.T6040C:p.Ile2134Thr, c.4195-1G	Meckel syndrome 4 (OMIM#611134)	AR	I/II	13	Lethal in utero or perinatal lethal
CHD7	c.C5428T:p.R1810X	CHARGE syndrome (OMIM#214800)	AD	II, I/II	5, 13	variants not specified in ref. 5
CHD7	c.C5428T:p.E165X					This report
CHRNA1	c.C762T:p.R254C	Multiple pterygium syndrome, lethal type, 253290	AR	I	10	Lethal multiple pterygium syndrome is typically fatal in the second or third
CHRNA1						Intrauterine death, variants not specified in ref. 5
CHNRG	c.C136T:P.R46X, c.459dupA:p.V154fs	Escobar syndrome (OMIM#265000)	AR	II, II	1, 5	
COL11A1	c.2739-2747del:p.P914_G916del	Fibrochondrogenesis 1 (OMIM#228520)	AR	II	1	
COL1A1	c.G2110GA:p.G704S; c.G2533A:p.G845R; c.G2164A:p.G722S	Osteogenesis imperfecta, type II (OMIM#166210)	AD	II, II	1, 5	Perinatal lethal, variants not specified in ref. 5
COL1A1	c.G4024A:p.G1342S					This report
COL1A2	c.G1378A:p.G460S; c.G2576A:p.G859D; // c.G1361T:p.G454V	Osteogenesis imperfecta, type II (OMIM#166210)	AD	II, II	1, 11	
COL4A1	c.G2879T:p.G960V	Brain small vessel disease with or without ocular anomalies (OMIM#175780)	AD	II	1	
COQ9		Coenzyme Q10 deficiency, primary, 5 (OMIM#614654)	AR	II	5	variants not specified in ref. 5
CPT2	c.28_2insAGCAAG:p.Try10X/homo	CPT II deficiency, lethal neonatal, 608836	AR	I/II	4	lethal neonatal
CRB2	p.E643A, p.N800K; p.N800K, p.W759X	Ventriculomegaly with cystic kidney disease (OMIM#219730)	AR	II	6	
CSRP3	c.G299A, p.Arg100His	Cardiomyopathy, hypertrophic, 12 (OMIM#612124)	AD	I	7	
CSRP3	c.G3A:p.M1I					This report
CYP11A1	p.R120X homo	Adrenal insufficiency, congenital, with 46XY sex reversal, partial or complete (OMIM#613743)	AR	II	6	
DDX3X	c.C1703T:p.P568L	Intellectual developmental disorder, X-linked, syndrome, Snijders Blok type (OMIM#300958)	XLD, XLR	II	1	
DES	c.G934A:p.Asp312Asn	Myopathy, myofibrillar, 1 (OMIM#601419)	AD/AR	I	7	
DNAH7	c.G8624A:p.R2875Q, c.4787_4788insA:p.Y1596X	OMIM*610061	?	I/II	13	
DNAH11		Ciliary dyskinesia, primary, 7, with or without situs inversus (OMIM#611884)	AR	II	5	variants not specified in ref. 5
DNAH17	p.Q1652P	Spermatogenic failure 39 (OMIM#618643)	AR	II	6	
DNAH5	c.C6763T:p.Arg2255X, c.13458dup:p.Asn4487X	Ciliary dyskinesia, primary, 3, with or without situs inversus (OMIM#608644)	AR	I/II	4	
DOK7	c.C437T:p.P146L, c.G514A:p.G172R	Fetal akinesia deformation sequence 3 (OMIM#618389)	AR	II	1	
DSG2	c.G2434A:p.Gly812Ser; c.C3340T:p.Gln1114X	Arrhythmogenic right ventricular dysplasia 10 (MIM#610193)	AD	I	7	
DSP	c.G4071C:p.Glu1357Asp; c.C6881G:p.Ala2294Gly	Epidermolysis bullosa, lethal acantholytic (OMIM#609638)	AR	I	7	Neonatal death
DSTYK	c.C2125T:p.R709X	Congenital anomalies of kidney and urinary tract 1 (OMIM#610805)	AD	I/II	13	
DVL1	c.519delT:p.W507fs	Robinow syndrome, autosomal dominant 2 (OMIM#616331)	AD	II	1	
DYNC2H1	c.C10885T:p.R3629X, c.C11230T:p.L3744F; p.Tyr2016Cys, p.Asp2184VL	Short-rib thoracic dysplasia 3 with or without polydactyly (OMIM#613091)	AR, AD	II, II, I	1, 5, 8	variants not specified in ref. 5
EIF2B2	c.C586T:p.P196S, c.G599T:p.G200V	Leukoencephalopathy with vanishing white matter (OMIM#603896)	AR	II	1	
EP300	c.102_105del:p.G34fs	Rubinstein-Taybi syndrome 2 (OMIM#613684)	AD	I/II	13	
EPHB4		Lymphatic malformation 7 (OMIM#617300)	AD	II	5	variants not specified in ref. 5
ERCC5	c.2766dupA:p.Leu923Thrf*7	Cerebroculofacioskeletal syndrome 3 (OMIM#616570)	AR	I/II	4	

EVC2		Ellis-van Creveld syndrome (OMIM#225500)	AR	II	5	variants not specified in ref. 5
FAM111A		Gracile bone dysplasia, 602361	AD			Death in utero or in early infancy is
FAM20C	c.G956A:p.R319K, c.C1529T:p.R510C	Raine syndrome (OMIM#259775)	AR	I/II	13	
FANCB	c.987_990del	Fanconi anemia, complementation group B (OMIM#300514)	XLR	II	6	
FBN1	c.G3299T:p.G1100V	Marfan syndrome (OMIM#154700)	AD	II	1	
FBN1	c.G7999A:p.E2667K					This report
FGFR2	c.940-1G>A,	FGFR2-related disorder (OMIM#176943)	AD	II	6	
FGFR2	c.G182A:p.R61H					This report
FGFR3	c.1138G>C (p.G380R); c.742C>T (p.R248C)	Achondroplasia (OMIM#100800); Thanatophoric dysplasia, type I (OMIM#187600).	AD	II	5	variants not specified in ref. 5
FGFR3	c.G1537T:p.D513Y; c.C742T:p.R248C	LADD syndrome(OMIM#149730); Thanatophoric dysplasia, type I (OMIM#187600)				This report
FKBP8	c.C572T:p.P191L	OMIM*604840	?	I/II	13	
FLNA	p.V552I	Otopalatodigital syndrome, type I (OMIM#311300)	XLD	II	6	Otopalatodigital syndrome type II (OPD2, 304120) is an allelic disorder with a more severe, frequently lethal variants not specified in ref. 5
FLNB	// c.G4732:C:p.A1578P	Atelosteogenesis, type I, (OMIM#108720)	AD	II, I/II	5, 13	
FOXP3	c.C1189T:p.Arg397Trp, // p.R337X	Immunodysregulation, polyendocrinopathy, and enteropathy, X-linked (OMIM#304790)	XLR	I/II, II	4, 6	
FRAS1	c.C370T:p.R124X	Fraser syndrome 1 (OMIM#219000)	AR	I/II	13	Twenty-five percent of affected babies
FRMD4A	c.C2723T:p.S908L	Agensis of corpus callosum with facial anomalies and cerebellar ataxia (OMIM#616819)	AR	II	1	
GATA4		Tetralogy of Fallot (OMIM#187500)	AD	II	5	variants not specified in ref. 5
GATA4	c.G1537T:p.A442V					This report
GBA		Gaucher disease, perinatal lethal (OMIM#608013)	AR	II	5	Death in utero (30%) variants not
GBE1	c.G1064A:p.R355H	Glycogen storage disease type IV (OMIM#232500)	AR	II	11	PMID: 31747834
GLI3	c.C3324G:p.Y1108X	Pallister-Hall syndrome (OMIM#146510)	AD	II	1	
GPD1L	c.A370G:p.Ile124Val (x4)	Brugada syndrome 2 (OMIM#611777)	AD	I	7	
GPD1L	c.A372G:p.I124M					This report
GREB1L	c.C2903T:p.A968V; c.C293F:p.S98X	Renal hypodysplasia/aplasia 3 (OMIM#617805)	AD	I/II	13	Death in utero or in the perinatal period may occur
GREB1L	c.1303dupA:p.N434fs					This report
HCCS	c.308_309insAGT, p.V103dup	Linear skin defects with multiple congenital anomalies 1 (OMIM#309801)	XLD	II	1	
HRAS	p.G13D	Costello syndrome (OMIM#218040)	AD	II	6	
IFT80	c.G721C:p.G241R	Short-rib thoracic dysplasia 2 with or without polydactyly (OMIM#611263)	AR	II	1	
INTU	c.1259+5G>T, c.C1714T:p.R572X	Ciliopathy with short-rib thoracic dysplasia & polydactyly (OMIM#617925)	AR	II	1	
KCNE1	p.Asp85Asn	Long QT syndrome 5 (OMIM#613695)	AD	I	9	double hits KCNE1/KCNE2 in one case
KCNE2	p.Thr8Ala	Long QT syndrome 5 (OMIM#613695)	AD	I	9	double hits KCNE1/KCNE2 in one case
KCNH2	c.C737T:p.R25W; c.C2674T:p.Arg892Cys	Long QT syndrome 2 (OMIM#613688)	AD	I, I	3, 7	
KCNJ2	p.Arg40Gln	Artrial fibrillation, familial 9 (OMIM#613980)	AD	I	9	
KCNJ8	c.C1265T:p.ser422Leu	VUS in OMIM*300935	?	I	7	
KCNQ1	c.G847A:p.A283T; c.C1189T:p.R397W; c.G1178T:p.K393N; // c.G328A:p.Val110Ile; c.A820G:p.Ile274Val; c.C1189T:p.Arg397Trp; c.G1378A:p.Gly460See	Long QT syndrome 1 (OMIM#192500)	AD	I, I	3, 7	
KMT2D	c.6617dupC:p.A2207fs; c.1967delT:p.L656fs; c.15680_15693dup:p.1523fs; c.C5707T:p.R1903X; // c.C3249A:p.Cys1083X; c.G1434T:p.Glu4781X	Kabuki syndrome 1 (OMIM#147920)	AD	II, I/II, II	1, 4, 5	First four by ref 1 // fifth & six by ref 4; variants not specified in ref. 5
KRAS	c.C149T:p.T50I	Noonan syndrome 3 (OMIM#609942)	AD	II	1	
L1CAM	c.2987delG	L1CAM-related disorders (OMIM#308840)	XLR	II	6	
LAMA3		Epidermolysis bullosa, junctional, Herlitz type, 226700	AR			Often lethal in infancy
LAMB3		Epidermolysis bullosa, junctional, Herlitz type, 226700	AR			Often lethal in infancy
LAMC2		Epidermolysis bullosa, junctional, Herlitz type, 226700	AR			Often lethal in infancy
LAMC3	c.G4415A:p.R1472Q, c.4477+1G>A	Cortical malformations, occipital (OMIM#614115)	AR	II	1	
MID1	c.673_674delAG:p.S525X	Opitz GBBB syndrome, type I (OMIM#300000)	XLR	II, II	1, 5	variants not specified in ref. 5
MNX1	c.T2C:p.M1T homo	Currarino syndrome (OMIM#176450)	AD	I/II	13	
MRPS22	c.768_769del:p.R170H	Combined oxidative phosphorylation deficiency 5 (OMIM#611719)	AR	II	6	
MYBPC3	c.G2497A:p.Ala833Thr; c.G2348A:p.Arg783His	Cardiomyopathy, hypertrophic, 4 (OMIM#115197)	AD/AR	I	7	
MYCN		Feingold syndrome 1 (OMIM#164380)	AD	II	5	variants not specified in ref. 5
MYH3	c.G2015A:p.R672H	Contractures, pterygia, and spondylocarpopostarsal fusion syndrome 1A (OMIM#178110)	AD	II	1	
MYH7	c.G2348A:p.Gly202Arg	MYH7-related disorders (OMIM#160760)	AD	I	7	
NALCN		Congenital contractures of the limbs and face, hypotonia, and developmental delay (OMIM#616266)	AD	II	5	variants not specified in ref. 5
NDUFA5	c.T29A:p.L10X, c.T782G:p.M261R	Mitochondrial complex I deficiency, nuclear type 16 (OMIM#618238)	AR	II	1	
NEBL	c.G604A:p.Gly202Arg	OMIM*605491	?	I	7	
NEK8		Renal-hepatic-pancreatic dysplasia 2, 615415	AR			Death in utero or early childhood

NEK9	c.C1489T;p.Arg497X	Lethal congenital contracture syndrome 10 (OMIM#617022)	AR	I	9	3 cases: 1 died 1-hr after birth, resuscitation failed in 2, 1 died in utero,
NEXN	c.A995C;p.Glu332Ala	Cardiomyopathy, dilated, 1CC (OMIM#613122)	AD	I	7	
NIPBL	c.459-2A>G	Cornelia de Lange syndrome 1 (OMIM#122470)	AD	II, II	1, 5	variants not specified in ref. 5
NIPBL	c.C193G;p.L65V; c.A1927G;p.K643E					This report
NPHS1	c.C3478T;p.R1160X	Nephrotic syndrome type 1 (OMIM#256300)	AR	III	12	
NPHS1	c.2905delC;p.L969fs, c.3110-5C>T					This report
NR2F2		Congenital heart defects, multiple types, 4 (OMIM#615779)	AD	II	5	variants not specified in ref. 5
NRAS		Noonan syndrome 6 (OMIM#613224)	AD	II	5	variants not specified in ref. 5
NUP188	p.R202H	Sandestig-Stefanova syndrome (OMIM#618804)	AR	II	6	
OFD1	c.T929C;p.F310S	Orofaciodigital syndrome I (OMIM#311200)	XLD	II	11	Lethal in males
OTC		Ornithine transcarbamylase deficiency, 311250	XLR			Two types - lethal neonatal and less
P3H1	c.12delC;p.1700fs	Osteogenesis imperfecta, type VIII (OMIM#610915)	AR	II	1	
PADI6		Preimplantation embryonic lethality 2, 617234	AR			early embryonic arrest.
PDHA1	c.1134duoG;p.V378fs	Pyruvate dehydrogenase E1-alpha deficiency (OMIM#312170)	XLD	I/II	13	
PEX1	c.2097dupT;p.1700fs, c.C3205T;p.Q1069X; // c.C3205T;p.Q1069X, c.2097 2098insT;p.1700fs	Peroxisome biogenesis disorder 1A (Zellweger) (OMIM#214100)	AR	II, I/II	1, 13	
PIEZO1	c.G3206A;p.Trp1069X, c.A6208C;p.Lys2070Gln; // p.E679X	Nonimmune hydrops fetalis (NIHF) by generalized lymphatic dysplasias (GLD)	AR	I, II, II	2, 5, 6	Seven other case reported in Fotiou et al, 2015 and Lukacs et al. 2015, see ref 2; variants not specified in ref. 5
PIGN	c.548_549+delAGGTTTGT;p.?AR, c.T654G;p.His218Gln	Multiple congenital anomalies-hypotonia-seizures syndrome 1 (OMIM#614080)	AR	I/II	4	
PIK2R2	c.G1117A;p.Gly373Arg	Magalencephaly-polymicrogyria-polydactyly-hydrocephalus syndrome (MPPH)	AD	I/II	4	
PIK3CA	p.E545K	Cowden syndrome 5 (OMIM#615108)	AD	II, II	5, 6	variants not specified in ref. 5
PIK3R2	p.G373R; p.K564E	Megalencephaly-polymicrogyria-polydactyly-hydrocephalus syndrome 1 (OMIM#603387)	AD	II	4, 6	
PIK3R2	c.G1117A;p.G373R					This report
PIPK4		Popliteal pterygium syndrome, Bartsocas-Papas type, 263650	AR	II	6	
PKD1L1	c.6473+2_6473+3del	Heterotaxy, visceral, 8, autosomal (OMIM#6172905)	AR	II	1	
PKHD1		Polycystic kidney disease 4, with or without hepatic disease, 263200	AR			Manifests in infancy (including neonatal lethal) or childhood
PKP2	c.C2431A;p.Arg811Ser	Arrhythmogenic right ventricular dysplasia 9 (OMIM#609040)	AD	I	7	
PTPN11	c.A227T;p.E76V; c.T854C;p.F285S;	Noonan syndrome 1 (OMIM#163950)	AD	II, II, II	1, 5, 6	variants not specified in ref. 5
RAB23		Carpenter syndrome (OMIM#201000)	AR	II	5	variants not specified in ref. 5
RAPSN	c.1166+1G>C; // c.A485G;p.Glu162Gly; //c.G484A;p.E162K	Fetal akinesia deformation sequence 2 (OMIM#618388)	AR	II, I/II, II, II	1, 4, 5, 11	variants not specified in ref. 5
RIPK4	p.A10S, p.V303M	Popliteal pterygium syndrome, Bartsocas-Papas type (OMIM#263650)	AR	II	6	
RIT1	c.T246G;p.F82L; // c.A268G;p.Met90val; // p.F82C	Noonan syndrome 8 (OMIM#615355)	AD	II, I/II, II, II	1, 4, 5, 6	variants not specified in ref. 5
RYR1	c.G14344A;p.G4782R, c.14512-1G>A	Minicore myopathy with external ophthalmoplegia (OMIM#255320)	AR	II, II	1, 5	Some patients have lethal fetal akinesia with death in utero, variants not
RYR2	c.G11497A;p.Asp3833Asn; c.C4747T;p.Pro1583Ser; c.G6337A;p.Val2113Met	Arrhythmogenic right ventricular dysplasia 2 (OMIM#600996)	AD	I	7	
SCN5A	c.C659T;p.K393N; c.C1571T;p.T220I; c.C1571A;p.S524Y; c.G2314A;p.D772N; c.G3347A;p.R1116Q; c.G3578A;p.R1193Q; c.C6016G;p.P2006A; // p.Gly615Glu; p.Arg481Trp; // c.G1663G>T;p.Glu555X; c.C1858T;p.Arg620Cys; c.G5350A;p.Glu1784Lys	Brugada syndrome 1 (OMIM#601144); SCN5A-related disorders (OMIM#600163)	AD	I, I, I	3, 9, 7	
SCN5A	c.G5393A;p.W1798X; c.T1933G;p.S645A					This report
SF3B4		Acrofacial dysostosis 1, Nager type (OMIM#154400)	AD	II	5	variants not specified in ref. 5
SOS1	c.G1655A;p.R522K	Noonan syndrome 4 (OMIM#610733)	AD	II, II	1, 5	variants not specified in ref. 5
SOS1	c.G205A;p.D69N					This report
SOX9	c.738delG	Campomelic dysplasia (OMIM#114290)	AD	II, II	5, 6	variants not specified in ref. 5
TAB2		Congenital heart defects, nonsyndromic, 2 (OMIM#614980)	AD	II	5	variants not specified in ref. 5
TCTN1	c.342-2A>C, c.C898T;p.R300X	Joubert syndrome 13 (OMIM#614173)	AR	I/II	13	
TCTN2		Meckel syndrome 8 (OMIM#613885)	AR	II	5	variants not specified in ref. 5
TFAP2A		Branchiooculofacial syndrome (OMIM#113620)	AD	II	5	variants not specified in ref. 5
TGFB1	c.605_606insGAGAACTTGT;p.A202delinsARTIV	Loeys-Dietz syndrome 1 (OMIM#609192)	AD	I/II	13	
TMEM67	c.G1319A;p.R440Q, c.G233A;p.C78Y; // c.149_151del;p.N52del, c.G1674A;p.Q558Q; c.G233A;p.C78Y, c.1717delA;p.N573fs	Meckel syndrome 3 (OMIM#607361)	AR	II, I/II	1, 13	Lethal in utero or in the perinatal period

TNNI3	c.C292T:p.Arg98X	TNNI3-related disorders (OMIM#191044)	AD/AR	I	7	
TRPM4	c.1195_1202del, p.Leu399Glyfs*11; c.A2740T:p.Lys914X; c.T3224C:p.Leu1075Pro	Progressive familial heart block, type IB (OMIM#604559)	AD	I	7	
TSC2	de novo 41kb del, including PKD1	Tuberous sclerosis-2(OMIM#613254)	AD	II	5	
TTN	c.25639+1G>T	OMIM*617474	?	I	7	
TUBA1A	c.G1118G:A:p.R373K; // c.G55A:p.A19T	Lissencephaly 3 (OMIM#6116003)	AD	II, I/II	1, 13	
TUBB	// c.C920T:p.P307L	Cortical dysplasia, complex, with other brain malformations 6 (OMIM#615771)	AD	II, I/II	5, 13	variants not specified in ref. 5
TUBB3	c.G862A:p.E288K; // c.C533T:p.T178M	Cortical dysplasia, complex, with other brain malformations 1 (OMIM#614039)	AD	I/II	13	
VEGFA	c.C789A:p.C263X	Microvascular complications of diabetes 1 (OMIM#603933)	NA	I/II	13	
WDR19	c.T275G:p.L92X, c.G880A:p.G294R;	Short-rib thoracic dysplasia 5 with or without polydactyly (OMIM#614376)	AR	II	1	
WNT3	p.R326Q	Tetra-amelia syndrome 1 (OMIM#273395)	AR	II	6	
ZC4H2		Wieacker-Wolff syndrome (OMIM#314580)	XLR	II	5	variants not specified in ref. 5

References	Evidence Level*	Titles	PMID	DOI
1	II	Normand EA, et al., Clinical exome sequencing for fetuses with ultrasound abnormalities and a suspected Mendelian disorder. <i>Genome Med.</i> 2018; 28;10(1):74.	PMID: 30266093	doi: 10.1186/s13073-018-0582-x.
2	I	Datkhaeva I, et al., Identification of novel PIEZO1 variants using prenatal exome sequencing and correlation to ultrasound and autopsy findings of recurrent hydrops fetalis. <i>Am J Med Genet A.</i> 2018;176(12):2829-2834.	PMID: 30244526	doi: 10.1002/ajmg.a.40533.
3	I	Crotti L, et al., Long QT syndrome-associated mutations in intrauterine fetal death. <i>JAMA.</i> 2013;309(14):1473-82.	PMID: 23571586	doi: 10.1001/jama.2013.3219.
4	I/II	Quinlan-Jones E, et al., Molecular autopsy by trio exome sequencing (ES) and postmortem examination in fetuses and neonates with prenatally identified structural anomalies. <i>Genet Lord J, et al., Prenatal exome sequencing analysis in fetal structural anomalies detected by ultrasonography (PAGE): ahort study. Lancet.</i> 2019;393(10173):747-757.	PMID: 30293990	doi: 10.1038/s41436-018-01016-5/0140-6736(18)31940-8.
5	II	Yates CL, et al., Whole-exome sequencing on deceased fetuses with ultrasound anomalies: expanding our knowledge of genetic disease during fetal development. <i>Genet Med.</i> 2017;19(10):1171-1178.	PMID: 30712880	doi: 10.1038/gim.2017.31.
6	II	Sahlin E, et al., Identification of putative pathogenic single nucleotide variants (SNVs) in genes associated with heart disease in 290 cases of stillbirth. <i>PLoS One.</i> 2019;14(1):e0210017.	PMID: 28425981	doi: 10.1371/journal.pone.0210017.
7	I	Qiao et al., Whole exome sequencing in recurrent early pregnancy loss. <i>Mol Hum Reprod.</i> 2016;22(5):364-72.	PMID: 30615648	doi:10.1093/molehr/gaw008
8	I	Munroe PB, Addison S, Abrams DJ, et al. Postmortem Genetic Testing for Cardiac Ion Channelopathies in Stillbirths. <i>Circ Genom Precis Med.</i> 2018;11(1):e001817.	PMID: 30712880	doi:10.1161/CIRCGEN.117.001817
9	I	Shamseldin HE, Swaid A, Alkuraya FS. Lifting the lid on unborn lethal Mendelian phenotypes through exome sequencing. <i>Genet Med.</i> 2013;15(4):307-309.	PMID: 22564503	doi:10.1038/gim.2012.130
10	II	Alamillo CL, Powis Z, Farwell K, et al. Exome sequencing positively identified relevant alterations in more than half of cases with an indication of prenatal ultrasound anomalies. <i>Prenat Diagn.</i> 2015;35(11):1073-1078.	PMID: 29261186	doi:10.1002/pd.4648
11	III	Ovunc B, Ashraf S, Vega-Warner V, et al. Mutation analysis of NPHS1 in a worldwide cohort of congenital nephrotic syndrome patients. <i>Nephron Clin Pract.</i> 2012;120(3):c139-c146.	PMID: 22564503	doi:10.1159/000337379
12	I/II	Boissel S, Fallet-Bianco C, Chitayat D, et al. Genomic study of severe fetal anomalies and discovery of GREB1L mutations in renal agenesis. <i>Genet Med.</i> 2018;20(7):745-753.	PMID: 29261186	doi:10.1038/gim.2017.173

* Evidence level I based on the studies of spontaneous abortion and stillbirth, evidence level II based on the studies of mixture of fetal death and fetal anomaly, evidence level III based on the studies of perinatal infant.

Supplementary Table S3 Clinical indications of the 102 POC cases*

Case ID	Specimen	Gender	Pregnancy loss	Clinical indications	Maternal age range (yrs)	Gestational age (wks+d)
PL001	skin	M	stillbirth	IUFD	36-40	21+5
PL002	skin	F	stillbirth	Fetal demise of twin B	31-35	34+0
PL003	skin	M	stillbirth	Fetal anomaly	31-35	22+2
PL004	skin	M	stillbirth	Fetal congenital diaphragmatic hernia	31-35	23+0
PL005	skin	M	SAB	Fetal demise	31-35	13+0
PL006	villi	M	SAB	Fetal anomaly of cystic hygroma	26-30	11+0
PL007	skin	F	stillbirth	IUFD	31-35	35+5
PL008	villi	F	SAB	Missed abortion	26-30	7+0
PL009	villi	F	SAB	SAB	36-40	8+0
PL010	skin	F	stillbirth	IUFD	31-35	27+5
PL011	skin	M	stillbirth	Fetal multiple CNS anomalies	26-30	22+3
PL012	tissue	F	SAB	PPROM	21-25	15+2
PL013	skin	F	stillbirth	Fetal demise	21-25	22+0
PL014	tissue	M	SAB	Fetal anomaly	21-25	12+0
PL015	skin	F	stillbirth	IUFD	>=41	22+0
PL016	skin	M	stillbirth	Fetal demise	26-30	21+5
PL017	skin	F	stillbirth	Multiple fetal abn	31-35	22+3
PL018	skin	F	SAB	Fetal demise	31-35	20+0
PL019	skin	F	stillbirth	Fetal demise, mutiple anomalies	26-30	22+4
PL020	tissue	M	SAB	Missed abortion	21-25	14+0
PL021	skin	M	SAB	Fetal anomaly	26-30	19+5
PL022	villi	F	SAB	Missed abortion	36-40	9+0
PL023	skin	M	unknown	Fetal demise	26-30	unknown
PL024	tissue	M	stillbirth	Fetal anomaly,Twin A	21-25	20+5
PL025	skin	F	stillbirth	Fetal anomaly	26-30	21+3
PL026	skin	M	stillbirth	PPROM	31-35	20+6
PL027	tissue	F	unknown	Fetal demise	31-35	unknown
PL028	skin	F	stillbirth	Anhydramnios	21-25	21+1
PL029	skin	M	SAB	Embryonic demise	36-40	10+0
PL030	cord	F	SAB	SABx4	31-35	14+5
PL031	skin	M	unknown	Fetal demise	31-35	unknown
PL032	skin	M	stillbirth	IUFD	26-30	22+0
PL033	skin	F	unknown	SAB	31-35	unknown
PL034	skin	F	SAB	Missed abortion	36-40	18+0
PL035	skin	F	stillbirth	Fetal anomaly	31-35	22+5
PL036	skin	F	SAB	IUFD	21-25	16+0
PL037	tissue	F	unknown	Fetal demise	unknown	unknown
PL038	skin	F	stillbirth	Missed abortion, fetal anomalies	26-30	23+6
PL039	skin	M	stillbirth	Fetal demise	31-35	21+2
PL040	skin	M	unknown	Fetal demise	31-35	unknown
PL041	skin	M	SAB	Fetal demise	26-30	19+4
PL042	skin	F	SAB	Missed abortion	>=41	18+6
PL043	villi	M	SAB	Missed abortion, r/o molar pregnancy	26-30	8+3
PL044	skin	M	stillbirth	IUFD	36-40	20+2
PL045	villi	F	SAB	Missed abortion	>=41	6+0
PL046	villi	F	stillbirth	Abn placenta	31-35	29+4
PL047	skin	M	SAB	Missed abortion	>=41	15+6
PL048	skin	F	SAB	Fetal demise	31-35	15+0

PL049	skin	F	SAB	Fetal demise	21-25	19+0
PL050	skin	M	stillbirth	Fetal anomalies and IUGR with 3w lag	36-40	23+1
PL051	villi	F	SAB	Missed abortion	36-40	12+0
PL052	villi	M	SAB	Missed abortion	36-40	10+4
PL053	villi	F	stillbirth	fetal anomaly	21-25	21+2
PL054	villi	M	SAB	Fetal demise	26-30	9+4
PL055	skin	M	stillbirth	Fetal anomaly	36-40	22+4
PL056	skin	F	stillbirth	IUFD	26-30	36+4
PL057	skin	M	SAB	Fetal anomaly	<=20	13+3
PL058	skin	M	SAB	Fetal anomaly	31-35	19+4
PL059	skin	F	stillbirth	Fetal demise	36-40	26+0
PL060	skin	F	SAB	Spina bifida	36-40	19+0
PL061	skin	M	stillbirth	Fetal demise	31-35	32+0
PL062	skin	F	unknown	Fetal anomaly	36-40	unknown
PL063	tissue	F	SAB	Fetal demise	36-40	12+0
PL064	skin	M	SAB	PPROM	26-30	20+0
PL065	villi	M	stillbirth	Fetal anomalies	>=41	21+0
PL066	skin	F	stillbirth	Fetal demise	31-35	26+0
PL067	skin	M	SAB	Skeletal dysplasia	36-40	20+0
PL068	skin	F	SAB	Fetal anomaly	21-25	12+0
PL069	skin	M	SAB	Fetal anomaly	36-40	19+4
PL070	skin	F	SAB	PPROM and IUFD	21-25	16+4
PL071	skin	F	stillbirth	Fetal anomaly	31-35	21+0
PL072	skin	F	stillbirth	Fetal demise	26-30	22+0
PL073	skin	F	SAB	fetal anomaly	31-35	18+6
PL074	villi	M	SAB	Unrxplan, pregn loss	31-35	16+0
PL075	skin	M	stillbirth	PPROM	31-35	20+5
PL076	villi	F	SAB	SAB	26-30	7+0
PL077	skin	F	stillbirth	Fetal anomaly	26-30	22+7
PL078	skin	M	SAB	Fetal demise	21-25	16+0
PL079	skin	F	SAB	Fetal demise	36-40	17+0
PL080	skin	M	unknown	Fetal demise	21-25	unknown
PL081	villi	M	unknown	Fetal demise	31-35	unknown
PL082	skin	M	stillbirth	IUFD	21-25	28+5
PL083	villi	M	SAB	Fetal demise	31-35	14+3
PL084	skin	F	stillbirth	Fetal demise	21-25	24+5
PL085	skin	M	stillbirth	Fetal demise	36-40	23+4
PL086	skin	F	SAB	Missed abortion	36-40	11+4
PL087	villi	M	SAB	Miscarriage	21-25	7+5
PL088	villi	F	SAB	Fetal anomalies	36-40	18+0
PL089	skin	F	stillbirth	Fetal anomaly	36-40	21+4
PL090	tissue	F	SAB	Fetal demise	36-40	11+3
PL091	tissue	F	SAB	Multiple fetal deformities	31-35	19+6
PL092	villi	F	SAB	Missed abortion	31-35	8+0
PL093	villi	M	SAB	Missed abortion	31-35	10+0
PL094	tissue	M	SAB	Fetal demise	31-35	15+1
PL095	skin	M	unknown	Fetal anomaly	36-40	unknown
PL096	skin	F	stillbirth	Severe oligohydramnios	21-25	20+4
PL097	skin	M	SAB	Fetal demise	36-40	17+0
PL098	tissue	M	stillbirth	Multiple fetal cardiac anomalies	21-25	22+2
PL099	skin	F	stillbirth	Previale PPROM, possible renal anomaly	36-40	23+3
PL100	skin	M	stillbirth	Fetal anomaly	31-35	22+3
PL101	villi	F	SAB	Fetal demise	26-30	14+5
PL102	villi	M	SAB	Anencephaly of fetus	>=41	12+0