Supplemental Table 1: COVID-NET and BRFSS Definitions of Underlying Medical Conditions

Underlying medical condition	COVID-NET	BRFSS (self-report)			
	(medical chart abstraction)	Has a doctor, nurse, or other health professional ever told you that you had any of following?			
Hypertension	Hypertension	Yes to ever told you have high blood pressure and are currently taking medication f high blood pressure (2017 BRFSS)			
Coronary Artery Disease	History of myocardial infarction, coronary artery disease, coronary artery bypass graphing	Yes to ever told you had a heart attack also called myocardial infarction? Or Yes to ever told you had angina or coronary heart disease?			
Stroke	Stroke	Yes to ever told you had a stroke			
Diabetes	Diabetes	Yes to ever told you have diabetes?			
Obesity	BMI≥30kg/m²; denominator is everyone in sample	Obesity defined as BMI≥30kg/m² based on self-reported height and weight.			
Severe Obesity	BMI≥40kg/m²; denominator is everyone in sample	Severe obesity defined as BMI≥40kg/m2 based on self-reported height and weight.			
Chronic Kidney Disease	Chronic Kidney Disease	Yes to ever told kidney disease			
Asthma	Asthma	Yes to do you still have asthma			
Chronic obstructive pulmonary disease (COPD)	COPD	Yes ever told you have COPD, emphysema, or chronic bronchitis			
Any condition	Presence of any of the above underlying medical condition except for hypertension	Presence of any of the above underlying medical condition except for hypertension (because hypertension not available in 2018 BRFSS data)			
Number of conditions	Sum of any of the above underlying medical condition except for hypertension; categorized (0,1,2,3+)	Sum of any of the above underlying medical condition except for hypertension (because hypertension not available in 2018 BRFSS data); categorized (0,1,2,3+)			

Supplemental Table 2. Prevalence of Co-occurring Underlying Medical Conditions among Hospitalized Cases, COVID-NET, March 1-June 23, 2020

		Percentage of sample with							
	Hypertension	Coronary artery disease	History of stroke	Diabetes	Obesity	Severe Obesity	Chronic kidney disease	Asthma	COPD
Hypertension									
No		71/2748 (2.6%)	45/2748 (1.6%)	517/2748 (18.8%)	1230/2366 (52.0%)	324/2366 (13.7%)	86/2748 (3.1%)	307/2748 (11.2%)	83/2748 (3.4%)
Yes		433/2652 (16.3%)	181/2652 (6.8%)	1273/2649 (48.1%)	1441/2527 (57.0%)	444/2527 (17.6%)	553/2651 (20.9%)	393/2652 (14.8%)	244/2652 (9.2%)
Coronary artery disease									
No	2219/4896 (45.3%)		169/4899 (3.5%)	1493/4892 (30.5%)	2439/4403 (55.4%)	718/4403 (16.3%)	466/4891 (9.5%)	673/4899 (13.0%)	235/4899 (4.8%)
Yes	433/504 (85.9%)		57/505 (11.3%)	297/506 (58.7%)	230/485 (47.4%)	49/485 (10.1%)	170/504 (33.7%)	65/505 (12.9%)	93/505 (18.4%)
History of stroke									
No	2471/5174 (47.8%)	448/5178 (8.7%)		1664/5171 (32.2%)	2578/4671 (55.2%)	747/4671 (16.0%)	562/5169 (10.9%)	668/5178 (12.9%)	296/5178 (5.7%)
Yes	181/226 (80.1%)	57/226 (25.2%)		126/227 (55.5%)	92/218 (42.2%)	21/218 (9.6%)	74/226 (32.7%)	34/226 (15.0%)	32/226 (14.2%)
Diabetes									
No	1376/3607 (38.2%)	209/3608 (5.8%)	101/3608 (2.8%)		1632/3176 (51.4%)	447/3176 (14.1%)	272/3607 (7.5%)	444/3608 (12.3%)	197/3608 (5.5%)
Yes	1273/1790 (71.1%)	297/1790 (16.6%)	126/1790 (7.0%)		1034/1709 (60.5%)	321/1709 (18.8%)	365/1789 (20.4%)	254/1789 (14.2%)	129/1789 (7.2%)
Obesity									
No	1086/2222 (48.9%)	255/2219 (11.5%)	126/2219 (5.7%)	675/2219 (30.4%)		0/2224 (0.0%)	313/2218 (14.1%)	212/2219 (9.6%)	162/2219 (7.3%)
Yes	1441/2671 (54.0%)	230/2669 (8.6%)	92/2670 (3.5%)	1034/2666 (38.8%)		769/2674 (28.8%)	298/2666 (11.2%)	446/2669 (16.7%)	151/2669 (5.7%)
Severe obesity									
No	2083/4125 (50.5%)	436/4121 (10.6%)	197/4121 (4.8%)	1388/4117 (33.7%)	1905/4129 (46.1%)		533/4116 (13.0%)	484/4121 (11.7%)	284/4121 (6.9%)
Yes	444/768 (57.8%)	49/767 (6.4%)	21/768 (2.7%)	321/768 (41.8%)	769/769 (100%)		78/768 (10.2%)	174/767 (22.7%)	29/767 (3.8%)
Chronic kidney disease									

No	2098/4760	334/4759	152/4759	1424/4759	2368/4273	690/4273		629/4759	250/4759
	(44.1%)	(7.0%)	(3.2%)	(29.9%)	(55.4%)	(16.2%)		(13.2%)	(5.3%)
Yes	553/639 (86.5%)	170/636	74/636	365/637 (57.3%)	298/611	78/611		68/636	76/636
		(26.7%)	(11.6%)		(48.8%)	(12.8%)		(10.7%)	(12.0%)
Asthma									
No	2259/4700	440/4702	192/4702	1535/4699	2223/4230	593/4230	568/4698		253/4702
	(48.1%)	(9.4%)	(4.1%)	(32.7%)	(52.6%)	(14.0%)	(12.1%)		(5.4%)
Yes	393/700 (56.1%)	65/702 (9.3%)	34/702	254/698 (36.4%)	446/658	174/658	68/697 (9.8%)		75/702
			(4.8%)		(67.8%)	(26.4%)			(10.7%)
COPD									
No	2408/5073	412/5076	194/5076	1660/5071	2518/4575	738/4575	560/5069	627/5076	
	(47.5%)	(8.1%)	(3.8%)	(32.7%)	(55.0%)	(16.1%)	(11.1%)	(12.4%)	
Yes	244/327 (74.6%)	93/328 (28.4%)	32/328	129/326 (39.6%)	151/313	29/313	76/326 (23.3%)	75/328	
			(9.8%)		(48.2%)	(9.3%)		(22.9%)	

COPD: Chronic obstructive pulmonary disease; COVID-NET: Coronavirus Disease 2019-Associated Hospitalization Surveillance Network

Supplemental Table 3. Unadjusted and Adjusted* Rate Ratios for Number of Underlying Medical Conditions and Hospitalization for COVID-19, COVID-NET, March 1-June 23, 2020

	Unadjusted Rate Ratio (95% CI)	Adjusted Rate Ratio* (95%CI)
Number of conditions†		
1	2.8 (2.7, 3.1)	2.5 (2.1, 3.0)
2	5.6 (5.2, 6.1)	4.5 (3.7, 5.5)
3+	7.2 (6.6, 7.9)	5.0 (3.9, 6.3)
Age 45-64 years‡		1.8 (1.5, 2.2)
Age 65+ years‡		2.6 (2.1, 3.1)
Male§		1.2 (1.1, 1.4)
Non-Hispanic black		3.9 (3.3, 4.7)
Other race/ethnicity		3.3 (2.8, 3.9)

CI: Confidence Interval; COVID-NET: Coronavirus Disease 2019-Associated Hospitalization Surveillance Network

‡Reference group is 18-44 years

§Reference group is female

Reference group is non-Hispanic white

^{*}Model for number of conditions (variable) is adjusted for age, sex, and race/ethnicity

[†]Reference group is no underlying medical condition; Number of conditions is a sum of underlying medical conditions excluding hypertension; the most recent year of available BRFSS data for hypertension was 2017.

Supplemental Table 4. Comparison of Included versus Excluded Adult Cases for the 12 COVID-NET Sites

Characteristic	Total, N= 20,046	Included Cases, N=5416	Excluded Cases*, N=14,630		
Median age	62 (IQR: 49-75)	55 (IQR: 42-67)	65 (IQR: 52-77)		
	n(%)	n(%)	n(%)		
Sex					
Male	10405 (52%)	2847 (53%)	7558 (52%)		
Female	9632 (48%)	2569 (47%)	7063 (48%)		
Race and Ethnicity					
Non-Hispanic White	7019 (39%)	1758 (34%)	5261 (41%)		
Non-Hispanic Black	5366 (30%)	1663 (32%)	3703 (29%)		
Other	5573 (31%)	1798 (34%)	3775 (30%)		
Distribution of cases by month of hospital admission					
March	4193 (21%)	1659 (31%)	2534 (17%)		
April	8241 (41%)	1881 (35%)	6360 (44%)		
May	5726 (29%)	1518 (28%)	4208 (29%)		
June	1886 (9%)	358 (7%)	1528 (10%)		

^{*}Excluded due to missing residence before hospitalization and/or underlying medical conditions