

SUPPLEMENTARY INFORMATION

Table S1. Access and perceived reliability of information sources

Information sources	Access Number (weighted %)		Perceived reliability Number (weighted %)	
	UK (n=1768)	HK (n=1663)	UK (n=1768)	HK (n=1663)
Public channel				
Social media platform	625 (36.0)	1560 (92.2)	187 (10.9)	434 (27.8)
Newspapers	827 (46.3)	665 (38.6)	-	907 (50.9)
Magazines	58 (3.3)	104 (7.3)	-	364 (20.3)
Radio	721 (40.7)	569 (36.2)	-	959 (55.2)
Television	1305 (73.5) ^a	1155 (67.9)	-	651 (37.8)
Streaming			139 (8.1)	-
Official websites	1126 (64.0) ^b	1496 (89.3)	1602 (90.7)	260 (15.5)
Unofficial websites			138 (8.1)	380 (26.2)
Personal communication				
My families/friends	866 (49.4) ^c	931 (54.0)	582 (33.0)	593 (40.6)
Work/school/college			828 (47.5)	-
Professionals				
My doctor	202 (11.5) ^d	86 (4.7)	1542 (87.2)	1408 (84.3)
Other health professionals			1497 (84.7)	-
Others				
Others	9 (0.5)	10 (0.7)	-	-

^a UK separately asked about the two options, with the number of respondents reporting access to television being 1292 (72.7%) and that to streaming services being 31 (1.8%).

^b UK separately asked about the two options, with the number of respondents reporting access to official websites being 1101 (62.6%) and that to unofficial websites being 162 (9.6%).

^c UK separately asked about the two options, with the number of respondents reporting access to my families/friends being 577 (32.8%) and that to work/school/college being 537 (31.1)

^d UK separately asked about the two options, with the number of respondents reporting access to my doctor being 82 (4.6%) and that to other health professionals being 140 (8.0%).

Table S2. Univariate analysis of factors associated with the adoption of different types of social distancing

Factors	Types of social distancing					
	General ^a (n=3431)		Contact ^b (n=3431)		Work ^c (n=2160)	
	OR (95% CI)	P-value	OR (95% CI)	P-value	OR (95% CI)	P-value
Age						
18-24	-	-	-	-	-	-
25-34	1.30 (1.05, 1.60)	0.02	0.87 (0.69, 1.09)	0.23	1.04 (0.76, 1.44)	0.80
35-44	0.91 (0.73, 1.13)	0.40	0.50 (0.40, 0.63)	<0.001	0.88 (0.63, 1.22)	0.43
45-54	0.81 (0.64, 1.04)	0.09	0.35 (0.28, 0.46)	<0.001	0.56 (0.39, 0.81)	0.002
55+	0.64 (0.52, 0.79)	<0.001	0.28 (0.22, 0.34)	<0.001	0.43 (0.28, 0.65)	<0.001
Sex						
Female	-	-	-	-	-	-
Male	0.68 (0.59, 0.78)	<0.001	0.56 (0.49, 0.64)	<0.001	0.86 (0.71, 1.04)	0.11
Education attainment ^d						
No formal qualification/ lower secondary or below	-	-	-	-	-	-
Secondary level qualification/ higher secondary	0.82 (0.58, 1.17)	0.27	0.80 (0.57, 1.12)	0.19	1.03 (0.47, 2.30)	0.94
Post-secondary but below degree	1.03 (0.72, 1.48)	0.87	1.26 (0.88, 1.79)	0.21	1.25 (0.56, 2.80)	0.58
Degree or above	1.43 (1.02, 2.01)	0.04	1.75 (1.25, 2.44)	<0.001	2.48 (1.14, 5.38)	0.02
Employment status						
Employed	-	-	-	-	-	-
Full-time student	1.32 (1.06, 1.65)	0.01	2.08 (1.63, 2.65)	<0.001	-	-
Unemployed	1.51 (1.21, 1.87)	<0.001	1.19 (0.95, 1.48)	0.13	-	-
Retired	0.85 (0.70, 1.04)	0.11	0.49 (0.41, 0.60)	<0.001	-	-
Region						
HK	-	-	-	-	-	-
UK	0.34 (0.29, 0.39)	<0.001	0.08 (0.07, 0.10)	<0.001	0.53 (0.44, 0.64)	<0.001
Perceived severity						
Not serious	-	-	-	-	-	-
Serious	3.54 (3.05, 4.11)	<0.001	8.19 (7.02, 9.56)	<0.001	1.82 (1.50, 2.21)	<0.001
Perceived ease of transmission						
Difficult	-	-	-	-	-	-
Easy	2.52 (2.08, 3.06)	<0.001	3.51 (2.92, 4.23)	<0.001	1.42 (1.10, 1.84)	0.008
Anxiety level						
Normal	-	-	-	-	-	-
Borderline abnormal	1.84 (1.55, 2.18)	<0.001	1.97 (1.66, 2.33)	<0.001	1.64 (1.30, 2.08)	<0.001
Abnormal	2.43 (2.06, 2.85)	<0.001	2.14 (1.82, 2.52)	<0.001	1.82 (1.46, 2.26)	<0.001

^a "General" refers to avoiding going to: (i) crowded areas; (ii) social events; and (iii) going out.

^b "Contact " refers to avoiding contacting individuals who (i) had a fever or respiratory symptoms; and (ii) had been to affected areas (UK) / Wuhan (HK) in the past 14 days (UK) / past month (HK).

^c "Work" refers to avoiding going to work.