

Supplementary Table 5: Model Performance Metrics By Site.

		Mount Sinai Brooklyn (MSB)					
		AUROC	AUPRC	ACC	SENS	SPEC	F1S
LASSO	Local	0.800 (0.742 - 0.857)	0.602 (0.489 - 0.715)	0.782 (0.746 - 0.819)	0.734 (0.621 - 0.847)	0.797 (0.730 - 0.864)	0.618 (0.565 - 0.671)
	Pooled	0.816 (0.759 - 0.872)	0.599 (0.475 - 0.723)	0.761 (0.690 - 0.832)	0.865 (0.797 - 0.933)	0.728 (0.620 - 0.836)	0.650 (0.585 - 0.715)
	Federated	0.802 (0.747 - 0.857)	0.568 (0.447 - 0.690)	0.746 (0.687 - 0.805)	0.872 (0.837 - 0.907)	0.706 (0.623 - 0.790)	0.633 (0.579 - 0.687)
MLP	Local	0.833 (0.792 - 0.873)	0.596 (0.513 - 0.680)	0.776 (0.733 - 0.818)	0.879 (0.829 - 0.928)	0.743 (0.677 - 0.808)	0.660 (0.618 - 0.702)
	Pooled	0.825 (0.774 - 0.876)	0.608 (0.491 - 0.725)	0.787 (0.732 - 0.842)	0.838 (0.774 - 0.903)	0.771 (0.690 - 0.852)	0.663 (0.612 - 0.714)
	Federated No Noise	0.827 (0.771 - 0.883)	0.614 (0.509 - 0.719)	0.776 (0.710 - 0.841)	0.843 (0.780 - 0.907)	0.754 (0.666 - 0.841)	0.654 (0.584 - 0.725)
	Federated With Noise	0.812 (0.754 - 0.869)	0.601 (0.481 - 0.722)	0.759 (0.705 - 0.814)	0.836 (0.751 - 0.921)	0.734 (0.652 - 0.817)	0.635 (0.571 - 0.698)
		Mount Sinai Hospital (MSH)					
		AUROC	AUPRC	ACC	SENS	SPEC	F1S
LASSO	Local	0.704 (0.643 - 0.764)	0.198 (0.142 - 0.254)	0.734 (0.646 - 0.822)	0.678 (0.556 - 0.800)	0.739 (0.637 - 0.840)	0.282 (0.240 - 0.323)
	Pooled	0.797 (0.762 - 0.831)	0.284 (0.209 - 0.359)	0.735 (0.686 - 0.784)	0.823 (0.758 - 0.889)	0.728 (0.674 - 0.782)	0.316 (0.277 - 0.354)
	Federated	0.773 (0.740 - 0.807)	0.246 (0.192 - 0.299)	0.710 (0.649 - 0.771)	0.799 (0.698 - 0.901)	0.703 (0.631 - 0.775)	0.293 (0.257 - 0.329)
MLP	Local	0.762 (0.710 - 0.814)	0.243 (0.158 - 0.329)	0.736 (0.677 - 0.796)	0.754 (0.646 - 0.862)	0.735 (0.665 - 0.806)	0.298 (0.270 - 0.326)
	Pooled	0.761 (0.687 - 0.835)	0.285 (0.207 - 0.363)	0.758 (0.659 - 0.858)	0.757 (0.648 - 0.866)	0.759 (0.647 - 0.871)	0.339 (0.275 - 0.402)
	Federated No Noise	0.801 (0.743 - 0.858)	0.295 (0.213 - 0.376)	0.833 (0.781 - 0.885)	0.738 (0.646 - 0.831)	0.840 (0.782 - 0.899)	0.409 (0.328 - 0.489)
	Federated With Noise	0.767 (0.710 - 0.825)	0.261 (0.167 - 0.355)	0.764 (0.677 - 0.851)	0.772 (0.684 - 0.860)	0.763 (0.666 - 0.861)	0.354 (0.269 - 0.439)
		Mount Sinai Morningside (MSM)					
		AUROC	AUPRC	ACC	SENS	SPEC	F1S
LASSO	Local	0.676 (0.619 - 0.734)	0.243 (0.178 - 0.307)	0.570 (0.496 - 0.645)	0.859 (0.741 - 0.977)	0.529 (0.432 - 0.626)	0.334 (0.308 - 0.360)
	Pooled	0.791 (0.746 - 0.835)	0.354 (0.292 - 0.415)	0.734 (0.639 - 0.830)	0.825 (0.723 - 0.926)	0.721 (0.604 - 0.838)	0.461 (0.382 - 0.541)
	Federated	0.776 (0.725 - 0.828)	0.375 (0.288 - 0.462)	0.718 (0.635 - 0.801)	0.826 (0.732 - 0.919)	0.703 (0.601 - 0.804)	0.436 (0.375 - 0.498)
MLP	Local	0.739 (0.679 - 0.799)	0.332 (0.274 - 0.389)	0.774 (0.726 - 0.823)	0.707 (0.616 - 0.798)	0.783 (0.727 - 0.840)	0.447 (0.376 - 0.519)
	Pooled	0.726 (0.671 - 0.782)	0.301 (0.217 - 0.385)	0.718 (0.644 - 0.793)	0.740 (0.635 - 0.846)	0.714 (0.622 - 0.806)	0.406 (0.348 - 0.463)
	Federated No Noise	0.796 (0.733 - 0.858)	0.409 (0.274 - 0.544)	0.800 (0.746 - 0.853)	0.760 (0.679 - 0.842)	0.805 (0.739 - 0.871)	0.503 (0.419 - 0.587)
	Federated With Noise	0.785 (0.724 - 0.846)	0.357 (0.282 - 0.432)	0.725 (0.631 - 0.819)	0.827 (0.722 - 0.932)	0.711 (0.596 - 0.825)	0.451 (0.377 - 0.525)
		Mount Sinai Queens (MSQ)					
		AUROC	AUPRC	ACC	SENS	SPEC	F1S
LASSO	Local	0.733 (0.680 - 0.786)	0.46 (0.361 - 0.559)	0.676 (0.587 - 0.765)	0.845 (0.731 - 0.959)	0.624 (0.483 - 0.765)	0.557 (0.509 - 0.605)
	Pooled	0.736 (0.693 - 0.779)	0.479 (0.391 - 0.568)	0.689 (0.614 - 0.764)	0.804 (0.730 - 0.878)	0.653 (0.538 - 0.768)	0.553 (0.509 - 0.597)
	Federated	0.693 (0.643 - 0.744)	0.428 (0.348 - 0.507)	0.678 (0.595 - 0.760)	0.778 (0.662 - 0.895)	0.645 (0.510 - 0.780)	0.533 (0.482 - 0.585)
MLP	Local	0.795 (0.756 - 0.834)	0.536 (0.473 - 0.600)	0.743 (0.683 - 0.802)	0.840 (0.730 - 0.950)	0.714 (0.61 - 0.817)	0.606 (0.564 - 0.648)
	Pooled	0.754 (0.721 - 0.788)	0.491 (0.428 - 0.553)	0.715 (0.651 - 0.779)	0.805 (0.713 - 0.897)	0.687 (0.582 - 0.792)	0.571 (0.537 - 0.606)
	Federated No Noise	0.822 (0.786 - 0.858)	0.558 (0.488 - 0.628)	0.772 (0.715 - 0.829)	0.813 (0.728 - 0.898)	0.760 (0.671 - 0.848)	0.628 (0.580 - 0.676)
	Federated With Noise	0.822 (0.789 - 0.855)	0.553 (0.471 - 0.635)	0.796 (0.753 - 0.840)	0.821 (0.740 - 0.903)	0.788 (0.716 - 0.860)	0.656 (0.606 - 0.705)
		Mount Sinai West (MSW)					
		AUROC	AUPRC	ACC	SENS	SPEC	F1S
LASSO	Local	0.454 (0.281 - 0.626)	0.070 (0.028 - 0.111)	0.483 (0.259 - 0.707)	0.800 (0.570 - 1.030)	0.468 (0.223 - 0.712)	0.173 (0.070 - 0.277)
	Pooled	0.822 (0.735 - 0.909)	0.304 (0.103 - 0.504)	0.760 (0.648 - 0.873)	0.967 (0.891 - 1.042)	0.748 (0.629 - 0.868)	0.379 (0.240 - 0.518)
	Federated	0.805 (0.726 - 0.885)	0.316 (0.139 - 0.494)	0.792 (0.668 - 0.915)	0.883 (0.745 - 1.022)	0.785 (0.649 - 0.921)	0.409 (0.269 - 0.550)
MLP	Local	0.739 (0.613 - 0.864)	0.259 (0.071 - 0.447)	0.775 (0.630 - 0.919)	0.834 (0.708 - 0.959)	0.773 (0.619 - 0.926)	0.418 (0.227 - 0.608)
	Pooled	0.829 (0.742 - 0.916)	0.268 (0.125 - 0.411)	0.808 (0.704 - 0.911)	0.933 (0.833 - 1.034)	0.801 (0.689 - 0.913)	0.412 (0.306 - 0.519)
	Federated No Noise	0.834 (0.742 - 0.925)	0.398 (0.182 - 0.613)	0.789 (0.666 - 0.913)	0.967 (0.891 - 1.042)	0.779 (0.646 - 0.912)	0.462 (0.266 - 0.657)
	Federated With Noise	0.830 (0.743 - 0.917)	0.333 (0.097 - 0.569)	0.771 (0.629 - 0.912)	0.967 (0.891 - 1.042)	0.759 (0.607 - 0.911)	0.453 (0.245 - 0.661)