

Disparities in COVID-19 Hospitalizations and Mortality among Black and Hispanic Patients: Cross-Sectional Analysis from the Greater Houston Metropolitan Area

Alan P. Pan MS,¹ Osman Khan BS,¹ Jennifer R. Meeks MS,¹

Marc L. Boom MD,^{2,3} Faisal N. Masud MD,^{3,4} Julia D. Andrieni MD,^{2,3}

Robert A. Phillips MD PhD,^{1,3,5} Yordanos M. Tiruneh MPhil PhD,⁶

Bitu A. Kash PhD MBA,^{1,3,7} Farhaan S. Vahidy PhD MBBS MPH^{1,8}

1. *Center for Outcomes Research, Houston Methodist, Houston TX*
2. *Department of Clinical Medicine, Houston Methodist, Houston TX*
3. *Weill Cornell Medical College, New York NY*
4. *Department of Anesthesiology and Critical Care, Houston Methodist, Houston TX*
5. *Department of Cardiology, Houston Methodist, Houston TX*
6. *University of Texas Health Science Center at Tyler, TX*
7. *Texas A&M University School of Public Health, College Station, TX*
8. *Houston Methodist Neurological institute, Houston Methodist, Houston, TX*

Corresponding Author

Farhaan S. Vahidy, PhD MBBS MPH

Josie Roberts Building, Suite 4.123

Houston Methodist

7550 Greenbriar Drive

Houston, TX 77030

Phone: 346.356.1479

fvahidy@houstonmethodist.org

Appendix Table 1. Socio-Demographic, Comorbidity, and Clinical Factors Associated with In-Hospital Mortality Among hospitalized COVID-19 patients

Appendix Table 2. Baseline Socio-Demographic and Comorbidity Factors associated with hospitalization among SARS-CoV-2 Positive Individuals

Appendix Table 3. Differences in COVID-19 Case Demographics for Select U.S. Metropolitan Areas

Appendix Table 1: Socio-Demographic, Comorbidity, and Clinical Factors Associated with In-Hospital Mortality Among hospitalized COVID-19 patients

	Mortality (n = 234)	No Mortality (n = 3,302)	OR (95% CI)*
Demographic and Social Characteristics – n (%)			
Age – mean (SD)	73.4 (13.4)	58.0 (17.1)	1.06 (1.05, 1.07)
Female (vs. Male)	103 (44.0)	1592 (48.2)	0.84 (0.65, 1.10)
Race			
White	143 (61.1)	2,007 (60.8)	<i>Reference</i>
Black	58 (24.8)	889 (26.9)	0.92 (0.66, 1.25)
Asian	18 (7.7)	128 (3.9)	1.97 (1.14, 3.25)
Other / Mixed / Not Reported	15 (6.4)	278 (8.4)	0.76 (0.42, 1.27)
Hispanic (vs. non-Hispanic)	66 (28.2)	1,300 (39.4)	0.60 (0.45, 0.81)
Insurance Type			
Commercial	25 (10.7)	1,159 (35.1)	<i>Reference</i>
Medicare	103 (44.0)	1,244 (37.7)	3.84 (2.50, 6.11)
Medicaid	1 (0.4)	207 (6.3)	0.22 (0.01, 1.07)
Self-Pay	10 (4.3)	623 (18.9)	0.74 (0.34, 1.51)
Other	95 (40.6)	69 (2.1)	63.83 (39.18, 107.48)
Residence: Low Income Zip Code [†]	120 (51.3)	1,824 (55.2)	0.84 (0.64, 1.10)
Residence: High Pop Density Zip Code [‡]	98 (41.9)	1,501 (45.5)	0.86 (0.65, 1.12)
Comorbidities and Pre-existing Conditions – n (%)			
Charlson Comorbidity Index Score	7 (5 – 9)	3 (1 – 6)	1.21 (1.18, 1.25)
BMI – mean (SD)	29.6 (7.5)	31.5 (8.2)	0.97 (0.95, 0.99)
Obesity	83 (35.5)	1,031 (31.2)	1.21 (0.91, 1.59)
Hypertension	205 (87.6)	2,136 (64.7)	3.86 (2.64, 5.84)
Smoking (Current/Former)	82 (35.0)	862 (24.0)	1.84 (1.38, 2.45)
Vital Signs at Hospital Admission – n (%)			
SBP (mmHg) – mean (SD)	133.5 (22.5)	133.3 (19.3)	1.00 (0.99, 1.01)
DBP (mmHg) – mean (SD)	69.1 (10.3)	72.7 (9.6)	0.96 (0.95, 0.97)
Respiratory Rate ≥ 24 breath / min	76 (32.5)	665 (20.1)	1.91 (1.43, 2.53)
Temperature ≥ 38°C	10 (4.3)	217 (6.6)	0.52 (0.23, 0.99)
Oxygen Saturation < 94%	69 (29.5)	545 (16.5)	2.14 (1.58, 2.86)
Hospital Complications – n (%)			
Pneumonia	192 (82.1)	2168 (65.7)	2.39 (1.72, 3.41)
ARDS	66 (28.2)	123 (3.7)	10.15 (7.23, 14.19)
Bronchitis	6 (2.6)	38 (1.2)	2.26 (0.85, 5.02)
Lower Respiratory Tract Infection	0 (0.0)	33 (1.0)	-
Acute Renal Injury	153 (65.4)	625 (18.9)	8.09 (6.11, 10.78)
Acute Hepatic Injury	23 (9.8)	23 (0.7)	15.54 (8.55, 28.27)
Cardiomyopathy or CHF	82 (35.0)	340 (10.3)	4.70 (3.50, 6.27)
Hypoxic Respiratory Failure	133 (56.8)	1250 (37.9)	2.16 (1.66, 2.83)
Therapeutics – n (%)			
Hydroxychloroquine	58 (24.8)	305 (9.2)	3.24 (2.34, 4.43)
Ribavirin	35 (15.0)	69 (2.0)	8.24 (5.31, 12.60)
Azithromycin	21 (9.0)	508 (15.4)	0.54 (0.33, 0.84)
Lopinavir/Ritonavir	9 (3.8)	15 (0.5)	8.77 (3.65, 19.92)
Remdesivir	25 (10.7)	666 (20.2)	0.47 (0.30, 0.71)
Tocilizumab	75 (32.1)	608 (18.4)	2.09 (1.56, 2.78)

	Mortality (n = 234)	No Mortality (n = 3,302)	OR (95% CI)*
Antithrombotic	115 (49.1)	1,058 (32.0)	2.05 (1.57, 2.68)
Anticoagulants	209 (89.3)	2,981 (90.3)	0.90 (0.60, 1.42)
Dexamethasone	79 (33.8)	1,473 (44.6)	0.63 (0.48, 0.83)
Laboratory Parameters – n (%)[§]			
WBC count <4000/μl	5/234 (2.1)	230/3293 (7.0)	0.29 (0.10, 0.64)
Lymphocytes < 20%	214/234 (91.5)	2147/3291 (65.2)	5.70 (3.68, 9.35)
Platelet count <150,000/μl	65/234 (27.8)	370/3293 (11.2)	3.04 (2.23, 4.11)
B-natriuretic peptide >100 pg/ml,	144/220 (65.5)	680/2275 (29.9)	4.44 (3.33, 5.98)
Procalcitonin >0.25 ng/ml	109/135 (80.7)	521/1137 (45.8)	4.96 (3.23, 7.87)
Troponin ≥ 0.06 ng/ml	164/221 (74.2)	500/1798 (27.8)	1.03 (1.01, 1.05)
Aspartate aminotransferase > 40 U/l	174/232 (75.0)	1625/3227 (50.4)	2.95 (2.19, 4.04)
Alanine aminotransferase >40 U/l	107/232 (46.1)	1352/3221 (42.0)	1.18 (0.90, 1.55)
Total Bilirubin ≥ 1.2 mg/dl	26/223 (11.7)	104/3009 (3.5)	3.69 (2.30, 5.72)
C-reactive protein >8.2 ng/ml	206/207 (99.5)	2663/2812 (94.7)	11.53 (2.57, 203.25)
Ferritin level > 3000 ng/ml	33/206 (16.0)	148/2845 (5.2)	3.48 (2.28, 5.17)
D-dimer > 0.5 ug/ml	197/198 (99.5)	2342/2779 (84.3)	36.76 (8.25, 646.93)
Creatinine > 1.5 mg/dl	115/234 (49.1)	487/3264 (14.9)	5.51 (4.19, 7.25)
Venous lactate > 2.2 mmol/l	103/217 (47.5)	397/2351 (16.9)	4.45 (3.33, 5.93)
Hospital Acuity of Care Factors – n (%)			
ICU admission	190 (81.2)	911 (27.6)	11.33 (8.17, 16.05)
Invasive Mechanical Ventilation	160 (68.4)	421 (12.7)	14.80 (11.07, 19.94)
* Unadjusted Odds Ratios and 95% Confidence Intervals for association between individual co-variables and in-hospital mortality among confirmed COVID-19 cases			
† Low income classified as zip codes in the 2 lowest percentiles for median house income			
‡ High population density classified as zip codes in the 2 highest percentiles for population density			
§ Denominator denotes number of non-missing values			
SBP: Systolic Blood Pressure, DBP: Diastolic Blood Pressure, ARDS: Acute Respiratory Distress Syndrome, CHF: Congestive Heart Failure, WBC: White Blood Cell Count			

Appendix Table 2: Baseline Socio-Demographic and Comorbidity Factors associated with hospitalization among SARS-CoV-2 Positive Individuals

	Hospitalized (n = 3,536)	Not Hospitalized (n = 8,548)	OR (95% CI)*
Demographic and Social Characteristics – n (%)			
Age – mean (SD)	59.0 (17.3)	41.7 (16.7)	1.06 (1.06, 1.06)
Female (vs. Male)	1,695 (47.9)	5033 (58.9)	0.64 (0.59, 0.70)
Race			
White	2,150 (60.8)	4918 (57.5)	<i>Reference</i>
Black	947 (26.8)	2150 (25.2)	1.01 (0.92, 1.10)
Asian	146 (4.1)	464 (5.4)	0.72 (0.59, 0.87)
Other / Mixed / Not Reported	293 (8.3)	1016 (11.9)	0.66 (0.57, 0.76)
Hispanic (vs. Non-Hispanic)	1,366 (38.6)	3006 (35.2)	1.12 (1.04, 1.22)
Insurance Type			
Commercial	1,184 (33.5)	4615 (54.0)	<i>Reference</i>
Medicare	1,347 (38.1)	864 (10.1)	6.08 (5.46, 6.76)
Medicaid	208 (5.9)	534 (6.2)	1.52 (1.28, 1.80)
Self-Pay	633 (17.9)	2433 (28.5)	1.01 (0.91, 1.13)
Other	164 (4.6)	102 (1.2)	6.27 (4.86, 8.11)
Residence: Low Income Zip Code [†]	1,944 (55.0)	3940 (46.1)	1.44 (1.33, 1.56)
Residence: Population Dense Zip [‡]	1,599 (45.2)	3776 (44.2)	1.05 (0.97, 1.14)
Comorbidity			
Charlson Comorbidity Index Score	3 (1 – 6)	0 (0 – 2)	1.40 (1.37, 1.42)
BMI	31.4 (8.1)	30.8 (7.3)	1.01 (1.00, 1.01)
Obesity	1,114 (31.5)	1326 (15.5)	2.50 (2.28, 2.74)
Hypertension	2,341 (66.2)	2280 (26.7)	5.38 (4.95, 5.86)
Smoking (Current/Former)	874 (24.7)	1263 (14.8)	1.49 (1.35, 1.65)
* <i>Unadjusted Odds Ratios and 95% Confidence Intervals for association between individual co-variates and hospitalization among confirmed COVID-19 cases</i>			
[†] <i>Low income classified as zip codes in the 2 lowest percentiles for median house income</i>			
[‡] <i>High population density classified as zip codes in the 2 highest percentiles for population density</i>			

Appendix Table 3. Differences in COVID-19 Publicly Reported Case Demographics for Select U.S. Metropolitan Areas

	Houston	New Orleans	New York City	Los Angeles	Chicago	United States
Total Cases / Hospitalizations / Deaths*	94,978 / - / 1,491 (~7/28/2020)	10,071 / - / 553 (~7/28/2020)	220,907 / 56,040 / 18,878 (~7/28/2020)	178,642 / ~12,300 / 4,426 (~7/28/2020)	59,388 / - / 2,759 (~7/27/2020)	4.2M / - / 147K (~7/28/2020)
Infection						
Ratio (NHB% / NHW%)	0.84 (22.0 / 26.1)	3.20 (60.2 / 18.8)	1.05 (29.9 / 28.5)	0.37 (4.2 / 11.4)	1.94 (29.9 / 15.4)	-
Ratio (Hispanic% / NH%)	0.85 (45.9 / 54.1)	-	0.52 (34.0 / 66.0)	1.26 (55.7 / 44.3)	0.88 (46.9 / 53.1)	-
Hospitalization						
Ratio (NHB% / NHW%)	-	-	1.33 (33.0 / 24.9)	-	-	-
Ratio (Hispanic% / NH%)	-	-	0.52 (34.4 / 65.6)	-	-	-
Mortality						
Ratio (NHB% / NHW%)	-	3.25 (75.1 / 23.1)	1.09 (30.4 / 27.8)	0.42 (10.6 / 25.2)	2.24 (43.0 / 19.2)	-
Ratio (Hispanic% / NH%)	-	-	0.51 (33.6 / 66.4)	0.92 (47.8 / 52.2)	0.49 (32.7 / 67.3)	-
Population Size and Demographics						
Population, 2018 [†]	2,325,502	391,006	8,398,748	3,990,456	2,705,994	328,239,523
Region Demographics[†]						
White only, not Hispanic/Latino	24.6%	30.6%	32.1%	28.5%	32.8%	60.4%
Black/AA only	22.5%	59.7%	24.3%	8.9%	30.1%	13.4%
Black / White Ratio	0.91	1.95	0.76	0.31	0.92	0.22
Hispanic/Latino	44.8%	5.5%	29.1%	48.6%	29.0%	18.3%
Hispanic / Non-Hispanic Ratio	0.81	0.06	0.41	0.95	0.36	0.22
<p>* Source: https://www.cdc.gov/coronavirus/2019-nCoV/index.html https://www.tmc.edu/coronavirus-updates/ https://publichealth.harriscountytexas.gov/Resources/2019-Novels-Coronavirus https://ready.nola.gov/incident/coronavirus/ https://www1.nyc.gov/site/doh/covid/covid-19-data.page http://publichealth.lacounty.gov/media/Coronavirus/ https://www.chicago.gov/city/en/sites/covid-19/home.html Note: Public data are reported. Information not available is left blank.</p>						
<p>[†] American Community Survey, 2014-18</p>						