

Supplemental Table 1: Primer sequences and final 1X concentrations used in the RT-LAMP reactions.

Primer name	Sequence 5'→3'	Final concentration
Gene-N-A-F3	TGGCTACTACCGAAGAGCT	0.2uM
Gene-N-A-B3	TGCAGCATTGTTAGCAGGAT	0.2uM
Gene-N-A-FIP	TCTGGCCCAGTTCCTAGGTAGTCCAGACGAATTCGTGGTG G	1.6uM
Gene-N-A-BIP	AGACGGCATCATATGGGTTGCACGGGTGCCAATGTGATCT	1.6uM
Gene-N-A-LF	GGACTGAGATCTTTCATTTTACCGT	0.4uM
Gene-N-A-LB	ACTGAGGGAGCCTTGAATACA	0.4uM
As1e-F3	CGGTGGACAAATTGTCAC	0.2uM
As1e-B3	CTTCTCTGGATTTAACACACTT	0.2uM
As1e-FIP	TCAGCACACAAAGCCAAAAATTTATTTTTCTGTGCAAAGG AAATTAAGGAG	1.6uM
As1e-BIP	TATTGGTGGAGCTAAACTTAAAGCCTTTTCTGTACAATCC CTTTGAGTG	1.6uM
As1e-LF	TTACAAGCTTAAAGAATGTCTGAACACT	0.4uM
As1e-LB	TTGAATTTAGGTGAAACATTTGTCACG	0.4uM
Gene-N2-F3	ACCAGGAACTAATCAGACAAG	0.2uM
Gene-N2-B3	GACTTGATCTTTGAAATTTGGATCT	0.2uM
Gene-N2-FIP	TTCCGAAGAACGCTGAAGCGGAACTGATTACAAACATTGG CC	1.6uM
Gene-N2-BIP	CGCATTGGCATGGAAGTCACAATTTGATGGCACCTGTGTA	1.6uM
Gene-N2-LF	GGGGGCAAATTGTGCAATTTG	0.4uM
Gene-N2-LB	CTTCGGGAACGTGGTTGACC	0.4uM
Gene-E1-F3	TGAGTACGAACTTATGTACTCAT	0.2uM
Gene-E1-B3	TTCAGATTTTTAACACGAGAGT	0.2uM
Gene-E1-FIP	ACCACGAAAGCAAGAAAAAGAAGTTCGTTTCGGAAGAGAC AG	1.6uM
Gene-E1-BIP	TTGCTAGTTACACTAGCCATCCTTAGGTTTTACAAGACTC ACGT	1.6uM

Gene-E1-LF	CGCTATTAACTATTAACG	0.4uM
Gene-E1-LB	GCGCTTCGATTGTGTGCGT	0.4uM
Color-N-F3	AACACAAGCTTTCGGCAG	0.2uM
Color-N-B3	GAAATTTGGATCTTTGTCATCC	0.2uM
Color-N-FIP	TGCGGCCAATGTTTGTAAATCAGCCAAGGAAATTTGGGGA C	1.6uM
Color-N-BIP	CGCATTGGCATGGAAGTCACTTTGATGGCACCTGTGTAG	1.6uM
Color-N-LF	TTCCTTGTCTGATTAGTTC	0.8uM
Color-N-LB	ACCTTCGGGAACGTGGTT	0.8uM
Color-E-F3	CCGACGACGACTACTAGC	0.2uM
Color-E-B3	AGAGTAAACGTAAAAAGAAGGTT	0.2uM
Color-E-FIP	ACCTGTCTCTTCCGAAACGAATTTGTAAGCACAAGCTGAT G	1.6uM
Color-E-BIP	CTAGCCATCCTTACTGCGCTACTCACGTTAACAATATTGC A	1.6uM
Color-E-LF	TCGATTGTGTGCGTACTGC	0.8uM
Color-E-LB	TGAGTACATAAGTTCGTAC	0.8uM
Color-ORF1a-F3	TCCAGATGAGGATGAAGAAGA	0.2uM
Color-ORF1a-B3	AGTCTGAACAACCTGGTGTAAAG	0.2uM
Color-ORF1a-FIP	AGAGCAGCAGAAGTGGCACAGGTGATTGTGAAGAAGAAGA G	1.6uM
Color-ORF1a-BIP	TCAACCTGAAGAAGAGCAAGAAGTATTGTCCTCACTGCC	1.6uM
Color-ORF1a-LF	CTCATATTGAGTTGATGGCTCA	0.8uM
Color-ORF1a-LB	ACAAACTGTTGGTCAACAAGAC	0.8uM
Lamb-ORF1a-F3	TCCAGATGAGGATGAAGAAGA	0.2uM
Lamb-ORF1a-B3	AGTCTGAACAACCTGGTGTAAAG	0.2uM
Lamb-ORF1a-FIP	AGAGCAGCAGAAGTGGCACAGGTGATTGTGAAGAAGAAGAG	1.6uM
Lamb-ORF1a-BIP	TCAACCTGAAGAAGAGCAAGAAGTATTGTCCTCACTGCC	1.6uM
Lamb-ORF1a-LF	CTCATATTGAGTTGATGGCTCA	0.4uM
Lamb-ORF1a-LB	ACAAACTGTTGGTCAACAAGAC	0.4uM

Yu-ORF1a-F3	CCACTAGAGGAGCTACTGTA	0.2uM
Yu-ORF1a-B3	TGACAAGCTACAACACGT	0.2uM
Yu-ORF1a-FIP	AGGTGAGGGTTTTCTACATCACTATATTGGAACAAGCAAAT TCTATGG	1.6uM
Yu-ORF1a-BIP	ATGGGTTGGGATTATCCTAAATGTGTGCGAGCAAGAACAAG TG	1.6uM
Yu-ORF1a-LF	CAGTTTTTAACATGTTGTGCCAACC	0.4uM
Yu-ORF1a-LB	TAGAGCCATGCCTAACATGCT	0.4uM
El-Tholoth-ORF1a-F3	TGCTTCAGTCAGCTGATG	0.2uM
El-Tholoth-ORF1a-B3	TTAAATTGTCATCTTCGTCCTT	0.2uM
El-Tholoth-ORF1a-FIP	TCAGTACTAGTGCCTGTGCCACAATCGTTTTTAAACGGGT	1.6uM
El-Tholoth-ORF1a-BIP	TCGTATACAGGGCTTTTGACATCTATCTTGAAGCGACAAC AA	1.6uM
El-Tholoth-ORF1a-LF	CTGCACTTACACCGCAA	0.8uM
El-Tholoth-ORF1a-LB	GTAGCTGGTTTTGCTAAATTCC	0.8uM
Gene-ORF1a-A-F3	CTGCACCTCATGGTCATGTT	0.2uM
Gene-ORF1a-A-B3	AGCTCGTCGCCTAAGTCAA	0.2uM
Gene-ORF1a-A-FIP	GAGGGACAAGGACACCAAGTGTATGGTTGAGCTGGTAGCAG A	1.6uM
Gene-ORF1a-A-BIP	CCAGTGGCTTACCGCAAGGTTTTAGATCGGCGCCGTAAC	1.6uM
Gene-ORF1a-A-LF	CCGTACTGAATGCCTTCGAGT	0.4uM
Gene-ORF1a-A-LB	TTCGTAAGAACGGTAATAAAGGAGC	0.4uM


Supplemental Table 2: qRT-PCR N-gene viral loads and RT-LAMP Cq values from 106 primary NP swab samples run in duplicate with 1ul of swab sample or a subset of NP swab samples run in duplicate with either 1ul of primary samples treated with Lucigen QuickExtract or 5ul of extracted vRNA. R1 is replicate 1 and R2 is replicate 2.

Sample	vRNA copies/ml	1ul swab R1 (Cq)	1ul swab R2 (Cq)	Lucigen R1 (Cq)	Lucigen R2 (Cq)	5ul RNA R1 (Cq)	5ul RNA R2 (Cq)
1	738000	-	-	43.33	-	32.85	31.39
2	281000	-	-	-	41.78	31.42	31.68
3	575000	-	53.74	44.77	58.37	29.72	29.76
4	3840000	43.36	47.53	34.08	37.66	27.8	27.5
5	73300	-	-	-	-	44.45	-
6	10100	-	-	-	44.41	38.96	-
7	652000	67.36	-	38.62	46.43	30.17	29.76
8	1130000	-	44.47	40.65	42.72	29.1	28.51
9	14100	-	-	-	-	34.76	-
10	319000	-	-	45.5	47.87	30.37	31.86
11	2600000	-	-	38.02	44.44	28.92	28.6
12	574000	-	-	48.37	41.49	29.45	29.95
13	1080000	52.88	-	33.49	35.1	28.88	28.78
14	6.19e+008	-	-	-	-	-	-
15	8030000	38.64	44.91	41.65	39.68	26.82	26.78
16	784000	-	-	44.92	-	30.14	30.16
17	148000	-	-	-	-	33.23	34.63
18	78100	-	-	-	-	37.96	33.64
19	23700	-	-	-	-	-	-
20	3.35e+010	24.52	24.78	19.67	19.21	17.16	17.09
21	6980000	-	51.09	35.5	45.77	28.69	29.35
22	139000	-	-	-	-	43.07	36.92

23	9580000	-	54.85	29.85	32.73	28.15	28.35
24	6.71e+009	27.42	27.26	20.75	20.81	19.36	19.42
25	4.58e+009	30.2	30.06	22.65	22.37	20.11	20.19
26	5.98e+008	35.79	27.98	23.17	24.49	22.82	22.95
27	2.35e+009	28.6	29.57	22.72	22.62	20.98	20.86
28	5.68e+008	30.15	28.59	23.81	23.76	22.88	22.64
29	37600	-	-	-	-	-	-
30	2.59e+007	33.81	36.36	27.16	28.21	26.6	26.6
31	1.14e+010	26.86	23.26	18.39	18.96	18.66	18.46
32	29600	-	-	-	-	36.91	39.2
33	584000	-	-	-	-	33.22	33.92
34	1.12e+009	29.22	27.97	22.35	22.36	21.41	21.36
35	3.71e+008	32.39	29.99	26	24.98	23.06	23.01
36	2.2e+007	47.59	-	28.54	28.66	27.34	27.4
37	16400	-	-	-	-	-	-
38	1.07e+008	37.2	38.36	25.61	27.88	25.2	25.37
39	1.55e+008	34.57	33.19	25.19	25.74	25	24.83
40	7.97e+007	37.82	33.13	26.72	26.72	25.83	25.7
41	9870000	37.4	35.99	30.93	32.78	29.3	28.79
42	1.34e+008	30.88	40.14	25.54	25.01	24.32	24.17
43	4.79e+007	39.89	37.93	25.78	27.83	26.05	26.05
44	416000	-	-	-	-	26.05	42.35
45	473000	-	-				
46	168000	-	-				
47	33900	-	-				
48	8230000	40.54	38.05				
49	790000	-	-				
50	139000	-	-				

51	9870000	38.75	-		
52	1380000	-	-		
53	489000	36.08	-		
54	5030000	37.64	-		
55	31000	-	-		
56	76500	-	-		
57	4.44e+009	24.29	24.73	20.03	20.6
58	1.49e+009	26.5	27.33	21.47	21.69
59	1.84e+009	25.91	25.13	20.78	20.59
60	9890000	34.08	33.42	26.29	26.54
61	1.21e+007	30.34	35.61	27.92	21.81
62	2.52e+007	32.41	35.73	25.37	27.1
63	5010000	35.67	37.97	29.74	29.78
64	3.53e+007	31.06	31.26	23.93	24.79
65	6370000	33.64	34.33	28.72	29.75
66	8.03e+008	27.21	27.88	21.92	21.21
67	8.77e+008	27.65	27.26	22.08	22.14
68	2.8e+008	28.32	27.56	21.73	22.46
69	1.33e+008	29.76	30.17	24.34	25.2
70	1.03e+009	27.28	28.2	22.28	22.13
71	3.05e+007	33.77	36.05	27.93	27.1
72	4.06e+008	30.29	29.87	22.87	22.78
73	1.94e+009	27.29	27.07	22.81	21.52
74	1.22e+009	26.37	27.56	22.52	22.48
75	6.58e+008	27.98	27.82	22.31	22.54
76	1.21e+009	28.53	27.59	22.26	22.51
77	1.57e+009	27.68	27.78	22.53	23.74
78	1.34e+009	28.33	27.6	22.22	22.11

79	9110000	37.97	41.43	30.9	31.06
80	7.95e+008	27.94	28.73	23.06	23.2
81	6750000	-	-	40.59	37.48
82	1350000	-	-	34.49	41.28
83	9790000	40.64	44.94	27.6	30.07
84	6.37e+008	28.69	27.46	22.35	21.34
85	1.24e+007	-	40.41		
86	4.59e+008	25.57	24.92		
87	9710000	23.23	23.98		
88	4.38e+008	23.63	25.47		
89	1.64e+009	28.4	27.3		
90	4650	-	-		
91	1.52e+008	26.78	26.16		
92	1.61e+009	24.71	25.2		
93	7.97e+007	29.31	30.2		
94	5.31e+007	41.39	36.57		
95	1.42e+009	23.65	24.35		
96	5.16e+007	29.88	33.12		
97	6.47e+007	32.23	30.38		
98	3.14e+009	23.07	23.14		
99	5.89e+008	24.58	22.74		
100	7.09e+009	21.3	24.46		
101	3390000	35.59	74.32		
102	2230000	44.09	-		
103	1.1e+007	35.41	38.99		
104	1.21e+007	36.21	-		
105	1.66e+008	30.59	35.35		
106	1.57e+008	31.51	34.23		



Supplemental Figure 1: Comparison of Gene-N-A, Color-N, and Color-E primers to several ORF1a -targeting primer sets and combinations with two primary samples and irradiated SARS-CoV-2. Samples that were not detectable were plotted on the ND line set at Cq 80, the highest cycle number in our assay.