

## **Patterns of age disparities in colon and lung cancer survival: a systematic narrative literature review**

Sophie Pilleron, Helen Gower, Maryska Janssen-Heijnen, Virginia Signal, Jason Gurney, Eva JA Morris, Ruth Cunningham, Diana Sarfati

### **Table of content**

Supplementary Table 1. Key concepts and search terms

Supplementary Table 2. Supplementary search strategy implemented in EMBASE

Supplementary Table 3. PICO criteria

Supplementary Table 4. Excluded studies (ordered by year)

Supplementary Table 5. Numerical estimates for survival metrics extracted from included studies about colon cancer

Supplementary Table 6. Numerical estimates for survival metrics extracted from included studies about lung cancer

**Supplementary Table 1.** Key concepts and search terms

<b>Key concepts</b>	<b>Search terms</b>
cancer	cancer OR neoplasm* OR tumour* OR tumor* OR malignan* OR carcinom* OR adenocarcinom* OR sarcom*
colon	colon* OR colorect* OR colo-rect* OR colorrect* OR intestin*
lung	bowel OR lung* OR pulmon* OR respirat* OR bronch*
survival	survival OR surviving OR survive* OR mortalit* OR death* OR "hazard rate" OR "hazard ratio"
Older patients	elder* OR "oldest old" OR "older patients" OR "older adults" OR "old age" OR aging OR ageing OR geriatr* OR geronto* OR octogenarian* OR septuagenarian* OR nonagenarian*

**Supplementary Table 2.** Supplementary search strategy implemented in EMBASE

- 1 exp colon cancer/
- 2 exp lung cancer/
- 3 ((colon\* or colorect\* or colo-rect\* or colorrect\* or intestin\* or bowel or lung\* or pulmon\* or respirat\* or bronch\*) adj5 (cancer\* or neoplas\* or carcinom\* or adenocarcinom\* or sarcom\* or malignan\* or tumor\* or tumour\*)).tw.
- 4 1 or 2 or 3
- 5 exp survival/
- 6 mortality/ or all cause mortality/ or cancer mortality/ or hospital mortality/ or exp mortality rate/ or standardized mortality ratio/ or surgical mortality/
- 7 (survival or surviving or survive\* or mortalit\* or death\* or "hazard rate\*" or "hazard ratio\*").tw.
- 8 5 or 6 or 7
- 9 4 and 8
- 10 (elder\* or "oldest old" or "older adult\*" or "old age" or "older patients" or aging or geriatr\* or geronto\* or octogenarian\* or septuagenarian\* or nonagenarian\*).ti,ab.
- 11 9 and 10
- 12 limit 11 to english
- 13 limit 12 to (clinical trial or randomized controlled trial or controlled clinical trial or multicenter study or phase 1 clinical trial or phase 2 clinical trial or phase 3 clinical trial or phase 4 clinical trial)
- 14 12 not 13
- 15 limit 14 to (article or article in press or letter)
- 16 "cancer registr\*".tw.
- 17 "population-based".tw.
- 18 17 or 16
- 19 15 and 18

**Supplementary Table 3. PICO criteria**

<b>Element</b>	<b>Inclusion Criteria</b>	<b>Exclusion Criteria</b>
<i>Participant</i>	Adult patients with colon or lung cancer	Animal studies Papers focused only on patients under the age of 65
<i>Intervention or exposure of interest</i>	Older age Increasing age	
<i>Comparator</i>	Middle-aged or younger-aged	Papers that do not compare survival by age group, or did not investigate the impact of increasing age on survival
<i>Outcome</i>	Survival or mortality risk	
<i>Study design</i>	Population-based	Clinical studies and clinical trials because of the strict inclusion criteria and underrepresentation of older adults in trials. Studies where no association between age and survival are reported.
<i>Article type</i>	Original articles or letters	Conference abstracts and reviews
<i>Language</i>	English	
<i>Study period</i>	From the inception of each electronic databases to 30 September 2019	

**Supplementary Table 4.** Excluded studies (ordered by year)

<b>Cancer site</b>	<b>Origin</b>	<b>First author, date</b>	<b>Title</b>	<b>Reason for exclusion</b>
Both sites	Databases	Gafa et al., 1991	Survival of patients with cancer of the stomach, colon and rectum, lung and breast in Ragusa, Sicily	No investigation of determinants of age difference
Colon/Colorectum	Databases	Slattery et al., 1995	The impact of family history of colon-cancer on survival after diagnosis with colon-cancer	No distinction among 55 y+ and No investigation of age difference
Lung	Databases	Damhuis et al., 1996	Resection rates and postoperative mortality in 7,899 patients with lung cancer	No investigation of determinants of age difference
Colon/Colorectum	Databases	Crocetti et al., 1996	Colorectal cancer survival - Population-based rates in the province of Florence	No investigation of determinants of age difference
Colon/Colorectum	Databases	Monnet et al., 1998	Comparability of colorectal cancer survival data in three European population-based registries	No survival data by age
Other cancer site	Databases	Lu-Yao et al., 1999	Effect of age and surgical approach on complications and short-term mortality after radical prostatectomy - A population-based study	Not right topic at all
Both sites	Databases	Teppo et al., 1999	Cancer patient survival - Patterns, comparisons, trends - A population-based Cancer Registry study in Finland	More complete information in Dickman et al., 1999
Lung	References' list	Quon et al., 1999	The influence of age on the delivery, tolerance, and efficacy of thoracic irradiation in the combined modality treatment of limited stage small cell lung cancer.	Data from randomised clinical trial
Lung	Databases	Kuo et al., 2000	Non-small cell lung cancer in very young and very old patients	No investigation of determinants of age difference in survival - comparison <40 vs. >80
Both sites	Databases	Bradley et al., 2001	Disparities in cancer diagnosis and survival	No investigation of age difference in survival

Cancer site	Origin	First author, date	Title	Reason for exclusion
Colon/Colorectum	References' list	Mitry et al., 2001	Colorectal adenocarcinoma in patients under 45 years of age: comparison with older patients in well-defined French population.	Comparison of <45 year vs. 45-74 years
Colon/Colorectum	References' list	Schrag et al., 2001	Age and adjuvant chemotherapy use after surgery for stage III colon cancer	No investigation of determinants of age difference
Colon/Colorectum	Databases	Faivre-Finn et al., 2002	Colon cancer in France: evidence for improvement in management and survival	No investigation of determinants of age difference in survival
Lung	Databases	van Meerbeeck et al., 2002	High postoperative risk after pneumonectomy in elderly patients with right-sided lung cancer	Not population-based data
Colon/Colorectum	References' list	Iwashyna TJ et al., 2002	Effectiveness of adjuvant fluorouracil in clinical practice: a population-based cohort study of elderly patients with stage III colon cancer	No investigation of determinants of age difference
Lung	References' list	Ludbrook et al., 2003	Do age and comorbidity impact treatment allocation and outcomes in limited stage small-cell lung cancer? a community-based population analysis.	No investigation of determinants of age difference
Lung	References' list	Yamamoto et al., 2003	Surgical results of stage I non-small cell lung cancer: comparison between elderly and younger patients.	Hospital based study
Colon/Colorectum	Databases	Folprecht et al., 2004	Efficacy of 5-fluorouracil-based chemotherapy in elderly patients with metastatic colorectal cancer: A pooled analysis of clinical trials	Not population-based data - patients data from RCT in several countries
Colon/Colorectum	Databases	O'Connell et al., 2004	Do young colon cancer patients have worse outcomes?	Just comparison of 20-40 y age group vs. 60-80 y age group: two extreme groups with probable histopathological difference; no distinction made within the 60-80 y age group.
Colon/Colorectum	Databases	Iversen et al., 2005	Age and colorectal cancer with focus on the elderly: Trends in relative survival and initial treatment from a Danish Population-Based Study	No investigation of determinants of age difference in survival

Cancer site	Origin	First author, date	Title	Reason for exclusion
Both sites	Databases	Janssen-Heijnen et al., 2005	Prognostic impact of increasing age and co-morbidity in cancer patients: a population-based approach	No investigation of determinants of age difference in survival
Colon/Colorectum	Databases	Milburn Jessup et al., 2005	Adjuvant chemotherapy for stage III colon cancer: Implications of race/ethnicity, age, and differentiation	Not population-based data - a hospital- based database
Colon/Colorectum	Databases	Scheiden et al., 2005	Colon cancer in Luxembourg: A national population-based data report, 1988-1998	No investigation of determinants of age difference
All cancer sites combined	Databases	Inghelmann et al., 2005	National estimates of cancer patients survival in Italy: A model-based method	No specific data survival for colon or lung cancer
Colon/Colorectum	References' list	Latkauskas et al., 2005	The impact of age on post-operative outcomes of colorectal cancer patients undergoing surgical treatment.	Hospital based study
Colon/Colorectum	Databases	Mity et al., 2005	Improvement in colorectal cancer survival_ A population-based study	No information about colon cancer alone
Lung	Databases	Strand et al., 2006	Survival after resection for primary lung cancer: A population based study of 3211 resected patients	No investigation of determinants of age difference
Both sites	Databases	Vercelli et al., 2006	Cancer survival in the elderly: effects of socio-economic factors and health care system features (ELDCARE project)	No investigation of determinants of age difference
Lung	Databases	Brokx et al., 2007	Surgical treatment for octogenarians with lung cancer: Results from a population-based series of 124 patients	Focused on 80-89 y.o age group with no younger comparison group
Lung	Databases	Finlayson et al., 2007	Outcomes in Octogenarians Undergoing High-Risk Cancer Operation: A National Study	No investigation of determinants of age difference
Both sites	Databases	Gondos et al., 2007	Cancer survival in Germany and the United States at the beginning of the 21st century: An up-to-date comparison by period analysis	No investigation of determinants of age difference
Colon/Colorectum	Databases	Larsen et al., 2007	Survival after colorectal cancer in patients with Crohn's disease: A nationwide population-based Danish follow-up study	No investigation of determinants of age difference

Cancer site	Origin	First author, date	Title	Reason for exclusion
Both sites	References' list	Wedding et al., 2007	Age, severe comorbidity and functional impairment independently contribute to poor survival in cancer patients.	Hospital based study
Lung	References' list	Bryant et al., 2008	Differences in outcomes between younger and older patients with non-small cell lung cancer.	Comparison of <45 year vs. 45+ years; population source not defined
Both sites	Databases	Micheli et al., 2009	The advantage of women in cancer survival: An analysis of EURO CARE-4 data	No distinction among 55 y+
Lung	Databases	Koumariou et al., 2009	Non-small cell lung cancer in the elderly: Clinico-pathologic, management and outcome characteristics in comparison to younger patients	Not population-based study because hospital based registry + No comparison with younger age group
Colon/Colorectum	References' list	Zuckerman et al., 2009	Effect of age on survival benefit of adjuvant chemotherapy in elderly patients with stage III colon cancer.	No investigation of determinants of age difference
Both sites	Databases	Merrill et al., 2010	Conditional Survival Among Cancer Patients in the United States	No investigation of age difference in survival
Lung	References' list	Davidoff et al., 2010	Chemotherapy and survival benefit in elderly patients with advanced non-small-cell lung cancer.	No investigation of determinants of age difference
Colon/Colorectum	Databases	Dekker et al., 2011	Importance of the first postoperative year in the prognosis of elderly colorectal cancer patients	No investigation of determinants of age difference
Lung	Databases	Baunemann Ott et al., 2011	Survival and treatment patterns in elderly patients with advanced non-small-cell lung cancer in Manitoba	No investigation of determinants of age difference
Colon/Colorectum	Databases	Phipps et al., 2011	Prediagnostic Smoking History, Alcohol Consumption, and Colorectal Cancer Survival The Seattle Colon Cancer Family Registry	No distinction within 50+ y age group + no investigation of age difference
Colon/Colorectum	Databases	Brenner et al., 2012	Progress in colorectal cancer survival in Europe from the late 1980s to the early 21st century: The EURO CARE study	No investigation of determinants of age difference



Cancer site	Origin	First author, date	Title	Reason for exclusion
Lung	Databases	Cuffe et al., 2012	Adjuvant chemotherapy for non-small-cell lung cancer in the elderly: A population-based study in Ontario, Canada	No investigation of determinants of age difference
Lung	Databases	Janssen-Heijnen et al., 2012	Treatment and survival of patients with small-cell lung cancer: small steps forward, but not for patients > 80	Not enough information to see if potential effect of extent of disease on age difference
Lung	Databases	Paripati et al., 2012	Multimodality therapy improves survival in elderly patients with locally advanced non-small cell lung cancer-A retrospective analysis	Not population-based study because hospital based registry (Mayo Clinic Arizona)
Other cancer site	Databases	Schildberg et al., 2012	Differences in the treatment of young gastric cancer patients: Patients under 50 years have better 5-year survival than older patients	Not right population (i.e. gastric cancer patients). Not population-based study (inclusion from surgical department of Erlangen Univ)
Both sites	Databases	Syse et al., 2012	Cancer incidence, prevalence and survival in an aging Norwegian population	No investigation of determinants of age difference
Colon/Colorectum	Databases	Allemani et al., 2013	Colorectal cancer survival in the USA and Europe: A CONCORD high-resolution study	No investigation of determinants of age difference
Colon/Colorectum	Databases	Mitry et al., 2013	Improvement in survival of metastatic colorectal cancer: Are the benefits of clinical trials reproduced in population-based studies?	No investigation of determinants of age difference
Colon/Colorectum	Databases	van den Broek et al., 2013	Time trends in chemotherapy (administration and costs) and relative survival in stage III colon cancer patients - a large population-based study from 1990 to 2008	No investigation of age difference in survival
Colon/Colorectum	Databases	Van Gestel et al., 2013	Influence of comorbidity and age on 1-, 2-, and 3-month postoperative mortality rates in gastrointestinal cancer patients	No investigation of determinants of age difference
Colon/Colorectum	Databases	Wallace et al., 2013	Racial disparities in advanced-stage colorectal cancer survival	No distinction within 50+ y age group

Cancer site	Origin	First author, date	Title	Reason for exclusion
Colon/Colorectum	References' list	Golan et al., 2013	Changing prognosis of metastatic colorectal adenocarcinoma: differential improvement by age and tumor location.	No investigation of determinants of age difference
Colon/Colorectum	References' list	McCleary et al., 2013	Impact of age on the efficacy of newer adjuvant therapies in patients with stage II/III colon cancer: findings from the ACCENT database.	Data from clinical trials
Colon/Colorectum	References' list	Sorbye et al., 2013	Age-dependent improvement in median and long-term survival in unselected population-based Nordic registries of patients with synchronous metastatic colorectal cancer.	No investigation of determinants of age difference
Colon/Colorectum	Databases	Hamaker et al., 2014	Improved survival for older patients undergoing surgery for colorectal cancer between 2008 and 2011	No investigation of determinants of age difference
Lung	Databases	Huang et al., 2014	Factors associated with lung cancer patients refusing treatment and their survival: A national cohort study under a universal health insurance in Taiwan	No investigation of determinants of age difference
Colon/Colorectum	Databases	Li et al., 2014	Better long-term survival in young patients with non-metastatic colorectal cancer after surgery, an analysis of 69,835 patients in SEER database	No distinction within 40+ y age group and no investigation of determinants of age difference
Colon/Colorectum	Databases	McKay et al., 2014	Does young age influence the prognosis of colorectal cancer: a population-based analysis	No investigation of determinants of age difference
Colon/Colorectum	Databases	Ortiz-Ortiz et al., 2014	Effects of Type of Health Insurance Coverage on Colorectal Cancer Survival in Puerto Rico: A Population-Based Study	No investigation of age difference in survival
Colon/Colorectum	Databases	Sankaranarayanan et al., 2014	A registry study of the association of patient's residence and age with colorectal cancer survival	No investigation of determinants of age difference

Cancer site	Origin	First author, date	Title	Reason for exclusion
Colon/Colorectum	Databases	Slavicek et al., 2014	Efficacy and safety of bevacizumab in elderly patients with metastatic colorectal cancer: Results from the Czech population-based registry	No investigation of determinants of age difference
Colon/Colorectum	References' list	Ahmed et al., 2014	The influence of age on the outcome of treatment of elderly patients with colorectal cancer.	Hospital based study
Colon/Colorectum	References' list	Steele et al., 2014	The impact of age on colorectal cancer incidence, treatment, and outcomes in an equal-access health care system.	Study's population is military beneficiaries
Colon/Colorectum	Databases	Booth et al., 2015	Management and Outcome of Colorectal Cancer Liver Metastases in Elderly Patients: A Population-Based Study	No investigation of determinants of age difference
Other cancer site	Databases	Damhuis et al., 2015	Treatment patterns and survival analysis in 9014 patients with malignant pleural mesothelioma from Belgium, the Netherlands and England	Investigate malignant pleural mesothelioma and not lung cancer
Colon/Colorectum	Databases	Khan et al., 2015	Surgical management of metastatic colon cancer: A population-based analysis	No investigation of determinants of age difference
Colon/Colorectum	Databases	Kotake et al., 2015	Tumour characteristics, treatment patterns and survival of patients aged	Hospital based study
Colon/Colorectum	Databases	Li et al., 2015	The prognosis significance of age in operated and non-operated colorectal cancer.	No information about colon cancer alone
Colon/Colorectum	Databases	Parakh et al., 2015	Patterns of care and outcomes for elderly patients with metastatic colorectal cancer in Australia	Hospital based study
Lung	Databases	Speicher et al., 2015	Outcomes after treatment of 17 378 patients with locally advanced (T3N0-2) non-small-cell lung cancer	No investigation of determinants of age difference
Colon/Colorectum	Databases	Wang et al., 2015	Clinicopathological Features and Survival Outcomes of Colorectal Cancer in Young Versus Elderly A Population-Based Cohort Study of SEER 9 Registries Data (1988-2011)	No distinction within 50+ y age group

Cancer site	Origin	First author, date	Title	Reason for exclusion
Colon/Colorectum	Databases	Zhang et al., 2015	Effects of Health Insurance on Tumor Stage, Treatment, and Survival in Large Cohorts of Patients with Breast and Colorectal Cancer	No investigation of determinants of age difference
Lung	References' list	Hsu et al., 2015	Advanced non-small cell lung cancer in the elderly: the impact of age and comorbidities on treatment modalities and patient prognosis	Hospital based study
Lung	References' list	Hansen et al., 2015	Age dependent prognosis in concurrent chemo-radiation of locally advanced NSCLC.	Hospital based study
Colon/Colorectum	Databases	Jiang et al., 2016	Effect of age on survival outcome in operated and non-operated patients with colon cancer: A population-based study	No distinction within 40+ y age group
Colon/Colorectum	Databases	Maffei et al., 2016	Clinical features of colorectal cancer patients in advanced age: a population-based approach	No investigation of determinants of age difference
Colon/Colorectum	Databases	Yeo et al., 2016	Surgical oncology outcomes in the aging US population	Hospital based study
Colon/Colorectum	Databases	Chou et al., 2017	The impact of young age on the prognosis for colorectal cancer: A population-based study in Taiwan	No information about colon cancer alone
Colon/Colorectum	Databases	Flemming et al., 2017	Association between the time to surgery and survival among patients with colon cancer: A population-based study	No investigation of determinants of age difference
Colon/Colorectum	Databases	Schlesinger-Raab et al., 2017	Age and Outcome in Gastrointestinal Cancers_ A Population-Based Evaluation of Oesophageal, Gastric and Colorectal Cancer	No information about colon cancer alone
Colon/Colorectum	Databases	Wan Kim et al., 2017	The impact of delayed commencement of adjuvant chemotherapy (eight or more weeks) on survival in stage II and III colon cancer: a national population-based cohort study	No investigation of determinants of age difference

Cancer site	Origin	First author, date	Title	Reason for exclusion
Both sites	Databases	Kwak et al., 2017	Disparities by Age, Sex, Tumor Stage, Diagnosis Path, and Area-level Socioeconomic Status in Survival Time for Major Cancers: Results from the Busan Cancer Registry	No investigation of determinants of age difference
Colon/Colorectum	Databases	Merchant et al., 2017	Management of stage III colon cancer in the elderly: Practice patterns and outcomes in the general population	No investigation of age difference in survival
Colon/Colorectum	Databases	Wallace et al., 2017	Racial Differences in Stage IV Colorectal Cancer Survival in Younger and Older Patients	No distinction within 50+ y age group
Colon/Colorectum	Databases	Wu et al., 2017	Survival outcomes and surgical intervention of small intestinal neuroendocrine tumors: A population based retrospective study	No distinction within 50+ y age group + no investigation of age difference
Colon/Colorectum	Databases	Zhuang et al., 2017	Age-related disparity in patients with colorectal cancer: A population-based study from SEER program	No investigation of determinants of age difference
Both sites	Databases	Chen et al., 2017	Cancer survival in Qidong between 1972 and 2011: A population-based analysis	No investigation of determinants of age difference
Colon/Colorectum	Databases	Babaei et al., 2018	Administration of adjuvant chemotherapy for stage II-III colon cancer patients: An European population-based study	No investigation of determinants of age difference
Colon/Colorectum	Databases	Breugom et al., 2018	Decrease in 30-day and one-year mortality over time in patients aged $\geq 75$ years with stage I-III colon cancer: A population-based study	No investigation of determinants of age difference
Lung	Databases	Dalwadi et al., 2018	Practice Patterns and Outcomes in Elderly Stage I Non-Small-cell Lung Cancer: A 2004 to 2012 SEER Analysis	No investigation of determinants of age difference
Lung	Databases	Damhuis et al., 2018	Usage of Prophylactic Cranial Irradiation in Elderly Patients With Small-cell Lung Cancer	No investigation of determinants of age difference

Cancer site	Origin	First author, date	Title	Reason for exclusion
Lung	Databases	Damhuis et al., 2018	Population-based Results of Chemoradiotherapy for Limited Stage Small Cell Lung Cancer in The Netherlands	No investigation of determinants of age difference
Both sites	Databases	Li et al., 2018	Has cancer survival improved for older people as for younger people? New South Wales, 1980-2012	No investigation of determinants of age difference
Colon/Colorectum	Databases	Brouwer et al., 2019	The gap in postoperative outcome between older and younger patients with stage I-III colorectal cancer has been bridged	No investigation of determinants of age difference
Lung	Databases	Gedvilaite et al., 2019	Lung Cancer Survival in Lithuania: Changes by Histology, Age, and Sex From 2003-2007 to 2008-2012	No investigation of determinants of age difference
Both sites	Databases	Jang et al., 2019	Socioeconomic status and survival outcomes in elderly cancer patients: A national health insurance service-elderly sample cohort study	All cancers combined
Colon/Colorectum	Databases	Van Abbema et al., 2019	Trends in overall survival and treatment patterns in two large population-based cohorts of patients with breast and colorectal cancer	No investigation of determinants of age difference
Colon/Colorectum	Databases' search	Bos et al., 2019	Postoperative mortality in elderly patients with colorectal cancer: The impact of age, time-trends and competing risks of dying	No investigation of determinants of age difference
Colon/Colorectum	Databases	Feng et al., 2019	Increasing age-related survival gap among patients with colorectal cancer_ a population-based retrospective study	No information about colon cancer alone
Colon/Colorectum	Databases	Joachim et al., 2019	Overall survival of colorectal cancer by stage at diagnosis Data from the Martinique Cancer Registry	No information about colon cancer alone

Cancer site	Origin	First author, date	Title	Reason for exclusion
Colon/Colorectum	Databases	Vallance et al., 2019	The impact of advancing age on incidence of hepatectomy and post-operative outcomes in patients with colorectal cancer liver metastases: a population-based cohort study	No information about colon cancer alone





First author, date	Results																																																																																
Nedrebø et al., 2011	<p><b>5-year relative survival (%)</b></p> <hr/> <table border="1"> <thead> <tr> <th></th> <th colspan="2">Node-negative</th> <th colspan="2">Node-positive</th> </tr> <tr> <th></th> <th>1994-96</th> <th>2001-03</th> <th>1994-96</th> <th>2001-03</th> </tr> </thead> <tbody> <tr> <td>≤75 years</td> <td>85.4</td> <td>88.5</td> <td>51.5</td> <td>67.1</td> </tr> <tr> <td>&gt;75 years</td> <td>81.6</td> <td>84.7</td> <td>48.7</td> <td>51.6</td> </tr> </tbody> </table> <hr/>		Node-negative		Node-positive			1994-96	2001-03	1994-96	2001-03	≤75 years	85.4	88.5	51.5	67.1	>75 years	81.6	84.7	48.7	51.6																																																												
	Node-negative		Node-positive																																																																														
	1994-96	2001-03	1994-96	2001-03																																																																													
≤75 years	85.4	88.5	51.5	67.1																																																																													
>75 years	81.6	84.7	48.7	51.6																																																																													
Van Steenbergen et al., 2013	<p><b>5-year relative survival conditioning on surviving 0,3,5,10 years after cancer diagnosis</b></p> <hr/> <table border="1"> <thead> <tr> <th></th> <th>At 0 years</th> <th>At 3 years</th> <th>At 5 years</th> <th>At 10 years</th> </tr> </thead> <tbody> <tr> <td colspan="5"><b>Stage I</b></td> </tr> <tr> <td>15-44</td> <td>93 (90-96)</td> <td>97 (95-99)</td> <td>99 (97-100)</td> <td>99 (98-101)</td> </tr> <tr> <td>45-59</td> <td>94 (93-96)</td> <td>95 (94-97)</td> <td>96 (94-97)</td> <td>97 (95-100)</td> </tr> <tr> <td>60-74</td> <td>91 (89-92)</td> <td>94 (92-95)</td> <td>96 (95-98)</td> <td>98 (95-100)</td> </tr> <tr> <td>75-89</td> <td>92 (90-94)</td> <td>100 (96-103)</td> <td>103 (98-107)</td> <td>-</td> </tr> <tr> <td colspan="5"><b>Stage II</b></td> </tr> <tr> <td>15-44</td> <td>90 (88-92)</td> <td>94 (93-96)</td> <td>96 (95-98)</td> <td>98 (97-100)</td> </tr> <tr> <td>45-59</td> <td>81 (80-83)</td> <td>88 (87-90)</td> <td>92 (91-94)</td> <td>96 (94-98)</td> </tr> <tr> <td>60-74</td> <td>77 (76-78)</td> <td>88 (87-89)</td> <td>92 (91-94)</td> <td>97 (94-99)</td> </tr> <tr> <td>75-89</td> <td>76 (75-77)</td> <td>95 (93-97)</td> <td>99 (96-102)</td> <td>103 (94-112)</td> </tr> <tr> <td colspan="5"><b>Stage III</b></td> </tr> <tr> <td>15-44</td> <td>68 (64-71)</td> <td>82 (79-86)</td> <td>91 (88-94)</td> <td>92 (88-97)</td> </tr> <tr> <td>45-59</td> <td>63 (62-65)</td> <td>77 (75-79)</td> <td>88 (86-90)</td> <td>98 (95-100)</td> </tr> <tr> <td>60-74</td> <td>57 (56-58)</td> <td>78 (76-79)</td> <td>90 (88-92)</td> <td>98 (94-101)</td> </tr> <tr> <td>75-89</td> <td>49 (47-51)</td> <td>84 (80-87)</td> <td>97 (92-102)</td> <td>-</td> </tr> </tbody> </table> <hr/>		At 0 years	At 3 years	At 5 years	At 10 years	<b>Stage I</b>					15-44	93 (90-96)	97 (95-99)	99 (97-100)	99 (98-101)	45-59	94 (93-96)	95 (94-97)	96 (94-97)	97 (95-100)	60-74	91 (89-92)	94 (92-95)	96 (95-98)	98 (95-100)	75-89	92 (90-94)	100 (96-103)	103 (98-107)	-	<b>Stage II</b>					15-44	90 (88-92)	94 (93-96)	96 (95-98)	98 (97-100)	45-59	81 (80-83)	88 (87-90)	92 (91-94)	96 (94-98)	60-74	77 (76-78)	88 (87-89)	92 (91-94)	97 (94-99)	75-89	76 (75-77)	95 (93-97)	99 (96-102)	103 (94-112)	<b>Stage III</b>					15-44	68 (64-71)	82 (79-86)	91 (88-94)	92 (88-97)	45-59	63 (62-65)	77 (75-79)	88 (86-90)	98 (95-100)	60-74	57 (56-58)	78 (76-79)	90 (88-92)	98 (94-101)	75-89	49 (47-51)	84 (80-87)	97 (92-102)	-
	At 0 years	At 3 years	At 5 years	At 10 years																																																																													
<b>Stage I</b>																																																																																	
15-44	93 (90-96)	97 (95-99)	99 (97-100)	99 (98-101)																																																																													
45-59	94 (93-96)	95 (94-97)	96 (94-97)	97 (95-100)																																																																													
60-74	91 (89-92)	94 (92-95)	96 (95-98)	98 (95-100)																																																																													
75-89	92 (90-94)	100 (96-103)	103 (98-107)	-																																																																													
<b>Stage II</b>																																																																																	
15-44	90 (88-92)	94 (93-96)	96 (95-98)	98 (97-100)																																																																													
45-59	81 (80-83)	88 (87-90)	92 (91-94)	96 (94-98)																																																																													
60-74	77 (76-78)	88 (87-89)	92 (91-94)	97 (94-99)																																																																													
75-89	76 (75-77)	95 (93-97)	99 (96-102)	103 (94-112)																																																																													
<b>Stage III</b>																																																																																	
15-44	68 (64-71)	82 (79-86)	91 (88-94)	92 (88-97)																																																																													
45-59	63 (62-65)	77 (75-79)	88 (86-90)	98 (95-100)																																																																													
60-74	57 (56-58)	78 (76-79)	90 (88-92)	98 (94-101)																																																																													
75-89	49 (47-51)	84 (80-87)	97 (92-102)	-																																																																													

First author, date	Results		
Khan et al., 2014	<b>Cumulative incidence of death at 5 years (%)</b>		
	----- Number of lymph nodes -----		
	0-11	≥12	
	----- Age (years) -----		
	20-49	19.8	17.2
	50-64	18.4	16.7
	65-74	21.1	18.3
	75-84	24.6	18.7
	≥ 85	27.5	17.8
	-----		
Mariotto et al, 2014	<b>5-year relative survival (% - 95%CI)</b>		
	----- Males      Females -----		
	20-44	64 (62-66)	64 (62-66)
	45-54	68 (66-69)	68 (67-70)
	55-64	66 (65-67)	67 (66-68)
	65-74	68 (66-69)	68 (67-69)
	75+	60 (58-61)	59 (58-60)
	-----		
Aan De Stegge et al., 2016	<b>5-year overall survival (%)</b>		
	----- Number of lymph nodes -----		
	0-11	≥12	
	----- Age (years) -----		
	<66	79	81
	66-75	66	71
	>75	45	53
	-----		

First author, date	Results																																															
Hines et al., 2016	<p><b>5-year mortality rate</b> (per 1,000 person.year; 95% CI) adjusted for tumor site, categorical age at diagnosis, race/ethnicity, gender, CT poverty, CT geography (rural, suburban, urban), and tumor grade:</p> <hr/> <p style="text-align: center;">Chemotherapy Status</p> <hr/> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;"></th> <th style="width: 35%; text-align: center;">Yes</th> <th style="width: 35%; text-align: center;">No</th> </tr> </thead> <tbody> <tr> <td>Age (years)</td> <td></td> <td></td> </tr> <tr> <td>40–64</td> <td style="text-align: center;">49.7 (33.9–73.1)</td> <td style="text-align: center;">68.8 (45.7–103.6)</td> </tr> <tr> <td>65–74</td> <td style="text-align: center;">54.6 (33.3–89.5)</td> <td style="text-align: center;">91.8 (55.4–152.2)</td> </tr> <tr> <td>75–84</td> <td style="text-align: center;">138.7 (85.2–225.9)</td> <td style="text-align: center;">193.1 (120.0–310.5)</td> </tr> </tbody> </table> <hr/>		Yes	No	Age (years)			40–64	49.7 (33.9–73.1)	68.8 (45.7–103.6)	65–74	54.6 (33.3–89.5)	91.8 (55.4–152.2)	75–84	138.7 (85.2–225.9)	193.1 (120.0–310.5)																																
	Yes	No																																														
Age (years)																																																
40–64	49.7 (33.9–73.1)	68.8 (45.7–103.6)																																														
65–74	54.6 (33.3–89.5)	91.8 (55.4–152.2)																																														
75–84	138.7 (85.2–225.9)	193.1 (120.0–310.5)																																														
Aquina et al., 2017	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th colspan="2" style="width: 35%; text-align: center;">Complications</th> <th colspan="2" style="width: 35%; text-align: center;">Sepsis</th> </tr> <tr> <td></td> <td style="text-align: center;">No</td> <td style="text-align: center;">Yes</td> <td style="text-align: center;">No</td> <td style="text-align: center;">Yes</td> </tr> </thead> <tbody> <tr> <td>Age (years)</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>&lt;65</td> <td style="text-align: center;">1.9</td> <td style="text-align: center;">6.4</td> <td style="text-align: center;">2.4</td> <td style="text-align: center;">16.0</td> </tr> <tr> <td>65-74</td> <td style="text-align: center;">3.8</td> <td style="text-align: center;">12.8</td> <td style="text-align: center;">5.2</td> <td style="text-align: center;">34.6</td> </tr> <tr> <td>≥ 75</td> <td style="text-align: center;">9.2</td> <td style="text-align: center;">22.4</td> <td style="text-align: center;">12.1</td> <td style="text-align: center;">43.3</td> </tr> </tbody> </table> <hr/>		Complications		Sepsis			No	Yes	No	Yes	Age (years)					<65	1.9	6.4	2.4	16.0	65-74	3.8	12.8	5.2	34.6	≥ 75	9.2	22.4	12.1	43.3																	
	Complications		Sepsis																																													
	No	Yes	No	Yes																																												
Age (years)																																																
<65	1.9	6.4	2.4	16.0																																												
65-74	3.8	12.8	5.2	34.6																																												
≥ 75	9.2	22.4	12.1	43.3																																												
Majek et al., 2013	<hr/> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;"></th> <th style="width: 15%;">Subsite</th> <th style="width: 15%;">Age (years)</th> <th style="width: 15%;">Men</th> <th style="width: 15%;">Women</th> </tr> </thead> <tbody> <tr> <td rowspan="5">Right colon</td> <td>15–44</td> <td></td> <td style="text-align: center;">64.9</td> <td style="text-align: center;">68.1</td> </tr> <tr> <td>45–54</td> <td></td> <td style="text-align: center;">61.7</td> <td style="text-align: center;">64.1</td> </tr> <tr> <td>55–64</td> <td></td> <td style="text-align: center;">62.1</td> <td style="text-align: center;">65.7</td> </tr> <tr> <td>65–74</td> <td></td> <td style="text-align: center;">63.7</td> <td style="text-align: center;">64.3</td> </tr> <tr> <td>75+</td> <td></td> <td style="text-align: center;">61.5</td> <td style="text-align: center;">64.3</td> </tr> <tr> <td rowspan="5">Left colon</td> <td>15–44</td> <td></td> <td style="text-align: center;">63.5</td> <td style="text-align: center;">70.2</td> </tr> <tr> <td>45–54</td> <td></td> <td style="text-align: center;">65.4</td> <td style="text-align: center;">67.9</td> </tr> <tr> <td>55–64</td> <td></td> <td style="text-align: center;">69.7</td> <td style="text-align: center;">71.9</td> </tr> <tr> <td>65–74</td> <td></td> <td style="text-align: center;">65.9</td> <td style="text-align: center;">67.1</td> </tr> <tr> <td>75+</td> <td></td> <td style="text-align: center;">58.9</td> <td style="text-align: center;">58.6</td> </tr> </tbody> </table> <hr/>		Subsite	Age (years)	Men	Women	Right colon	15–44		64.9	68.1	45–54		61.7	64.1	55–64		62.1	65.7	65–74		63.7	64.3	75+		61.5	64.3	Left colon	15–44		63.5	70.2	45–54		65.4	67.9	55–64		69.7	71.9	65–74		65.9	67.1	75+		58.9	58.6
	Subsite	Age (years)	Men	Women																																												
Right colon	15–44		64.9	68.1																																												
	45–54		61.7	64.1																																												
	55–64		62.1	65.7																																												
	65–74		63.7	64.3																																												
	75+		61.5	64.3																																												
Left colon	15–44		63.5	70.2																																												
	45–54		65.4	67.9																																												
	55–64		69.7	71.9																																												
	65–74		65.9	67.1																																												
	75+		58.9	58.6																																												

First author, date	Results																																																												
Hur et al., 2018	<p data-bbox="275 252 607 276"><b>5-year relative survival (% - 95%CI)</b></p> <hr/> <p data-bbox="667 336 781 360" style="text-align: center;"><b>Age (years)</b></p> <hr/> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;"></th> <th style="width: 15%; text-align: center;">≤39</th> <th style="width: 15%; text-align: center;">40–49</th> <th style="width: 15%; text-align: center;">50–59</th> <th style="width: 15%; text-align: center;">60–69</th> <th style="width: 15%; text-align: center;">≥70</th> </tr> </thead> <tbody> <tr> <td colspan="6" data-bbox="275 448 539 472">Right side colon (C18.0–18.3)</td> </tr> <tr> <td data-bbox="275 475 360 499">2006–20</td> <td data-bbox="365 475 495 499">78.5 (75.1–81.6)</td> <td data-bbox="499 475 629 499">78.7 (76.5–80.7)</td> <td data-bbox="633 475 763 499">76.9 (75.3–78.3)</td> <td data-bbox="768 475 898 499">74.9 (73.6–76.2)</td> <td data-bbox="902 475 1032 499">62.0 (60.5–63.5)</td> </tr> <tr> <td data-bbox="275 502 360 526">2011–20</td> <td data-bbox="365 502 495 526">79.6 (74.8–83.5)</td> <td data-bbox="499 502 629 526">78.8 (76.0–81.3)</td> <td data-bbox="633 502 763 526">80.5 (79.0–82.0)</td> <td data-bbox="768 502 898 526">79.3 (77.9–80.7)</td> <td data-bbox="902 502 1032 526">64.9 (63.4–66.4)</td> </tr> <tr> <td colspan="6" data-bbox="275 560 501 584">Transverse colon (C18.4)</td> </tr> <tr> <td data-bbox="275 587 360 611">2006–20</td> <td data-bbox="365 587 495 611">69.8 (62.5–76.0)</td> <td data-bbox="499 587 629 611">76.3 (71.9–80.1)</td> <td data-bbox="633 587 763 611">79.7 (76.8–82.4)</td> <td data-bbox="768 587 898 611">78.2 (75.5–80.7)</td> <td data-bbox="902 587 1032 611">58.1 (54.8–61.3)</td> </tr> <tr> <td data-bbox="275 614 360 638">2011–20</td> <td data-bbox="365 614 495 638">78.5 (71.1–84.2)</td> <td data-bbox="499 614 629 638">78.1 (72.7–82.7)</td> <td data-bbox="633 614 763 638">83.3 (80.2–86.1)</td> <td data-bbox="768 614 898 638">80.0 (77.1–82.6)</td> <td data-bbox="902 614 1032 638">66.1 (62.9–69.2)</td> </tr> <tr> <td colspan="6" data-bbox="275 671 524 695">Left side colon (C18.5–18.7)</td> </tr> <tr> <td data-bbox="275 699 360 722">2006–20</td> <td data-bbox="365 699 495 722">70.1 (67.1–73.0)</td> <td data-bbox="499 699 629 722">78.4 (76.9–79.9)</td> <td data-bbox="633 699 763 722">81.8 (80.9–82.8)</td> <td data-bbox="768 699 898 722">80.1 (79.2–81.1)</td> <td data-bbox="902 699 1032 722">66.3 (64.9–67.6)</td> </tr> <tr> <td data-bbox="275 726 360 750">2011–20</td> <td data-bbox="365 726 495 750">74.5 (70.6–77.9)</td> <td data-bbox="499 726 629 750">81.0 (79.2–82.7)</td> <td data-bbox="633 726 763 750">83.8 (82.8–84.8)</td> <td data-bbox="768 726 898 750">83.9 (82.9–84.9)</td> <td data-bbox="902 726 1032 750">69.1 (67.7–70.5)</td> </tr> </tbody> </table>		≤39	40–49	50–59	60–69	≥70	Right side colon (C18.0–18.3)						2006–20	78.5 (75.1–81.6)	78.7 (76.5–80.7)	76.9 (75.3–78.3)	74.9 (73.6–76.2)	62.0 (60.5–63.5)	2011–20	79.6 (74.8–83.5)	78.8 (76.0–81.3)	80.5 (79.0–82.0)	79.3 (77.9–80.7)	64.9 (63.4–66.4)	Transverse colon (C18.4)						2006–20	69.8 (62.5–76.0)	76.3 (71.9–80.1)	79.7 (76.8–82.4)	78.2 (75.5–80.7)	58.1 (54.8–61.3)	2011–20	78.5 (71.1–84.2)	78.1 (72.7–82.7)	83.3 (80.2–86.1)	80.0 (77.1–82.6)	66.1 (62.9–69.2)	Left side colon (C18.5–18.7)						2006–20	70.1 (67.1–73.0)	78.4 (76.9–79.9)	81.8 (80.9–82.8)	80.1 (79.2–81.1)	66.3 (64.9–67.6)	2011–20	74.5 (70.6–77.9)	81.0 (79.2–82.7)	83.8 (82.8–84.8)	83.9 (82.9–84.9)	69.1 (67.7–70.5)
	≤39	40–49	50–59	60–69	≥70																																																								
Right side colon (C18.0–18.3)																																																													
2006–20	78.5 (75.1–81.6)	78.7 (76.5–80.7)	76.9 (75.3–78.3)	74.9 (73.6–76.2)	62.0 (60.5–63.5)																																																								
2011–20	79.6 (74.8–83.5)	78.8 (76.0–81.3)	80.5 (79.0–82.0)	79.3 (77.9–80.7)	64.9 (63.4–66.4)																																																								
Transverse colon (C18.4)																																																													
2006–20	69.8 (62.5–76.0)	76.3 (71.9–80.1)	79.7 (76.8–82.4)	78.2 (75.5–80.7)	58.1 (54.8–61.3)																																																								
2011–20	78.5 (71.1–84.2)	78.1 (72.7–82.7)	83.3 (80.2–86.1)	80.0 (77.1–82.6)	66.1 (62.9–69.2)																																																								
Left side colon (C18.5–18.7)																																																													
2006–20	70.1 (67.1–73.0)	78.4 (76.9–79.9)	81.8 (80.9–82.8)	80.1 (79.2–81.1)	66.3 (64.9–67.6)																																																								
2011–20	74.5 (70.6–77.9)	81.0 (79.2–82.7)	83.8 (82.8–84.8)	83.9 (82.9–84.9)	69.1 (67.7–70.5)																																																								

**Supplementary Table 6.** Numerical estimates for survival metrics extracted from included studies about lung cancer

First author, date	Results									
Lung cancer										
Wingo et al., 1998	<b>5-year relative survival</b>				<b><i>Distant stage</i></b>					
	<b><i>Local stage</i></b>									
	<i>White</i>		<i>Black</i>		<i>White</i>		<i>Black</i>			
	<i>Male Female</i>		<i>Male Female</i>		<i>Male Female</i>		<i>Male Female</i>			
	Age (years)				Age (years)					
	<45	62	75	46	56	<45	2	4	4	4
	45-54	49	61	36	47	45-54	2	3	2	2
	55-64	43	54	33	46	55-64	1	2	1	1
	65-74	33	44	29	31	65-74	1	1	1	1
	≥ 75	20	30	16	24	≥ 75	1	1	1	1
<b><i>Regional stage</i></b>										
<i>White</i>		<i>Black</i>								
<i>Male Female</i>		<i>Male Female</i>								
Age (years)										
<45	24	28	19	19						
45-54	17	22	13	16						
55-64	15	18	12	19						
65-74	12	15	10	11						
≥ 75	7	12	4	8						

First author, date			Results																																																																																																																																									
Dickman et al., 1999	<b>1-year and 5-year relative survival rates (95%CI)</b> <hr/> <table border="0"> <thead> <tr> <th></th> <th colspan="2">Males</th> <th colspan="2">Females</th> </tr> <tr> <th></th> <th>1-year</th> <th>5-year</th> <th>1-year</th> <th>5-year</th> </tr> <tr> <th></th> <th colspan="2">(95% CI)</th> <th colspan="2">(95% CI)</th> </tr> </thead> <tbody> <tr> <td colspan="5"><b>Localized</b></td> </tr> <tr> <td>30-44</td> <td>78</td> <td>58 (43-74)</td> <td>92</td> <td>80 (66-94)</td> </tr> <tr> <td>45-59</td> <td>80</td> <td>41 (36-45)</td> <td>91</td> <td>56 (46-66)</td> </tr> <tr> <td>60-74</td> <td>70</td> <td>29 (27-31)</td> <td>73</td> <td>36 (31-42)</td> </tr> <tr> <td>≥75</td> <td>56</td> <td>10 (7-13)</td> <td>48</td> <td>8 (2-15)</td> </tr> <tr> <td colspan="5"><b>Regional metastases</b></td> </tr> <tr> <td>30-44</td> <td>72</td> <td>26 (12-41)</td> <td>65</td> <td>14 (0-31)</td> </tr> <tr> <td>45-59</td> <td>62</td> <td>15 (11-20)</td> <td>64</td> <td>15 (7-24)</td> </tr> <tr> <td>60-74</td> <td>51</td> <td>12 (9-14)</td> <td>62</td> <td>19 (12-26)</td> </tr> <tr> <td>≥75</td> <td>41</td> <td>4 (0-9)</td> <td>30</td> <td>10 (0-21)</td> </tr> <tr> <td colspan="5"><b>Distant metastases</b></td> </tr> <tr> <td>30-44</td> <td>20</td> <td>0</td> <td>28</td> <td>2 (0-6)</td> </tr> <tr> <td>45-59</td> <td>22</td> <td>2 (1-2)</td> <td>27</td> <td>3 (1-5)</td> </tr> <tr> <td>60-74</td> <td>20</td> <td>1 (1-1)</td> <td>25</td> <td>3 (1-4)</td> </tr> <tr> <td>≥75</td> <td>15</td> <td>1 (0-1)</td> <td>13</td> <td>1 (0-2)</td> </tr> </tbody> </table>			Males		Females			1-year	5-year	1-year	5-year		(95% CI)		(95% CI)		<b>Localized</b>					30-44	78	58 (43-74)	92	80 (66-94)	45-59	80	41 (36-45)	91	56 (46-66)	60-74	70	29 (27-31)	73	36 (31-42)	≥75	56	10 (7-13)	48	8 (2-15)	<b>Regional metastases</b>					30-44	72	26 (12-41)	65	14 (0-31)	45-59	62	15 (11-20)	64	15 (7-24)	60-74	51	12 (9-14)	62	19 (12-26)	≥75	41	4 (0-9)	30	10 (0-21)	<b>Distant metastases</b>					30-44	20	0	28	2 (0-6)	45-59	22	2 (1-2)	27	3 (1-5)	60-74	20	1 (1-1)	25	3 (1-4)	≥75	15	1 (0-1)	13	1 (0-2)	<b>5-year relative survival rates (95%CI)</b> <hr/> <table border="0"> <thead> <tr> <th></th> <th>Squamous cell carcinoma</th> <th>Small cell carcinoma</th> <th>Adenocarcinoma</th> </tr> </thead> <tbody> <tr> <td colspan="4"><b>Males</b></td> </tr> <tr> <td>30-44</td> <td>19 (8-30)</td> <td>6 (0-13)</td> <td>29 (20-39)</td> </tr> <tr> <td>45-59</td> <td>20 (17-23)</td> <td>4 (2-6)</td> <td>19 (15-23)</td> </tr> <tr> <td>60-74</td> <td>17 (16-19)</td> <td>3 (2-4)</td> <td>15 (13-18)</td> </tr> <tr> <td>≥75</td> <td>6 (4-8)</td> <td>3 (1-5)</td> <td>6 (2-10)</td> </tr> <tr> <td colspan="4"><b>Females</b></td> </tr> <tr> <td>30-44</td> <td>18 (2-33)</td> <td>·</td> <td>37 (24-50)</td> </tr> <tr> <td>45-59</td> <td>19 (11-27)</td> <td>9 (4-15)</td> <td>26 (19-32)</td> </tr> <tr> <td>60-74</td> <td>18 (13-23)</td> <td>4 (1-6)</td> <td>26 (21-30)</td> </tr> <tr> <td>≥75</td> <td>5 (0-9)</td> <td>·</td> <td>7 (2-12)</td> </tr> </tbody> </table>					Squamous cell carcinoma	Small cell carcinoma	Adenocarcinoma	<b>Males</b>				30-44	19 (8-30)	6 (0-13)	29 (20-39)	45-59	20 (17-23)	4 (2-6)	19 (15-23)	60-74	17 (16-19)	3 (2-4)	15 (13-18)	≥75	6 (4-8)	3 (1-5)	6 (2-10)	<b>Females</b>				30-44	18 (2-33)	·	37 (24-50)	45-59	19 (11-27)	9 (4-15)	26 (19-32)	60-74	18 (13-23)	4 (1-6)	26 (21-30)	≥75	5 (0-9)	·	7 (2-12)
	Males		Females																																																																																																																																									
	1-year	5-year	1-year	5-year																																																																																																																																								
	(95% CI)		(95% CI)																																																																																																																																									
<b>Localized</b>																																																																																																																																												
30-44	78	58 (43-74)	92	80 (66-94)																																																																																																																																								
45-59	80	41 (36-45)	91	56 (46-66)																																																																																																																																								
60-74	70	29 (27-31)	73	36 (31-42)																																																																																																																																								
≥75	56	10 (7-13)	48	8 (2-15)																																																																																																																																								
<b>Regional metastases</b>																																																																																																																																												
30-44	72	26 (12-41)	65	14 (0-31)																																																																																																																																								
45-59	62	15 (11-20)	64	15 (7-24)																																																																																																																																								
60-74	51	12 (9-14)	62	19 (12-26)																																																																																																																																								
≥75	41	4 (0-9)	30	10 (0-21)																																																																																																																																								
<b>Distant metastases</b>																																																																																																																																												
30-44	20	0	28	2 (0-6)																																																																																																																																								
45-59	22	2 (1-2)	27	3 (1-5)																																																																																																																																								
60-74	20	1 (1-1)	25	3 (1-4)																																																																																																																																								
≥75	15	1 (0-1)	13	1 (0-2)																																																																																																																																								
	Squamous cell carcinoma	Small cell carcinoma	Adenocarcinoma																																																																																																																																									
<b>Males</b>																																																																																																																																												
30-44	19 (8-30)	6 (0-13)	29 (20-39)																																																																																																																																									
45-59	20 (17-23)	4 (2-6)	19 (15-23)																																																																																																																																									
60-74	17 (16-19)	3 (2-4)	15 (13-18)																																																																																																																																									
≥75	6 (4-8)	3 (1-5)	6 (2-10)																																																																																																																																									
<b>Females</b>																																																																																																																																												
30-44	18 (2-33)	·	37 (24-50)																																																																																																																																									
45-59	19 (11-27)	9 (4-15)	26 (19-32)																																																																																																																																									
60-74	18 (13-23)	4 (1-6)	26 (21-30)																																																																																																																																									
≥75	5 (0-9)	·	7 (2-12)																																																																																																																																									
Jung et al., 2013	<b>5-year relative survival</b> <hr/> <table border="0"> <thead> <tr> <th></th> <th colspan="4">Stage at diagnosis</th> </tr> <tr> <th></th> <th>Localized</th> <th>Regional</th> <th>Distant</th> <th>Unknown</th> </tr> </thead> <tbody> <tr> <td colspan="5"><b>Age (years)</b></td> </tr> <tr> <td>20-49</td> <td>76.6 (1.8)</td> <td>48.0 (1.9)</td> <td>8.9 (0.8)</td> <td>30.7 (2.3)</td> </tr> <tr> <td>50-64</td> <td>64.4 (0.9)</td> <td>37.3 (0.8)</td> <td>6.8 (0.4)</td> <td>25.6 (1.0)</td> </tr> <tr> <td>65-74</td> <td>41.4 (1.0)</td> <td>24.0 (0.7)</td> <td>3.8 (0.3)</td> <td>15.1 (0.7)</td> </tr> <tr> <td>≥75</td> <td>20.5 (1.2)</td> <td>12.4 (0.8)</td> <td>2.6 (0.3)</td> <td>8.8 (0.6)</td> </tr> </tbody> </table>						Stage at diagnosis					Localized	Regional	Distant	Unknown	<b>Age (years)</b>					20-49	76.6 (1.8)	48.0 (1.9)	8.9 (0.8)	30.7 (2.3)	50-64	64.4 (0.9)	37.3 (0.8)	6.8 (0.4)	25.6 (1.0)	65-74	41.4 (1.0)	24.0 (0.7)	3.8 (0.3)	15.1 (0.7)	≥75	20.5 (1.2)	12.4 (0.8)	2.6 (0.3)	8.8 (0.6)																																																																																																				
	Stage at diagnosis																																																																																																																																											
	Localized	Regional	Distant	Unknown																																																																																																																																								
<b>Age (years)</b>																																																																																																																																												
20-49	76.6 (1.8)	48.0 (1.9)	8.9 (0.8)	30.7 (2.3)																																																																																																																																								
50-64	64.4 (0.9)	37.3 (0.8)	6.8 (0.4)	25.6 (1.0)																																																																																																																																								
65-74	41.4 (1.0)	24.0 (0.7)	3.8 (0.3)	15.1 (0.7)																																																																																																																																								
≥75	20.5 (1.2)	12.4 (0.8)	2.6 (0.3)	8.8 (0.6)																																																																																																																																								

First author, date	Results											
	5-year relative survival (% - 95%CI) in Men					Women						
	20-44 years	45-54 years	55-64 years	65-74 years	75+ years	20-44 years	45-54 years	55-64 years	65-74 years	75+ years		
Mariotto et al., 2014	All Stages	19 (17-20)	15 (14-16)	16 (15-16)	15 (15-16)	11 (10-11)	All Stages	24 (22 - 26)	22 (21 - 23)	22 (21 - 22)	20 (20 - 21)	13 (13 - 14)
	Small Cell	10 (6 -15)	7 (6 - 9)	5 (5 - 6)	5 (4 - 6)	3 (2 - 4)	Small Cell	10 (6 -15)	11 (9 -13)	11 (10 -12)	7 (6 - 8)	4 (3 - 5)
	Non-Small Cell	20 (18 - 22)	16 (15 -17)	18 (17 - 18)	17 (16 -17)	11 (11 -12)	Non-Small Cell	26 (24 - 28)	24 (23 - 25)	24 (23 - 25)	23 (22 - 24)	14 (14 - 15)
	Stage 1	81 (73 - 86)	61 (57 - 64)	58 (56 - 60)	53 (52 - 55)	42 (39 - 44)	Stage 1	80 (73 - 85)	72 (69 - 75)	68 (66 - 70)	62 (60 - 64)	50 (48 - 52)
	Small Cell	86 (33 - 98)	25 (10 - 43)	20 (12 - 30)	33 (24 - 41)	13 (6 - 21)	Small Cell	63 (14 - 90)	36 (22 - 49)	36 (27 - 45)	35 (27 - 44)	18 (11 - 27)
	Non-Small Cell	81 (73 - 86)	62 (59 - 66)	60 (57 - 62)	54 (52 - 56)	43 (40 - 45)	Non-Small Cell	80 (74 - 86)	74 (71 - 77)	70 (68 - 72)	63 (61 - 65)	51 (49 - 53)
	Stage II	47 (34 - 59)	41 (36 - 47)	39 (36 - 43)	33 (30 - 36)	22 (18-25)	Stage II	64 (51 - 74)	48 (42 - 54)	44 (39 - 48)	35 (31 - 38)	22 (19 - 26)
	Small Cell	34 (5 - 68)	23 (9 - 41)	23 (12 - 36)	18 (8 - 32)		Small Cell	54 (7 - 87)	28 (11 - 47)	29 (19 - 40)	25 (14 - 37)	10 (4 - 20)
	Non-Small Cell	48 (35 - 60)	43 (37 - 48)	40 (37 - 44)	33 (30 - 36)	22 (19 - 26)	Non-Small Cell	64 (51 - 75)	50 (44 - 56)	45 (41 - 50)	35 (32 - 39)	23 (20 - 27)
	Stage III	17 (13-21)	17 (15 -18)	16 (15 -17)	12 (11 -13)	7 (7 - 8)	Stage III	25 (20 - 30)	24 (22 - 26)	21 (19 - 22)	15 (14 - 16)	9 (8 - 10)
	Small Cell	15 (7 - 25)	15 (11 -19)	11 (9 -13)	8 (6 -11)	4 (3 - 6)	Small Cell	12 (4 - 24)	19 (15 - 24)	20 (17 - 22)	10 (8 -12)	6 (4 - 9)
	Non-Small Cell	18 (14 - 22)	17 (15 -19)	17 (16 -18)	13 (12 -14)	8 (7 - 9)	Non-Small Cell	27 (22 - 32)	25 (23 - 28)	21 (19 - 23)	17 (15 -18)	9 (8 - 10)
	Stage IV	6 (5 - 8)	4 (3 - 4)	3 (2 - 3)	2 (2 - 3)	2 (1 - 2)	Stage IV	8 (6 -10)	5 (5 - 6)	4 (4 - 5)	4 (4 - 4)	3 (2 - 3)
	Small Cell	3 (1 - 7)	3 (2 - 4)	2 (1 - 2)	1 (1 - 2)	1 (0 -1)	Small Cell	6 (3 -11)	3 (2 - 5)	3 (3 - 4)	2 (1 - 3)	1 (1 - 2)
	Non-Small Cell	7 (5 - 9)	4 (3 - 4)	3 (3 - 3)	3 (2 - 3)	2 (2 - 2)	Non-Small Cell	8 (6 -10)	6 (5 - 7)	5 (4 - 5)	5 (4 - 5)	3 (2 - 3)

First author, date	Results									
	5-year crude survival (%)									
	Localized stage			Regional stage				Distant stage		
	All patients	No comorbidities	Severe comorbidities	All patients	No comorbidities	Severe comorbidities	All patients	No comorbidities	Severe comorbidities	
	Men									
	20-44	83	-	-	34	-	-	7	-	-
	45-54	57	-	-	26	-	-	4	-	-
	55-65	51	-	-	25	-	-	3	-	-
	66-74	40	49	29	19	21	14	2	3	2
	75-84	26	33	20	12	15	8	1	2	1
	85+	13	16	10	4	4	3	1	1	1
	Women									
	20-44	82	-	-	42	-	-	8	-	-
	45-54	74	-	-	35	-	-	7	-	-
	55-65	63	-	-	31	-	-	5	-	-
66-74	52	63	38	24	30	18	4	4	2	
75-84	36	47	27	16	22	11	2	3	2	
85+	13	18	11	7	9	5	1	2	0	
Elberle et al., 2015	5-year relative survival									
Male		Female								
Age (years)										
15-59	18.5 (0.4)	23.7 (0.6)								
60-69	17.0 (0.3)	22.9 (0.6)								
70-79	13.8 (0.3)	19.0 (0.6)								
≥80	8.4 (0.6)	10.6 (0.8)								



First author, date	Results																																	
Maringe et al., 2015	<p><b>Net survival in men (% - 95% CI)</b></p> <table border="1"> <thead> <tr> <th></th> <th>South Asians</th> <th>Non-South Asians</th> </tr> </thead> <tbody> <tr> <td colspan="3" style="text-align:center">1-year net survival</td> </tr> <tr> <td>15-44</td> <td>42.4 (30.0-54.9)</td> <td>36.5 (34.3-38.8)</td> </tr> <tr> <td>45-54</td> <td>39.5 (30.3-48.7)</td> <td>31.1 (30.1-32.0)</td> </tr> <tr> <td>55-64</td> <td>34.7 (29.7-39.6)</td> <td>29.4 (28.9-29.9)</td> </tr> <tr> <td>65-69</td> <td>28.9 (23.7-34.0)</td> <td>26.1 (25.5-26.6)</td> </tr> <tr> <td colspan="3" style="text-align:center">5-year net survival</td> </tr> <tr> <td>15-44</td> <td>27.3 (16.1-38.5)</td> <td>16.7 (14.9-18.5)</td> </tr> <tr> <td>45-54</td> <td>18.9 (11.4-26.4)</td> <td>8.9 (8.3-9.5)</td> </tr> <tr> <td>55-64</td> <td>14.1 (10.3-17.8)</td> <td>8.5 (8.2-8.9)</td> </tr> <tr> <td>65-69</td> <td>10.6 (6.9-14.4)</td> <td>7.2 (6.8-7.5)</td> </tr> </tbody> </table>		South Asians	Non-South Asians	1-year net survival			15-44	42.4 (30.0-54.9)	36.5 (34.3-38.8)	45-54	39.5 (30.3-48.7)	31.1 (30.1-32.0)	55-64	34.7 (29.7-39.6)	29.4 (28.9-29.9)	65-69	28.9 (23.7-34.0)	26.1 (25.5-26.6)	5-year net survival			15-44	27.3 (16.1-38.5)	16.7 (14.9-18.5)	45-54	18.9 (11.4-26.4)	8.9 (8.3-9.5)	55-64	14.1 (10.3-17.8)	8.5 (8.2-8.9)	65-69	10.6 (6.9-14.4)	7.2 (6.8-7.5)
	South Asians	Non-South Asians																																
1-year net survival																																		
15-44	42.4 (30.0-54.9)	36.5 (34.3-38.8)																																
45-54	39.5 (30.3-48.7)	31.1 (30.1-32.0)																																
55-64	34.7 (29.7-39.6)	29.4 (28.9-29.9)																																
65-69	28.9 (23.7-34.0)	26.1 (25.5-26.6)																																
5-year net survival																																		
15-44	27.3 (16.1-38.5)	16.7 (14.9-18.5)																																
45-54	18.9 (11.4-26.4)	8.9 (8.3-9.5)																																
55-64	14.1 (10.3-17.8)	8.5 (8.2-8.9)																																
65-69	10.6 (6.9-14.4)	7.2 (6.8-7.5)																																
Schulkes et al., 2017	<p><b>% of patients alive after 1 year</b></p> <table border="1"> <thead> <tr> <th></th> <th colspan="4">Stage at diagnosis</th> </tr> <tr> <th></th> <th>I</th> <th>II</th> <th>III</th> <th>IV</th> </tr> </thead> <tbody> <tr> <td colspan="5">Age (years)</td> </tr> <tr> <td>18-70</td> <td>95%</td> <td>-</td> <td>?</td> <td>36%</td> </tr> <tr> <td>71-84</td> <td>89%</td> <td>-</td> <td>?</td> <td>36%</td> </tr> <tr> <td>≥85</td> <td>76%</td> <td>-</td> <td>78%</td> <td>46%</td> </tr> </tbody> </table>		Stage at diagnosis					I	II	III	IV	Age (years)					18-70	95%	-	?	36%	71-84	89%	-	?	36%	≥85	76%	-	78%	46%			
	Stage at diagnosis																																	
	I	II	III	IV																														
Age (years)																																		
18-70	95%	-	?	36%																														
71-84	89%	-	?	36%																														
≥85	76%	-	78%	46%																														
<b>Non-small cell lung cancer</b>																																		

First author, date	Results																																																																			
Ries et al., 1994	<p><b>5-year relative survival</b></p> <p><b>Male</b></p> <hr/> <p style="text-align: center;">Stage</p> <hr/> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Age (years)</th> <th style="text-align: center;">I</th> <th style="text-align: center;">II</th> <th style="text-align: center;">III</th> <th style="text-align: center;">IV</th> <th style="text-align: center;">Unknown</th> </tr> </thead> <tbody> <tr> <td>&lt;45</td> <td style="text-align: center;">69</td> <td style="text-align: center;">51</td> <td style="text-align: center;">9</td> <td style="text-align: center;">-</td> <td style="text-align: center;">15</td> </tr> <tr> <td>45-64</td> <td style="text-align: center;">53</td> <td style="text-align: center;">27</td> <td style="text-align: center;">8</td> <td style="text-align: center;">1</td> <td style="text-align: center;">10</td> </tr> <tr> <td>65-74</td> <td style="text-align: center;">43</td> <td style="text-align: center;">27</td> <td style="text-align: center;">5</td> <td style="text-align: center;">1</td> <td style="text-align: center;">7</td> </tr> <tr> <td>≥75</td> <td style="text-align: center;">35</td> <td style="text-align: center;">16</td> <td style="text-align: center;">3</td> <td style="text-align: center;">1</td> <td style="text-align: center;">5</td> </tr> </tbody> </table> <hr/>	Age (years)	I	II	III	IV	Unknown	<45	69	51	9	-	15	45-64	53	27	8	1	10	65-74	43	27	5	1	7	≥75	35	16	3	1	5	<p><b>Female</b></p> <hr/> <p style="text-align: center;">Stage</p> <hr/> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Age (years)</th> <th style="text-align: center;">I</th> <th style="text-align: center;">II</th> <th style="text-align: center;">III</th> </tr> </thead> <tbody> <tr> <td>&lt;45</td> <td style="text-align: center;">81</td> <td style="text-align: center;">54</td> <td style="text-align: center;">18</td> </tr> <tr> <td>3</td> <td style="text-align: center;">16</td> <td></td> <td></td> </tr> <tr> <td>45-64</td> <td style="text-align: center;">63</td> <td style="text-align: center;">32</td> <td style="text-align: center;">10</td> </tr> <tr> <td>2</td> <td style="text-align: center;">15</td> <td></td> <td></td> </tr> <tr> <td>65-74</td> <td style="text-align: center;">56</td> <td style="text-align: center;">28</td> <td style="text-align: center;">7</td> </tr> <tr> <td>1</td> <td style="text-align: center;">10</td> <td></td> <td></td> </tr> <tr> <td>≥75</td> <td style="text-align: center;">44</td> <td style="text-align: center;">18</td> <td style="text-align: center;">5</td> </tr> <tr> <td>0</td> <td style="text-align: center;">10</td> <td></td> <td></td> </tr> </tbody> </table> <hr/>	Age (years)	I	II	III	<45	81	54	18	3	16			45-64	63	32	10	2	15			65-74	56	28	7	1	10			≥75	44	18	5	0	10		
Age (years)	I	II	III	IV	Unknown																																																															
<45	69	51	9	-	15																																																															
45-64	53	27	8	1	10																																																															
65-74	43	27	5	1	7																																																															
≥75	35	16	3	1	5																																																															
Age (years)	I	II	III																																																																	
<45	81	54	18																																																																	
3	16																																																																			
45-64	63	32	10																																																																	
2	15																																																																			
65-74	56	28	7																																																																	
1	10																																																																			
≥75	44	18	5																																																																	
0	10																																																																			
Sigel et al., 2009	<hr/> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th colspan="4" style="text-align: center;">Age (years)</th> </tr> <tr> <th></th> <th style="text-align: center;">&lt;60</th> <th style="text-align: center;">61-69</th> <th style="text-align: center;">70-79</th> <th style="text-align: center;">≥80</th> </tr> </thead> <tbody> <tr> <td colspan="5"><b>Resected: 5-year relative survival</b></td> </tr> <tr> <td>Males</td> <td style="text-align: center;">69.2 (66.7-71.6)</td> <td style="text-align: center;">66.0 (63.9-68.1)</td> <td style="text-align: center;">62.8 (60.4-65.2)</td> <td style="text-align: center;">63.5 (56.6-70.4)</td> </tr> <tr> <td>Females</td> <td style="text-align: center;">78.5 (76.4-80.6)</td> <td style="text-align: center;">75.6 (73.5-77.6)</td> <td style="text-align: center;">71.2 (69.0-73.5)</td> <td style="text-align: center;">78.1 (72.0-84.2)</td> </tr> <tr> <td colspan="5"><b>Unresected: 2-year relative survival</b></td> </tr> <tr> <td>Males</td> <td style="text-align: center;">53.4 (45.2-61.7)</td> <td style="text-align: center;">54.6 (49.4-59.8)</td> <td style="text-align: center;">48.5 (44.4-52.6)</td> <td style="text-align: center;">51.1 (45.1-57.3)</td> </tr> <tr> <td>Females</td> <td style="text-align: center;">55.4 (45.1-65.7)</td> <td style="text-align: center;">58.3 (52.9-63.8)</td> <td style="text-align: center;">55.9 (51.5-60.3)</td> <td style="text-align: center;">59.6 (53.8-65.4)</td> </tr> </tbody> </table> <hr/>			Age (years)					<60	61-69	70-79	≥80	<b>Resected: 5-year relative survival</b>					Males	69.2 (66.7-71.6)	66.0 (63.9-68.1)	62.8 (60.4-65.2)	63.5 (56.6-70.4)	Females	78.5 (76.4-80.6)	75.6 (73.5-77.6)	71.2 (69.0-73.5)	78.1 (72.0-84.2)	<b>Unresected: 2-year relative survival</b>					Males	53.4 (45.2-61.7)	54.6 (49.4-59.8)	48.5 (44.4-52.6)	51.1 (45.1-57.3)	Females	55.4 (45.1-65.7)	58.3 (52.9-63.8)	55.9 (51.5-60.3)	59.6 (53.8-65.4)																										
	Age (years)																																																																			
	<60	61-69	70-79	≥80																																																																
<b>Resected: 5-year relative survival</b>																																																																				
Males	69.2 (66.7-71.6)	66.0 (63.9-68.1)	62.8 (60.4-65.2)	63.5 (56.6-70.4)																																																																
Females	78.5 (76.4-80.6)	75.6 (73.5-77.6)	71.2 (69.0-73.5)	78.1 (72.0-84.2)																																																																
<b>Unresected: 2-year relative survival</b>																																																																				
Males	53.4 (45.2-61.7)	54.6 (49.4-59.8)	48.5 (44.4-52.6)	51.1 (45.1-57.3)																																																																
Females	55.4 (45.1-65.7)	58.3 (52.9-63.8)	55.9 (51.5-60.3)	59.6 (53.8-65.4)																																																																

First author, date	Results		
Driessen et al., 2017	<b>Median relative survival months (95%CI)</b>		
	<b>Stage I</b>		
	Age (years)		
	<70	≥70	
	Year of diagnosis		
	1990-94	44 (41-47)	16 (15-17)
	1995-99	52 (48-56)	17 (16-19)
	2000-04	70 (66-76)	22 (21-24)
	2005-09	85 (82-92)	34 (32-37)
	2010-14	NA	47 (44-50)
	<b>Stage II</b>		
	Age		
	(years)		
	≥70		
	<70		
	Year of diagnosis		
	1990-94	25 (23-28)	16
	(33-43)		
	1995-99	27 (24-29)	13
	(12-15)		
	2000-04	28 (25-30)	13
	(12-14)		
	2005-09	38 (33-43)	18
	(16-19)		
	2010-14	58 (52-64)	22
	(20-23)		

First author, date			Results																																											
	<p><b>Stage III</b></p> <p style="text-align: center;">----- Age (years) -----</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th></th> <th style="text-align: center;">&lt;70</th> <th style="text-align: center;">≥70</th> </tr> </thead> <tbody> <tr> <td>Year of diagnosis</td> <td></td> <td></td> </tr> <tr> <td>1990-94</td> <td style="text-align: center;">9 (9-9)</td> <td style="text-align: center;">6 (6-7)</td> </tr> <tr> <td>1995-99</td> <td style="text-align: center;">9 (9-10)</td> <td style="text-align: center;">6 (6-7)</td> </tr> <tr> <td>2000-04</td> <td style="text-align: center;">11 (10-11)</td> <td style="text-align: center;">7 (7-7)</td> </tr> <tr> <td>2005-09</td> <td style="text-align: center;">14 (13-14)</td> <td style="text-align: center;">8 (8-8)</td> </tr> <tr> <td>2010-14</td> <td style="text-align: center;">18 (17-18)</td> <td style="text-align: center;">10 (10-11)</td> </tr> </tbody> </table> <p>-----</p>			<70	≥70	Year of diagnosis			1990-94	9 (9-9)	6 (6-7)	1995-99	9 (9-10)	6 (6-7)	2000-04	11 (10-11)	7 (7-7)	2005-09	14 (13-14)	8 (8-8)	2010-14	18 (17-18)	10 (10-11)	<p><b>Stage IV</b></p> <p style="text-align: center;">----- Age (years) -----</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th></th> <th style="text-align: center;">&lt;70</th> <th style="text-align: center;">≥70</th> </tr> </thead> <tbody> <tr> <td>Year of diagnosis</td> <td></td> <td></td> </tr> <tr> <td>1990-94</td> <td style="text-align: center;">3.5 (3.3-3.6)</td> <td style="text-align: center;">2.6 (2.4-2.8)</td> </tr> <tr> <td>1995-99</td> <td style="text-align: center;">3.6 (3.5-3.8)</td> <td style="text-align: center;">2.6 (2.5-2.8)</td> </tr> <tr> <td>2000-04</td> <td style="text-align: center;">4.5 (4.4-4.7)</td> <td style="text-align: center;">3.0 (2.8-3.1)</td> </tr> <tr> <td>2005-09</td> <td style="text-align: center;">5.3 (5.2-5.5)</td> <td style="text-align: center;">3.2 (3.1-3.4)</td> </tr> <tr> <td>2010-14</td> <td style="text-align: center;">5.7 (5.5-5.8)</td> <td style="text-align: center;">3.4 (3.3-3.5)</td> </tr> </tbody> </table> <p>-----</p>			<70	≥70	Year of diagnosis			1990-94	3.5 (3.3-3.6)	2.6 (2.4-2.8)	1995-99	3.6 (3.5-3.8)	2.6 (2.5-2.8)	2000-04	4.5 (4.4-4.7)	3.0 (2.8-3.1)	2005-09	5.3 (5.2-5.5)	3.2 (3.1-3.4)	2010-14	5.7 (5.5-5.8)	3.4 (3.3-3.5)
	<70	≥70																																												
Year of diagnosis																																														
1990-94	9 (9-9)	6 (6-7)																																												
1995-99	9 (9-10)	6 (6-7)																																												
2000-04	11 (10-11)	7 (7-7)																																												
2005-09	14 (13-14)	8 (8-8)																																												
2010-14	18 (17-18)	10 (10-11)																																												
	<70	≥70																																												
Year of diagnosis																																														
1990-94	3.5 (3.3-3.6)	2.6 (2.4-2.8)																																												
1995-99	3.6 (3.5-3.8)	2.6 (2.5-2.8)																																												
2000-04	4.5 (4.4-4.7)	3.0 (2.8-3.1)																																												
2005-09	5.3 (5.2-5.5)	3.2 (3.1-3.4)																																												
2010-14	5.7 (5.5-5.8)	3.4 (3.3-3.5)																																												
<b>Small cell lung cancer</b>																																														



First author, date	Results														
	<div style="text-align: center;"> <math>\geq 75</math>    19    6  4    -  -----  ----- </div>														
Wang et al., 2017	<b>1-year cancer-specific survival (% - CSS)</b> ----- Stages    III    IV ----- Age (years) <50    76.5    32.6 50-59    67.5    31.3 60-69    57.2    29.0 70-79    45.7    22.9 $\geq 80$ 36.2    11.7 -----					----- Surgery    No surgery ----- Age (years) <50    84.4    46.7 50-59    82.6    42.2 60-69    70.6    38.6 70-79    67.6    31.7 $\geq 80$ 45.0    20.5 -----					<b>1,3 -year cancer-specific survival (% - CSS)</b> ----- Radiation    No radiation ----- CSS    1-y    3-y    1-y    3-y ----- Age (years) <50    54.6    22.1    31.7    6.2 50-59    52.3    17.4    28.6    5.5 60-69    49.4    17.6    25.9    4.2 70-79    42.6    15.3    22.6    4.5 $\geq 80$ 33.4    8.6    15.0    3.4 -----				