

Shedding of infectious SARS-CoV-2 from airways in hospitalized COVID-19 patients in relation to serum antibody responses

Authors: Hedvig Glans*^{1,2}, Sara Gredmark-Russ^{1,3}, Mikaela Olausson⁴, Sara Falck-Jones⁵, Renata Varnaite³, Wanda Christ³, Kimia T. Maleki^{3,4}, Maria Lind Karlberg⁴, Sandra Broddesson⁴, Ryan Falck-Jones^{6, 7}, Max Bell^{6, 7}, Niclas Johansson^{1,2}, Anna Färnert^{1,2}, Anna Smed-Sörensen⁵, Jonas Klingström^{3,4}, Andreas Bråve⁴

Affiliations

1. Department of Infectious Diseases, Karolinska University Hospital, Stockholm, Sweden.
2. Department of Medicine Solna, Karolinska Institutet, Stockholm, Sweden.
3. Center for Infectious Medicine, Department of Medicine Huddinge, Karolinska Institutet, Stockholm, Sweden.
4. Department of Microbiology, Public Health Agency of Sweden, Solna, Sweden.
5. Division of Immunology and Allergy, Department of Medicine Solna, Karolinska Institutet, Stockholm, Sweden
6. Department of Perioperative Medicine and Intensive Care, Karolinska University Hospital, Stockholm, Sweden
7. Department of Physiology and Pharmacology, Karolinska Institutet, Stockholm, Sweden.

Corresponding author: Hedvig Glans, hedvig.glans@ki.se, phone number +46724698808,

Supplementary Table 1. Detection of SARS-CoV-2 and specific antibody levels in all COVID-19 patients (n=36).

Patient ID	Neutralizing antibody titers	Anti-SARS-CoV-2 IgG titers	NPH culture CPE (Ct value)	Sputum culture CPE (Ct value)	Ct value NPH PCR	Ct value sputum PCR	Ct value serum PCR	Days of symptoms	Days since first positive SARS-CoV-2 PCR
1	<10	<20	14	7	19	21	neg	16	9
2	<10	<20	12	neg	24	28	neg	9	5
3	<10	40	8	neg	25	19	neg	9	2
4	10	40	8	neg	26	20	neg	11	4
5	10	40	neg	neg	32	24	neg	9	1
6	10	40	neg	neg	neg	23	neg	10	3
7	10	320	neg	n/a	33	n/a	neg	9	2
8	12	2560	neg	neg	neg	neg	neg	18	6
9	15	160	neg	neg	28	37	38	10	1
10	30	320	neg	n/a	neg	n/a	neg	11	7
11	30	640	neg	neg	neg	neg	neg	12	5
12	40	40	neg	n/a	neg	n/a	neg	10	2
13	40	1280	neg	n/a	33	n/a	neg	11	3
14	40	1280	neg	pos [†]	34	32	neg	20	9
15	60	640	neg	neg	28	n/a	neg	14	9
16	60	640	neg	neg	neg	31	neg	18	4
17	60	1280	neg	neg	35	neg	neg	15	9
18	60	1280	neg	neg	35	neg	36	48	27
19	60	2560	neg	neg	30	29	neg	28	17
20	60	2560	neg	pos*	neg	neg	neg	30	16
21	80	640	neg	neg	neg	36	neg	53	44
22	80	1280	neg	neg	neg	34	neg	43	9
23	80	2560	neg	neg	38	neg	38	18	6
24	120	320	neg	neg	26	20	neg	9	5
25	120	2560	neg	neg	neg	36	neg	39	25
26	120	2560	neg	neg	neg	neg	neg	21	14
27	160	1280	neg	neg	neg	neg	neg	21	15
28	160	1280	neg	neg	neg	27	neg	43	36
29	240	1280	neg	n/a	neg	neg	neg	21	16
30	240	1280	neg	neg	neg	28	neg	14	7
31	240	1280	neg	pos*	neg	28	neg	27	17
32	240	2560	neg	neg	neg	neg	neg	20	7
33	240	2560	neg	neg	neg	neg	neg	37	27
34	320	1280	neg	n/a	neg	n/a	neg	22	15
35	320	2560	neg	neg	neg	32	neg	19	8
36	560	1280	neg	neg	neg	neg	neg	26	12

*Positive for herpes simplex 1 PCR.

[†]Negative for SARS-CoV-2, herpes simplex 1 and 2, cytomegalovirus, adenovirus, bocavirus, enterovirus, metapneumovirus, parainfluenzavirus and rhinovirus.

Abbreviation: neg – negative, NPH – nasopharynx, pos – positive