

Appendix A. Optimal selection of pharmacy locations in the US




Figure A.1: Estimated fraction of the US population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure A.2: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while parts (b)-(d) show individual chains.




Figure A.3: Estimated fraction of the US population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and the biggest pharmacy chains individually and as combinations.




Figure A.4: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Parts (a)-(d) show different combinations of locations for the biggest pharmacy chains.

Appendix B. Optimal selection of pharmacy locations in each of the 50 states

Appendix B.1. Alabama




Figure B.5: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.6: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.2. Alaska




Figure B.7: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.8: Distances the population must travel (median and 10th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows individual chains. Note: the 90th percentile of the travel distances for parts (a) and (b) exceed 50 miles.

Appendix B.3. Arizona




Figure B.9: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.10: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.4. Arkansas




Figure B.11: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.12: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.5. California




Figure B.13: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.14: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.6. Colorado




Figure B.15: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.16: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.7. Connecticut




Figure B.17: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.18: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.8. Delaware




Figure B.19: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.20: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.9. Florida




Figure B.21: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.22: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.10. Georgia




Figure B.23: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.24: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.11. Hawaii




Figure B.25: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.26: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.12. Idaho




Figure B.27: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.28: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.13. Illinois




Figure B.29: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.30: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.14. Indiana




Figure B.31: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.32: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.15. Iowa




Figure B.33: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.34: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.16. Kansas




Figure B.35: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.36: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.17. Kentucky




Figure B.37: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.38: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.18. Louisiana




Figure B.39: Estimated fraction of the state's population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.40: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.19. Maine




Figure B.41: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.42: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.20. Maryland




Figure B.43: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.44: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.21. Massachusetts




Figure B.45: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.46: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.22. Michigan




Figure B.47: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.48: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.23. Minnesota




Figure B.49: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.50: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.24. Mississippi




Figure B.51: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.52: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.25. Missouri




Figure B.53: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.54: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.26. Montana




Figure B.55: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.56: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage. Note: the 90th percentile of the travel distances for part (b) exceed 50 miles.

Appendix B.27. Nebraska




Figure B.57: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.58: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.28. Nevada




Figure B.59: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.60: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.29. New Hampshire




Figure B.61: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.62: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.30. New Jersey




Figure B.63: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.64: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.31. New Mexico




Figure B.65: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.66: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.32. New York




Figure B.67: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.68: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.33. North Carolina




Figure B.69: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.70: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.34. North Dakota




Figure B.71: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.72: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.35. Ohio




Figure B.73: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.74: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.36. Oklahoma




Figure B.75: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.76: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.37. Oregon




Figure B.77: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.78: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.38. Pennsylvania




Figure B.79: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.80: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.39. Rhode Island




Figure B.81: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.82: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.40. South Carolina




Figure B.83: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.84: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.41. South Dakota




Figure B.85: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.86: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage. Note: the 90th percentile of the travel distances for part (b) exceed 50 miles.

Appendix B.42. Tennessee




Figure B.87: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.88: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.43. Texas




Figure B.89: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.90: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.44. Utah




Figure B.91: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.92: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.45. Vermont




Figure B.93: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.94: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.46. Virginia




Figure B.95: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.96: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.47. Washington




Figure B.97: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.98: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.48. West Virginia



Figure B.99: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.100: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.49. Wisconsin




Figure B.101: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.102: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage.

Appendix B.50. Wyoming




Figure B.103: Estimated fraction of the state’s population willing to travel to its closest pharmacy under an increasing maximum amount of pharmacies that administer COVID-19 testing. Results are shown for all pharmacies and for individual pharmacy chains.




Figure B.104: Distances the population must travel (median, 10th percentile, and 90th percentile) given an optimal pharmacy selection under an increasing number of selected pharmacies. Part (a) shows all pharmacies while part (b) shows the chain with the best coverage. Note: the 90th percentile of the travel distances for part (b) exceed 50 miles.