

Title: Self-reported Xylazine Experiences: A Mixed Methods Study of Reddit Subscribers.

Authors:

Anthony Spadaro, MD MPH^a (Anthony.Spadaro@penmedicine.upenn.edu)

Karen O'Connor, MS^b (karoc@penmedicine.upenn.edu)

Sahithi Lakamana, MS^c (sahithi.krishnaveni.lakamana@emory.edu)

Abeed Sarker, PhD^c (abeed@dbmi@emory.edu)

Rachel Wightman, MD^d (Rachel.Wightman@brown.edu)

Jennifer S Love, MD^e (jennifer.love@mountsinai.org)

Jeanmarie Perrone, MD^a (Jeanmarie.Perrone@penmedicine.upenn.edu)

Author affiliations:

^aDepartment of Emergency Medicine, Perelman School of Medicine at the University of Pennsylvania, 3400 Spruce Street, Philadelphia, PA 19104, USA

^bDepartment of Biostatistics, Epidemiology and Informatics, Perelman School of Medicine, University of Pennsylvania, 3400 Spruce Street, Philadelphia, PA, USA

^cDepartment of Biomedical Informatics, School of Medicine, Emory University, Woodruff Memorial Research Building, 101 Woodruff Circle, 4th Floor East, Atlanta, GA 30322, USA

^dDepartment of Emergency Medicine, Warren Alpert Medical School of Brown University, 222 Richmond St, Providence, RI 02903, USA

^eDepartment of Emergency Medicine, Icahn School of Medicine at Mount Sinai, 1 Gustave L. Levy Place, New York, NY 10029, USA

Corresponding author: Anthony Spadaro

Anthony.Spadar@pennmedicine.upenn.edu

814-758-5022

Hospital of the University of Pennsylvania, 3400 Spruce Street, Philadelphia, PA,
19104

Funding

Research reported in this publication was supported by the National Institute on Drug Abuse of the National Institutes of Health (NIH) under award number R01DA046619 and R01DA057599. The content is solely the responsibility of the authors and does not necessarily represent the official views of the NIH.

Abstract

Objectives: Xylazine is an alpha-2 agonist increasingly prevalent in the illicit drug supply. Our objectives were to curate information about xylazine through social media from People Who Use Drugs (PWUDs). Specifically, we sought to answer the following: 1) what are the demographics of Reddit subscribers reporting exposure to xylazine? 2) is xylazine a desired additive? and 3) what adverse effects of xylazine are PWUDs experiencing?

Methods: Natural Language Processing (NLP) was used to identify mentions of “xylazine” from posts by Reddit subscribers who also posted on drug-related subreddits. Posts were qualitatively evaluated for xylazine-related themes. A survey was developed to gather additional information about the Reddit subscribers. This survey was posted on subreddits that were identified by NLP to contain xylazine-related discussions from March 2022 to October 2022.

Results: 76 posts mentioning xylazine were extracted via NLP from 765,616 posts by 16,131 Reddit subscribers (January 2018 to August 2021). People on Reddit described xylazine as an unwanted adulterant in their opioid supply. 61 participants completed the survey. Of those that disclosed their location, 25/50 (50%) participants reported locations in the Northeastern United States. The most common route of xylazine use was intranasal use (57%). 31/59 (53%) reported experiencing xylazine withdrawal. Frequent adverse events reported were prolonged sedation (81%) and increased skin wounds (43%).

Conclusions: Among respondents on these Reddit forums, xylazine appears to be an unwanted adulterant. PWUDs may be experiencing adverse effects such as prolonged sedation and xylazine withdrawal. This appeared to be more common in the Northeast.

Manuscript

Introduction

Xylazine is an α_2 -agonist used in veterinary medicine as a sedative-hypnotic, muscle relaxant, and anti-emetic.¹ It is not approved for human use. Xylazine was investigated for potential use in humans, but rejected due to severe central nervous system and blood pressure adverse effects²⁻⁴. The chemical structure of xylazine resembles phenothiazines, tricyclic antidepressants, and clonidine.^{1,5} In addition to sedative effects caused by central A₂ agonism there is evidence that xylazine acts at multiple receptors contributing to its clinical effects.^{1,4,5} Veterinary studies have evaluated its use as a sedative in a number of different species.^{6,7} Until recently, descriptions of human exposures to xylazine in the medical literature were limited to case reports of xylazine intentional exposures.^{4,8-10} There are sporadic reports of xylazine being present in the illicit drug supply in Philadelphia and Puerto Rico prior to 2019.^{11,12}

Emerging evidence from forensic, confiscated, and donated drug samples demonstrate that xylazine is increasingly found in the opioid drug supply in the Northeast and rapidly spreading to the rest of the country.^{2,13-15} In 2019, the CDC reported that of 45,676 overdose deaths in the State Unintentional Drug Overdose Reporting System (SUDORS) there were 826 (1.8%) that were xylazine-positive, and that 99.1% of all xylazine-involved deaths also involved fentanyl or fentanyl analogues.¹⁶ More recently in Philadelphia, xylazine is being found in up to 75-90% of drug samples.¹⁵ Despite its increasing prevalence, few studies have described the limited qualitative experience of concurrent xylazine use with opioids among people who use drugs (PWUDs).¹⁴

Reddit is one of the most popular and fastest-growing social networks currently, with over 430 million monthly active subscribers.¹⁷ It allows subscribers to remain completely anonymous if they choose, and, due to this anonymity, Reddit has become a hub for the open discussion of sensitive or stigmatized topics including drug use.^{18,19} Given rising concerns about xylazine we sought to identify a cohort of people who self report exposure to xylazine in the drug supply by using public social media data from Reddit to conduct this study.^{19,20} Our objectives were to better understand xylazine use by utilizing social media to survey PWUDs about their experience with xylazine. Specifically, we sought to answer the following: 1) what are the demographics of Reddit subscribers self-reporting exposure to xylazine? 2) is xylazine a desired additive? and 3) what adverse effects of xylazine are PWUDs experiencing?

Methods

This is a mixed methods study of PWUDs who use Reddit. Study methods include natural language processing (NLP) to identify posts on Reddit related to xylazine use for qualitative analysis as well as posting a survey to Reddit to elicit the experiences of PWUD for quantitative analysis.

Qualitative analysis of existing posts

Several drug-related subreddits on Reddit were selected to search for xylazine-related posts. Initial subreddits were selected based on study group consensus of subreddit relevance and prior experience using Reddit to evaluate patterns in drug use.¹⁹ From the chosen subreddits,

we collected all publicly available retrievable posts via the PRAW Python application programming interface (API) for Reddit.²¹ We searched for mentions of 'xylazine' and 'Tranq', as well as lexical variants, from the subreddits using NLP to identify references to xylazine.²² Two authors (K.O. and A.S.) reviewed a small sample of posts to identify relevant categories into which the posts could be coded. We used a thematic content analysis approach to classify posts into different codes.^{23,24} A consensus approach among the authors was used to assign codes to the posts. The coding process was a multi-label classification and each post could be assigned one or many codes.²³

Survey Design:

An anonymous English-language survey was developed to include questions about demographics, patterns of xylazine use, and experiences from using xylazine. The survey was created on the survey hosting platform Qualtrics (<https://www.qualtrics.com/>) which allowed for web-based distribution of survey via a link. All respondents gave digital informed consent prior to beginning the survey. Survey questions did not include any personally identifiable information or contact information in order to preserve the respondents' anonymity. The survey was 18 questions and there was no financial incentive (Supplement S1). The survey was posted on seven drug-related subreddits from March 2022 to August 2022 by a member of our research team (A.S.), who identified himself and the goal of the study on all of the posts that included the link to the survey, and obtained consent from the moderators (Supplement S2). The subreddits where the survey was posted were identified through the qualitative analysis as having the highest number of posts about xylazine. Additional drug related subreddits with large numbers of subscribers were also identified as potential locations to post the survey. From this set, only subreddits where the moderators allowed the posting of the survey were included. The survey link was posted after the qualitative data had been gathered so as to not influence the content of posts being analyzed in the qualitative analysis. The anonymous survey results were exported to Microsoft Excel for analysis.

Ethics Approval

This study was approved by XXX Institutional Review Board (IRB) #: STUDY00002458.

Results

NLP Results

15 subreddits were found to contain at least one possible reference to the substance (*r/fentanyl*, *r/heroin*, *r/researchchemicals*, *r/OpiateChurch*, *r/ObscureDrugs*, *r/HeroinHeroines*, *r/ayahuasca*, *r/Methadone*, *r/OurOverUsedVeins*, *r/pillreports*, *r/popping*, *r/morbidquestions*, *r/noids*, *r/Drugs*, *r/DrugsOver30*). Possible misspellings of xylazine were also generated via a validated NLP tool prior to conducting the search.²² Seventy six posts were identified through NLP among these subreddits. Fourteen posts were excluded for 1) not mentioning xylazine in the post or 2) discussing a veterinary use of xylazine. Major themes that were identified included discussion of other drugs used with xylazine, method of using xylazine, and geography of xylazine use. Additionally, posts that discussed dependence or addiction to xylazine and

other drugs were identified to further understand patterns of xylazine use as well as to explore the impact xylazine might have on medications for opioid use disorder (MOUDs). Table 1 includes major themes with example quotes and counts of times major themes appeared.

Survey Results

The survey link was posted 17 times in total on the subreddits *r/opiates*, *r/fentanyl*, *r/DrugNerds*, *r/ObscureDrugs*, *r/researchchemicals*, *r/heroin*, *r/suboxone*. There were a total of 61 participants who completed the survey. Survey participant demographics are outlined in Table 2. The median age range reported by participants was 30-39 years old. The majority were male (67%), white non-Hispanic (79%), and from the Northeast United States (50%). Of the 25 responses that were included from a state in the Northeast, 12 responses were specifically from Pennsylvania.

Participants were asked about drug use history including frequency of use, routes of exposure, and concurrent drug use with xylazine (Table 3). A majority of participants (74%) report that they do not intentionally seek out xylazine. Most of the participants used multiple other drugs, with fentanyl specifically being the most common opioid (80%). Many participants used multiple different methods of xylazine with intranasal (57%) and injection (43%) being the most common.

Participants reported adverse effects from using xylazine (Table 4). A majority of participants (53%) reported having withdrawal from using xylazine. Common symptoms of withdrawal included anxiety (91%), depressed mood (74%), and body aches (63%). A majority (57%) of patients reported that their xylazine use has made withdrawing from other substances worse.

The participants emphasized many of these adverse effects of xylazine in a free response prompt to share any specifics about xylazine. Some participants emphasized the severity of the wounds they experienced as:

“bilateral purulent skin ulcers in extremities, skin infections, tissue death.”

“The wounds last months my primary has had me on 3 rounds of antibiotics with no luck”.

Other participants commented that xylazine made their opioid withdrawal worse:

“Suboxone an methadone don't help if there is tranq in your dope”.

Several participants comment on autonomic effects that weren't asked about in the survey such as labile blood pressure:

“Very high blood pressure, can feel heart beat in your face its so bad. Chest pains. Stretching feeling.”

“Coming off tranq makes your blood pressure spike with dizziness an lips go numb”.

Discussion:

This novel study adds to the literature about xylazine, an emerging psychoactive substance that is increasingly being detected in the illicit drug supply. This study found that most of the participants did not seek out xylazine, participants were primarily from the northeastern United States, and many participants reported increased wounds and worsened withdrawal symptoms.

First, we found that most participants were not intentionally seeking out xylazine in the drugs they use daily. Other studies of xylazine have found it to be an undesired adulterant in the drug supply.^{14,25} One notable finding from this study was that there was a group of participants that reported that they intentionally sought out xylazine. This behavior may be motivated by the desire to avoid withdrawal from xylazine, which several participants reported as well. However, in our qualitative analysis of posts on Reddit, we found a small number of participants that reported positive sentiments towards xylazine, indicating that there are some desirable effects of xylazine for some PWUDs, such as making the “high” experience last longer.

Despite these findings, most participants reported concerning adverse effects of xylazine use, such as prolonged sedation and “passing out” following use.²⁶ As there are not currently any recommended reversal agents for xylazine, prolonged sedation is a clinical concern as patients who experience xylazine overdose may need prolonged respiratory or hemodynamic support.^{1,4,25,26} It is unclear if this prolonged sedation or synergistic respiratory depressant effect may be contributing to rising rates of opioid deaths and increasing prevalence of xylazine in overdose deaths.^{25,27} Some participants also reported an additional association of increased skin wounds with xylazine use. The biologic plausibility of xylazine use contributing to increased skin wounds has not been elucidated, however, this study adds to other studies that have reported this finding.^{1,13,14,28}

Second, this study corroborates the findings from other studies that xylazine use is concentrated in the northeastern United States.^{14,27,28} A majority of our participants reported that they were from the Northeastern United States; Pennsylvania was the most common state reported in that region. This is similar to the findings of Friedman et al. that xylazine use emerged in Philadelphia, Pennsylvania.¹⁴ Our study found that a majority of participants who used xylazine were younger (30-39 years old), non-Hispanic white, and male. Given the high rates of concurrent fentanyl use, it would be expected that xylazine use matches the demographics of people who use fentanyl. More recent data shows that fentanyl overdose death rates are more rapidly increasing among non-Hispanic African American males.²⁹ This difference may reflect the demographics of people who use Reddit, who tend to be young, white, males.¹⁷ However continued research and surveillance is needed to assess the prevalence of xylazine in the drug supply in order to understand the burden of xylazine exposure among different racial, ethnic, age, and gender groups.^{15,26}

Third, we found the PWUD reported worse withdrawal symptoms from other drugs after they had started using xylazine. Although we do not know the exact relationship between xylazine use and withdrawal from other drugs, this self-reported experience is concerning. Opioid Use Disorder has high morbidity and mortality, and ongoing withdrawal symptoms can lead to discontinuation of or further challenges to initiation of MOUDs.³⁰ At this time the optimal management of xylazine withdrawal is unknown, although a case reports have described using clonidine or dexmedetomidine.^{1,25,31}

Fourth this study demonstrates the potential opportunity to recruit participants from Reddit to participate in biomedical studies. Although there are a growing number of studies that use NLP to look at existing posts on Reddit to answer research questions, there are few studies that use Reddit for surveys or as a recruitment tool.³²⁻³⁶ Given the anonymity of Reddit and its large subscriber base, it could be a valuable source to survey questions about sensitive topics, perform toxicosurveillance, and study use patterns and adverse effects of emerging drugs with a novel method.³⁶ As new psychoactive substances emerge in the drug market, Reddit could be a promising resource to study these substances with the goal of informing public health, harm reduction efforts, and clinical care.

Although this study did not directly answer the question of how harm from xylazine could be reduced, it highlights several issues facing PWUDs who are exposed to xylazine. More research is needed to understand the concomitant use of fentanyl and xylazine and the relationship between xylazine use and skin wounds.

Limitations

There are several limitations to this study. As discussed above, the demographics of people who use Reddit may not be representative of the general population or the population of PWUDs, limiting the generalizability of findings in our study to all PWUDs.^{17,35} As telephone and internet access may be limited among PWUDs, many may not be able to utilize social media sites.³⁷ Additionally, response bias could lead to people with polarized sentiments or who have had more reactions to xylazine to complete the survey, leading to an overestimate of people who had positive or negative reactions to xylazine. While this study's findings that people who used xylazine tended to also use fentanyl, experience prolonged sedation, and had increased skin wounds is similar to other studies of people who use xylazine, more research is needed to understand the range of adverse effects of xylazine use.^{1,13,25,27} As the prevalence of xylazine in the drug supply moves across different geographic regions in the country, the demographics of its use concurrently with other drugs may change. Thus ongoing research into how xylazine is being used across time and geographics is needed to address the emerging needs of PWUDs who are exposed to xylazine.

Conclusions:

Among people on Reddit, xylazine appears to be an unwanted adulterant. PWUD may be experiencing more negative side effects such as prolonged sedation, increased skin wounds, and worsening withdrawal from other substances. This appeared to be more common problem in the Northeast and among people who self-report opioid use. Reddit shows promise as an

avenue to disseminate surveys and possibly even recruit participants to studies that wish to explore sensitive topics.

Table 1: Major themes from Reddit posts about Xylazine

Theme	Definition	Example Quotes	Theme Frequency (% of posts theme appeared in)
Other Drugs used with Xylazine	Posts that discussed xylazine use with other specific drugs	“Around me it's usually fatty/etonitazene analogs mixed with Xylazine which is an animal tranq similar chemically to clonidine, and sometimes ketamine is thrown in too alongside synthetic cannabinoids”	53%
Sentiment about Xylazine	Posts that described a positive or negative experience about using xylazine	“I fucking LOVED xylazine... I loved it. I was so upset if my fatty wasn't cut with it.”	24%
Method of Xylazine use	Posts that described how xylazine was used	“Always break the tiniest crumb off to test new batches. Smoking helps cause it hits pretty fast so you can judge”	6%
Geographic Use	Posts that described a geographic area	“It's called xylazine... philly's got that "tranq dope".. puts you out but you get addicted to that along with the fent!”	37%
Dependence on xylazine and other substances	Posts that discuss dependence, addiction, or withdrawal to xylazine and other substances	“12 hours later from my last shot of this fent/trank/ketamine/xylazine shit i started going thrpigh the worst withdraws ever. drank another 115 methadone and within 15 minutes thru it up everywhere. withdraw is ridiculous and methadone doesnt fucking cut it”	11%
Use of MOUDs	Posts that discuss buprenorphine, methadone,	“I'm on 80 mgs of methadone .. we started getting weekly take home	2%

	naltrexone or other MOUDS	bottles from this covid shit do I would get a few bags here or there. Thinking ahh I got the methadone to fall back on an I'll be fine.. well come to find out the shit is heavily cut with xylazine”	
--	---------------------------	---	--

Table 2 Demographic Results of survey participants

Age Range (N=51)	
Under 20	8%
20-29	33%
30-39	47%
40-49	12%
Over 50	0%
Gender (N=51)	
Male	67%
Female	29%
Non-Binary/Other	4%
Race (N=50)	
White, Non-Hispanic	79%
White, Hispanic	4%
African American	4%
Asian	5%
American Indian	4%
Native Hawaiian/Pacific Islander	4%
Geography (N=50)	
Northeast	50%
Southeast	14%
Midwest	14%
Southwest	0%
West	10%
Other Country*	12%

*Included 2 responses from the United Kingdom, 2 responses from Canada, 1 response from Sweden, and 1 response from Ecuador.

Table 3 Patterns of Xylazine Use

Intentionally seek out to buy drugs that contain xylazine (N=61)	
Yes	26%
No	74%
Drug use on a typical day (N=60)	
Any Opioids	93%

Fentanyl	80%
Cannabis	45%
Stimulants	41%
Benzodiazepines	21%
Hallucinogens	10%
Method of xylazine exposure (N=61)	
Inhalational (Smoking)	20%
Intranasal (Snorting)	57%
Injection	43%
Oral	3%
Frequency of xylazine use (N=61)	
Daily	39%
1-6 times per week	19%
1-4 times per month	15%
A few times per year/Rarely	27%

Table 4: Reported Adverse Effects of Xylazine use

Adverse Effects from xylazine use (N=48)	
Increased overdoses/passing out	81%
Skin Wounds or Infections	43%
Increased Emergency Room visits	17%
Have you experienced withdrawal from xylazine? (N=59)	
Yes	53%
What xylazine withdrawal symptoms have you experienced (N=35)	
Body Aches	63%
Cravings	49%
Anxiety	91%
Depressed Mood	74%
How has withdrawing from other drugs changed since you started using xylazine? (N=51)	
Worse	57%
The Same	39%
Better	4%

References

1. Ball NS, Knable BM, Relich TA, et al. Xylazine poisoning: a systematic review. *Clin Toxicol (Phila)*. 2022;60(8):892-901. doi:10.1080/15563650.2022.2063135

2. Hoffman J. Tranq Dope: Animal Sedative Mixed With Fentanyl Brings Fresh Horror to U.S. Drug Zones. *New York Times*. January 7, 2023.
3. Kitzman J v, Booth NI, Hatch RC, Wallner B. *Antagonism of Xylazine and Yohimbine in Cattle Sedation by 4-Aminopyridine*.
4. Hoffmann U, Meister CM, Golle K, Zschiesche M. Severe Intoxication with the Veterinary Tranquilizer Xylazine in Humans. *J Anal Toxicol*. 2001;25(4):245-249. doi:10.1093/jat/25.4.245
5. Ruiz-Colón K, Chavez-Arias C, Díaz-Alcalá JE, Martínez MA. Xylazine intoxication in humans and its importance as an emerging adulterant in abused drugs: A comprehensive review of the literature. *Forensic Sci Int*. 2014;240:1-8. doi:10.1016/j.forsciint.2014.03.015
6. de Carvalho LL, Nishimura LT, Borges LP, et al. Sedative and cardiopulmonary effects of xylazine alone or in combination with methadone, morphine or tramadol in sheep. *Vet Anaesth Analg*. 2016;43(2):179-188. doi:10.1111/vaa.12296
7. Garcia-Villar R, Toutain P, Alvinerie M, Ruckebush Y. The Pharmacokinetics of xylazine hydrochloride: an interspecific study. *Journal of Veterinary Pharmacology and Therapeutics*. 1981;4(2):87-92.
8. Krongvorakul J, Auparakkitanon S, Trakulsrichai S, et al. Use of Xylazine in Drug-Facilitated Crimes. *J Forensic Sci*. 2018;63(4):1325-1330. doi:10.1111/1556-4029.13684
9. Velez LI, Shepherd G, Mills LD, Rivera W. Systemic toxicity after an ocular exposure to xylazine hydrochloride. *Journal of Emergency Medicine*. 2006;30(4):407-410. doi:10.1016/j.jemermed.2006.02.042
10. Moore KA, Ripple MG, Sakinedzad S, Levine B, Fowler DR. *Tissue Distribution of Xylazine in a Suicide by Hanging*. Vol 27.; 2003. <https://academic.oup.com/jat/article/27/2/110/706288>
11. Wong SC, Curtis JA, Wingert WE. Concurrent detection of heroin, fentanyl, and xylazine in seven drug-related deaths reported from the Philadelphia Medical Examiner's Office. *J Forensic Sci*. 2008;53(2):495-498. doi:10.1111/j.1556-4029.2007.00648.x
12. Reyes JC, Negrón JL, Colón HM, et al. The emerging of xylazine as a new drug of abuse and its health consequences among drug users in Puerto Rico. *Journal of Urban Health*. 2012;89(3):519-526. doi:10.1007/s11524-011-9662-6
13. Malayala S v, Papudesi BN, Bobb R, Wimbush A. Xylazine-Induced Skin Ulcers in a Person Who Injects Drugs in Philadelphia, Pennsylvania, USA. *Cureus*. 2022;14(8):e28160. doi:10.7759/cureus.28160
14. Friedman J, Montero F, Bourgois P, et al. Xylazine spreads across the US: A growing component of the increasingly synthetic and polysubstance overdose crisis. *Drug Alcohol Depend*. 2022;233:109380. doi:10.1016/j.drugalcdep.2022.109380
15. Bettigole C, Best A, Teixeira Silva D da. *Public Health Division of Substance Use Prevention and Harm Reduction* □ 123 South Broad St, 11 Th Floor.; 1910. <https://www.substanceusephilly.com> □ <https://www.phila.gov/programs/substance-use-prevention-and-harm-reduction> □ <https://hip.phila.gov>
16. Kariisa M, Patel P, Smith H, Biting J. Notes from the Field: Xylazine Detection and Involvement in Drug Overdose Deaths — United States, 2019. *MMWR Morb Mortal Wkly Rep*. 2021;70:1300-1302.

17. Reddit Usage and Growth Statistics: How Many People Use Reddit in 2021? .
<https://backlinko.com/reddit-users#reddit-statistics>.
18. Reddiquette – Reddit Help. <https://reddit.zendesk.com/hc/en-us/articles/205926439-Reddiquette>.
19. Spadaro A, Sarker A, Hogg-Bremer W, et al. Reddit discussions about buprenorphine associated precipitated withdrawal in the era of fentanyl. *Clin Toxicol*. Published online 2022. doi:10.1080/15563650.2022.2032730
20. Pandrekar S, Chen X, Gopalkrishna G, et al. *Social Media Based Analysis of Opioid Epidemic Using Reddit*. <https://www.reddit.com/dev/api/>
21. Boe B. PRAW: The Python Reddit API Wrapper. <https://praw.readthedocs.io/en/latest/>.
22. Sarker A. LexExp: a system for automatically expanding concept lexicons for noisy biomedical texts. *Bioinformatics*. 2021;37(16):2499-2501. doi:10.1093/bioinformatics/btaa995
23. Vaismoradi M, Turunen H, Bondas T. Content analysis and thematic analysis: Implications for conducting a qualitative descriptive study. *Nurs Health Sci*. 2013;15(3):398-405. doi:10.1111/nhs.12048
24. Hsieh HF, Shannon SE. Three Approaches to Qualitative Content Analysis. *Qual Health Res*. 2005;15(9):1277-1288. doi:10.1177/1049732305276687
25. Alexander RS, Canver BR, Sue KL, Morford KL. Xylazine and Overdoses: Trends, Concerns, and Recommendations. *Am J Public Health*. 2022;112(8):1212-1216. doi:10.2105/AJPH.2022.306881
26. Spoerke DG, Hall AH, Grimes MJ, Honea BN, Rumack BH. *Human Overdose with the Veterinary Tranquilizer Xylazine*.
27. Johnson J, Pizzicato L, Johnson C, Viner K. Increasing presence of xylazine in heroin and/or fentanyl deaths, Philadelphia, Pennsylvania, 2010-2019. *Inj Prev*. 2021;27(4):395-398. doi:10.1136/injuryprev-2020-043968
28. Korn WR, Stone MD, Haviland KL, Toohey JM, Stickle DF. High prevalence of xylazine among fentanyl screen-positive urines from hospitalized patients, Philadelphia, 2021. *Clinica Chimica Acta*. 2021;521:151-154. doi:10.1016/j.cca.2021.07.010
29. Han B, Einstein EB, Jones CM, Cotto J, Compton WM, Volkow ND. Racial and Ethnic Disparities in Drug Overdose Deaths in the US During the COVID-19 Pandemic. *JAMA Netw Open*. 2022;5(9):e2232314. doi:10.1001/jamanetworkopen.2022.32314
30. Sordo L, Barrio G, Bravo MJ, et al. Mortality risk during and after opioid substitution treatment: systematic review and meta-analysis of cohort studies. *BMJ*. 2017;357:j1550. doi:10.1136/bmj.j1550
31. Ehrman-Dupre R, Kaigh C, Salzman M, Haroz R, Peterson LK, Schmidt R. Management of Xylazine Withdrawal in a Hospitalized Patient: A Case Report. *J Addict Med*. 2022;16(5):595-598. doi:10.1097/ADM.0000000000000955
32. Slemmon A, McAuliffe C, Goodyear T, McGuinness L, Shaffer E, Jenkins EK. Reddit Users' Experiences of Suicidal Thoughts During the COVID-19 Pandemic: A Qualitative Analysis of r/Covid19_support Posts. *Front Public Health*. 2021;9. doi:10.3389/fpubh.2021.693153
33. Low DM, Rumker L, Talkar T, Torous J, Cecchi G, Ghosh SS. Natural Language Processing Reveals Vulnerable Mental Health Support Groups and Heightened Health Anxiety on

- Reddit During COVID-19: Observational Study. *J Med Internet Res*. 2020;22(10):e22635. doi:10.2196/22635
34. Zimmer F, Imhoff R. Abstinence from Masturbation and Hypersexuality. *Arch Sex Behav*. 2020;49(4):1333-1343. doi:10.1007/s10508-019-01623-8
 35. Shatz I. Fast, Free, and Targeted: Reddit as a Source for Recruiting Participants Online. *Soc Sci Comput Rev*. 2017;35(4):537-549. doi:10.1177/0894439316650163
 36. Graves RL, Sarker A, Al-Garadi MA, et al. Effective buprenorphine use and tapering strategies: Endorsements and insights by people in recovery from opioid use disorder on a Reddit forum. *bioRxiv*. Published online 2019. doi:10.1101/871608
 37. Tsang VWL, Papamihali K, Crabtree A, Buxton JA. Acceptability of technological solutions for overdose monitoring: Perspectives of people who use drugs. *Subst Abus*. 2021;42(3):284-293. doi:10.1080/08897077.2019.1680479